

LDC CODE UPDATE	
DATE:	February 21,2025
LDC SECTION:	Article 1, Division 2 Definitions Article 5, Division 3 Floodplain Management
COMP PLAN REFERENCE:	N/A
DISCUSSION:	
<p>Background</p> <p>During recent talks with Florida Division of Emergency Management it was brought to our attention we needed to make changes to our Land Development Code to stay in compliance with our 7 rating for the CRS/NFIP program which allows our citizens of Marion County to obtain a 15% discount off their Flood Insurance Premiums.</p> <p><b><u>Changes to the LDC Article 1, Division 2 Definitions</u></b></p> <ol style="list-style-type: none"> <li>Changes to the text on some definitions will state the following sentence: <u>This definition is not for the purposes of floodplain management under Article 5, Division 3.</u></li> <li>Remove the following definitions, they are not required for NFIP compliance; <ul style="list-style-type: none"> <li>Floodplain Management</li> <li>Floodplain Management Regulations</li> <li>Program Deficiency</li> </ul> </li> <li>Changes need to be made for Structure and Market Value Definitions.</li> <li>Two other minor edits for two other definitions.</li> </ol> <p><b><u>Article 5, Division 3 Floodplain Management</u></b></p> <ol style="list-style-type: none"> <li>Changing the word section to <u>Division</u> throughout Article 5, along with changing the word ordinance to division for Sec.5.3.1, General (A).</li> <li>5.3.2 Applicability (E), adding in ordinance or regulation in.....</li> <li>5.3.11 (E) changing last sentence from Section 5.3.5 to “5.13.5 of the Land Development Code has been met”.</li> <li>Sec.5.3.12 (E), changing <u>Elevation</u> as agreed by the LDRC panel to the following; “All manufactured homes that are placed, replaced, or substantially improved in flood hazard areas shall be elevated such that the bottom of the frame is at or above the base flood elevation plus one foot.”</li> <li>Removing 5.3.12 (F) and (G)</li> </ol>	

### ***DIVISION 3. FLOODPLAIN MANAGEMENT<sup>1</sup>***

#### **Sec. 5.3.1. General.**

- A. Title. These regulations shall be known as the Floodplain Management Ordinance of Marion County, hereinafter referred to as "this ~~ordinance~~ division."
- B. Scope. The provisions of this section shall apply to all development that is wholly within or partially within any flood hazard area, including but not limited to the subdivision of land; filling, grading, and other site improvements and utility installations; construction, alteration, remodeling, enlargement, improvement, replacement, repair, relocation or demolition of buildings, structures, and facilities that are exempt from the *Florida Building Code*; placement, installation, or replacement of manufactured homes and manufactured buildings; installation or replacement of tanks; placement of recreational vehicles; installation of swimming pools; and any other development.
- C. Intent. The purposes of this ~~section~~ division and the flood load and flood resistant construction requirements of the *Florida Building Code* are to establish minimum requirements to safeguard the public health, safety, and general welfare and to minimize public and private losses due to flooding through regulation of development in flood hazard areas to:
- (1) Minimize unnecessary disruption of commerce, access and public service during times of flooding;
  - (2) Require the use of appropriate construction practices in order to prevent or minimize future flood damage;
  - (3) Manage filling, grading, dredging, mining, paving, excavation, drilling operations, storage of equipment or materials, and other development which may increase flood damage or erosion potential;
  - (4) Manage the alteration of flood hazard areas, watercourses, and shorelines to minimize the impact of development on the natural and beneficial functions of the floodplain;
  - (5) Minimize damage to public and private facilities and utilities;
  - (6) Help maintain a stable tax base by providing for the sound use and development of flood hazard areas;
  - (7) Minimize the need for future expenditure of public funds for flood control projects and response to and recovery from flood events; and
  - (8) Meet the requirements of the National Flood Insurance Program for community participation as set forth in the Title 44 Code of Federal Regulations, Section 59.22.
- D. Coordination with the *Florida Building Code*. This ~~section~~ division is intended to be administered and enforced in conjunction with the *Florida Building Code*. Where cited, ASCE 24 refers to the edition of the standard that is referenced by the *Florida Building Code*.
- E. Warning. The degree of flood protection required by this ~~section~~ division and the *Florida Building Code*, as amended by Marion County, is considered the minimum reasonable for regulatory purposes and is based on

---

<sup>1</sup>Editor's note(s)—Ord. No. 17-08, § 2(Exh. A, § 1), adopted April 11, 2017, amended Art. 5, Div. 3, in its entirety to read as herein set out. Former Art. 5, Div. 3, §§ 5.3.1—5.3.7, pertained to flood plain overlay zone (FPOZ), and derived from Ord. No. 13-20, § 2, adopted July 11, 2013.

---

scientific and engineering considerations. Larger floods can and will occur. Flood heights may be increased by man-made or natural causes. This ~~section~~-division does not imply that land outside of mapped special flood hazard areas, or that uses permitted within such flood hazard areas, will be free from flooding or flood damage. The flood hazard areas and base flood elevations contained in the Flood Insurance Study and shown on Flood Insurance Rate Maps and the requirements of Title 44 Code of Federal Regulations, Sections 59 and 60 may be revised by the Federal Emergency Management Agency, requiring this community to revise these regulations to remain eligible for participation in the National Flood Insurance Program. No guaranty of vested use, existing use, or future use is implied or expressed by compliance with this ~~division~~section.

- F. Disclaimer of Liability. This ~~section~~-division shall not create liability on the part of the Board of County Commissioners of Marion County or by any officer or employee thereof for any flood damage that results from reliance on this ~~section~~-division or any administrative decision lawfully made thereunder.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### Sec. 5.3.2. Applicability.

- A. General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable.
- B. Areas to which this ~~section~~-division applies. This ~~section~~-division shall apply to all flood hazard areas within the unincorporated areas of Marion County, as established in Section 5.3.2(C) of this ~~division~~section.
- C. Basis for establishing flood hazard areas. The Flood Insurance Study for Marion County, Florida and Incorporated Areas dated April 19, 2017, and all subsequent amendments and revisions, and the accompanying Flood Insurance Rate Maps (FIRM), and all subsequent amendments and revisions to such maps, are adopted by reference as a part of this ~~division~~section and shall serve as the minimum basis for establishing flood hazard areas. Studies and maps that establish flood hazard areas are on file at the Marion County Growth Services Department.
- D. Submission of additional data to establish flood hazard areas. To establish flood hazard areas and base flood elevations, pursuant to Section 5.3.5 of this ~~division~~section the Floodplain Administrator may require submission of additional data. Where field surveyed topography prepared by a Florida licensed professional surveyor or digital topography accepted by the community indicates that ground elevations:
- (1) Are below the closest applicable base flood elevation, even in areas not delineated as a special flood hazard area on a FIRM, the area shall be considered as flood hazard area and subject to the requirements of this ~~division~~section and, as applicable, the requirements of the *Florida Building Code*.
  - (2) Are above the closest applicable base flood elevation, the area shall be regulated as special flood hazard area unless the applicant obtains a Letter of Map Change that removes the area from the special flood hazard area.
- D. Other laws. The provisions of this ~~division~~section shall not be deemed to nullify any provisions of local, state or federal law.
- E. Abrogation and greater restrictions. This ~~division~~section supersedes any ~~section~~-ordinance or regulation in effect for management of development in flood hazard areas. However, it is not intended to repeal or abrogate any existing sections including but not limited to land development regulations, zoning regulations, stormwater management regulations, or the *Florida Building Code*. In the event of a conflict between this ~~division~~section and any other regulations, the more restrictive shall govern. This ~~division~~section shall not impair any deed restriction, covenant or easement, but any land that is subject to such interests shall also be governed by this ~~division~~section.
- F. Interpretation. In the interpretation and application of this ~~division~~section, all provisions shall be:

- 
- (1) Considered as minimum requirements;
  - (2) Liberally construed in favor of the governing body; and
  - (3) Deemed neither to limit nor repeal any other powers granted under state statutes.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.3 Duties and powers of the floodplain administrator.**

- A. Designation. The Growth Services Director is designated as the Floodplain Administrator. The Floodplain Administrator may delegate performance of certain duties to other employees.
- B. General. The Floodplain Administrator is authorized and directed to administer and enforce the provisions of this division~~section~~. The Floodplain Administrator shall have the authority to render interpretations of this division~~section~~ consistent with the intent and purpose of this division~~section~~ and may establish policies and procedures in order to clarify the application of its provisions. Such interpretations, policies, and procedures shall not have the effect of waiving requirements specifically provided in this division~~section~~ without the granting of a variance pursuant to Section 5.3.7 of this division~~section~~.
- C. Applications and permits. The Floodplain Administrator, in coordination with other pertinent offices of the community, shall:
  - (1) Review applications and plans to determine whether proposed new development will be located in flood hazard areas;
  - (2) Review applications for modification of any existing development in flood hazard areas for compliance with the requirements of this division~~section~~;
  - (3) Interpret flood hazard area boundaries where such interpretation is necessary to determine the exact location of boundaries; a person contesting the determination shall have the opportunity to appeal the interpretation;
  - (4) Provide available flood elevation and flood hazard information;
  - (5) Determine whether additional flood hazard data shall be obtained from other sources or shall be developed by an applicant;
  - (6) Review applications to determine whether proposed development will be reasonably safe from flooding;
  - (7) Issue floodplain development permits or approvals for development other than buildings and structures that are subject to the *Florida Building Code*, including buildings, structures and facilities exempt from the *Florida Building Code*, when compliance with this division~~section~~ is demonstrated, or disapprove the same in the event of noncompliance; and
  - (8) Coordinate with and provide comments to the Building Official to assure that applications, plan reviews, and inspections for buildings and structures in flood hazard areas comply with the applicable provisions of this division~~section~~.
- D. Substantial improvement and substantial damage determinations. For applications for building permits to improve buildings and structures, including alterations, movement, enlargement, replacement, repair, change of occupancy, additions, rehabilitations, renovations, substantial improvements, repairs of substantial damage, and any other improvement of or work on such buildings and structures, the Floodplain Administrator, in coordination with the Building Official, shall:
  - (1) Estimate the market value, or require the applicant to obtain an appraisal of the market value prepared by a qualified independent appraiser, of the building or structure before the start of construction of the

- 
- proposed work; in the case of repair, the market value of the building or structure shall be the market value before the damage occurred and before any repairs are made;
- (2) Compare the cost to perform the improvement, the cost to repair a damaged building to its pre-damaged condition, or the combined costs of improvements and repairs, if applicable, to the market value of the building or structure;
  - (3) Determine and document whether the proposed work constitutes substantial improvement or repair of substantial damage; and
  - (4) Notify the applicant if it is determined that the work constitutes substantial improvement or repair of substantial damage and that compliance with the flood resistant construction requirements of the *Florida Building Code* and this [divisionsection](#) is required.
- E. Modifications of the strict application of the requirements of the *Florida Building Code*. The Floodplain Administrator shall review requests submitted to the Building Official that seek approval to modify the strict application of the flood load and flood resistant construction requirements of the *Florida Building Code* to determine whether such requests require the granting of a variance pursuant to Section 5.3.7 of this [divisionsection](#).
- F. Notices and orders. The Floodplain Administrator shall coordinate with appropriate local agencies for the issuance of all necessary notices or orders to ensure compliance with this [divisionsection](#).
- G. Inspections. The Floodplain Administrator shall make the required inspections as specified in Section 5.3.6 of this [divisionsection](#) for development that is not subject to the *Florida Building Code*, including buildings, structures and facilities exempt from the *Florida Building Code*. The Floodplain Administrator shall inspect flood hazard areas to determine if development is undertaken without issuance of a permit.
- H. Other duties of the Floodplain Administrator. The Floodplain Administrator shall have other duties, including but not limited to:
- (1) Establish, in coordination with the Building Official, procedures for administering and documenting determinations of substantial improvement and substantial damage made pursuant to Section 5.3.3(D) of this [divisionsection](#);
  - (2) Require that applicants proposing alteration of a watercourse notify adjacent communities and the Florida Division of Emergency Management, State Floodplain Management Office, and submit copies of such notifications to the Federal Emergency Management Agency (FEMA);
  - (3) Require applicants who submit hydrologic and hydraulic engineering analyses to support permit applications to submit to FEMA the data and information necessary to maintain the Flood Insurance Rate Maps if the analyses propose to change base flood elevations, flood hazard area boundaries, or floodway designations; such submissions shall be made within 6 months of such data becoming available;
  - (4) Review required design certifications and documentation of elevations specified by this [divisionsection](#) and the *Florida Building Code* to determine that such certifications and documentations are complete; and
  - (5) Notify the Federal Emergency Management Agency when the corporate boundaries of Marion County are modified.
- I. Floodplain management records. Regardless of any limitation on the period required for retention of public records, the Floodplain Administrator shall maintain and permanently keep and make available for public inspection all records that are necessary for the administration of this [divisionsection](#) and the flood resistant construction requirements of the *Florida Building Code*, including Flood Insurance Rate Maps; Letters of Map Change; records of issuance of permits and denial of permits; determinations of whether proposed work

---

constitutes substantial improvement or repair of substantial damage; required design certifications and documentation of elevations specified by the *Florida Building Code* and this ~~division~~section; notifications to adjacent communities, FEMA, and the state related to alterations of watercourses; assurances that the flood carrying capacity of altered watercourses will be maintained; documentation related to appeals and variances, including justification for issuance or denial; and records of enforcement actions taken pursuant to this ~~division~~section and the flood resistant construction requirements of the *Florida Building Code*. These records shall be available for public inspection at the Marion County Growth Services Department.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

#### **Sec. 5.3.4. Permits.**

- A. Permits required. Any owner or owner's authorized agent (hereinafter "applicant") who intends to undertake any development activity within the scope of this ~~division~~section, including buildings, structures and facilities exempt from the *Florida Building Code*, which is wholly within or partially within any flood hazard area shall first make application to the Floodplain Administrator, and the Building Official if applicable, and shall obtain the required permit(s) and approval(s). No such permit or approval shall be issued until compliance with the requirements of this ~~division~~section and all other applicable codes and regulations has been satisfied.
- B. Floodplain development permits or approvals. Floodplain development permits or approvals shall be issued pursuant to this ~~division~~section for any development activities not subject to the requirements of the *Florida Building Code*, including buildings, structures and facilities exempt from the *Florida Building Code*. Depending on the nature and extent of proposed development that includes a building or structure, the Floodplain Administrator may determine that a floodplain development permit or approval is required in addition to a building permit.
- C. Buildings, structures and facilities exempt from the *Florida Building Code*. Pursuant to the requirements of federal regulation for participation in the National Flood Insurance Program (44 C.F.R. Sections 59 and 60), floodplain development permits or approvals shall be required for the following buildings, structures and facilities that are exempt from the *Florida Building Code* and any further exemptions provided by law, which are subject to the requirements of this ~~division~~section:
  - (1) Railroads and ancillary facilities associated with the railroad.
  - (2) Nonresidential farm buildings on farms, as provided in section 604.50, F.S.
  - (3) Temporary buildings or sheds used exclusively for construction purposes.
  - (4) Mobile or modular structures used as temporary offices.
  - (5) Those structures or facilities of electric utilities, as defined in section 366.02, F.S., which are directly involved in the generation, transmission, or distribution of electricity.
  - (6) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term "chickee" means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other non-wood features.
  - (7) Family mausoleums not exceeding 250 square feet in area which are prefabricated and assembled on site or preassembled and delivered on site and have walls, roofs, and a floor constructed of granite, marble, or reinforced concrete.
  - (8) Temporary housing provided by the Department of Corrections to any prisoner in the state correctional system.

- 
- (9) Structures identified in section 553.73(10)(k), F.S., are not exempt from the *Florida Building Code* if such structures are located in flood hazard areas established on Flood Insurance Rate Maps
- D. Application for a permit or approval. To obtain a floodplain development permit or approval the applicant shall first file an application in writing on a form furnished by the Marion County. The information provided shall:
- (1) Identify and describe the development to be covered by the permit or approval.
  - (2) Describe the land on which the proposed development is to be conducted by legal description, street address or similar description that will readily identify and definitively locate the site.
  - (3) Indicate the use and occupancy for which the proposed development is intended.
  - (4) Be accompanied by a site plan or construction documents as specified in Section 5.3.5 of this ~~division~~section.
  - (5) State the valuation of the proposed work.
  - (6) Be signed by the applicant or the applicant's authorized agent.
  - (7) Give such other data and information as required by the Floodplain Administrator.
- E. Validity of permit or approval. The issuance of a floodplain development permit or approval pursuant to this ~~division~~section shall not be construed to be a permit for, or approval of, any violation of this ~~division~~section, the *Florida Building Codes*, or any other section of this Code. The issuance of permits based on submitted applications, construction documents, and information shall not prevent the Floodplain Administrator from requiring the correction of errors and omissions.
- F. Expiration. A floodplain development permit or approval shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized is suspended or abandoned for a period of 180 days after the work commences. Extensions for periods of not more than 180 days each shall be requested in writing and justifiable cause shall be demonstrated.
- G. Suspension or revocation. The Floodplain Administrator is authorized to suspend or revoke a floodplain development permit or approval if the permit was issued in error, on the basis of incorrect, inaccurate or incomplete information, or in violation of this ~~division~~section or any other section, regulation or requirement of Marion County.
- H. Other permits required. Floodplain development permits and building permits shall include a condition that all other applicable state or federal permits be obtained before commencement of the permitted development, including but not limited to the following:
- (1) The St. Johns River Water Management District or Southwest Florida Water Management District, as applicable; section 373.036, F.S.
  - (2) Florida Department of Health for onsite sewage treatment and disposal systems; section 381.0065, F.S. and Chapter 64E-6, F.A.C.
  - (3) Florida Department of Environmental Protection for activities subject to the Joint Coastal Permit; section 161.055, F.S.
  - (4) Florida Department of Environmental Protection for activities that affect wetlands and alter surface water flows, in conjunction with the U.S. Army Corps of Engineers; Section 404 of the Clean Water Act.
  - (5) Federal permits and approvals.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

---

### Sec. 5.3.5. Site plans and construction documents.

- A. Information for development in flood hazard areas. The site plan or construction documents for any development subject to the requirements of this division~~section~~ shall be drawn to scale and shall include, as applicable to the proposed development:
- (1) Delineation of flood hazard areas, floodway boundaries and flood zone(s), base flood elevation(s), and ground elevations if necessary for review of the proposed development.
  - (2) Where base flood elevations or floodway data are not included on the FIRM or in the Flood Insurance Study, they shall be established in accordance with Section 5.3.5(B)(2) or (3) of this division~~section~~.
  - (3) Where the parcel on which the proposed development will take place will have more than 50 lots or is larger than 5 acres and the base flood elevations are not included on the FIRM or in the Flood Insurance Study, such elevations shall be established in accordance with Section 5.3.5(B)(1) of this division~~section~~.
  - (4) Location of the proposed activity and proposed structures, and locations of existing buildings and structures.
  - (5) Location, extent, amount, and proposed final grades of any filling, grading, or excavation.
  - (6) Where the placement of fill is proposed, the amount, type, and source of fill material; compaction specifications; a description of the intended purpose of the fill areas; and evidence that the proposed fill areas are the minimum necessary to achieve the intended purpose.
  - (7) Existing and proposed alignment of any proposed alteration of a watercourse.

The Floodplain Administrator is authorized to waive the submission of site plans, construction documents, and other data that are required by this division~~section~~ but that are not required to be prepared by a registered design professional if it is found that the nature of the proposed development is such that the review of such submissions is not necessary to ascertain compliance with this division~~section~~.

- B. Information in flood hazard areas without base flood elevations (approximate Zone A). Where flood hazard areas are delineated on the FIRM and base flood elevation data have not been provided, the Floodplain Administrator shall:
- (1) Require the applicant to include base flood elevation data prepared in accordance with currently accepted engineering practices.
  - (2) Obtain, review, and provide to applicants base flood elevation and floodway data available from a federal or state agency or other source or require the applicant to obtain and use base flood elevation and floodway data available from a federal or state agency or other source.
  - (3) Where base flood elevation and floodway data are not available from another source, where the available data are deemed by the Floodplain Administrator to not reasonably reflect flooding conditions, or where the available data are known to be scientifically or technically incorrect or otherwise inadequate:
    - (a) Require the applicant to include base flood elevation data prepared in accordance with currently accepted engineering practices; or
    - (b) Specify that the base flood elevation is two (2) feet above the highest adjacent grade at the location of the development, provided there is no evidence indicating flood depths have been or may be greater than two (2) feet.
  - (4) Where the base flood elevation data are to be used to support a Letter of Map Change from FEMA, advise the applicant that the analyses shall be prepared by a Florida licensed engineer in a format

---

required by FEMA, and that it shall be the responsibility of the applicant to satisfy the submittal requirements and pay the processing fees.

- C. Additional analyses and certifications. As applicable to the location and nature of the proposed development activity, and in addition to the requirements of this section, the applicant shall have the following analyses signed and sealed by a Florida licensed engineer for submission with the site plan and construction documents:
- (1) For development activities proposed to be located in a regulatory floodway, a floodway encroachment analysis that demonstrates that the encroachment of the proposed development will not cause any increase in base flood elevations; where the applicant proposes to undertake development activities that do increase base flood elevations, the applicant shall submit such analysis to FEMA as specified in Section 5.3.5(D) of this ~~division~~section and shall submit the Conditional Letter of Map Revision, if issued by FEMA, with the site plan and construction documents.
  - (2) For development activities proposed to be located in a flood hazard area identified as Zone A, AE, AH or AO, including isolated flood hazard areas whether connected or not connected to a riverine flood hazard area, or in a riverine flood hazard area for which base flood elevations are included in the Flood Insurance Study or on the FIRM and floodways have not been designated, hydrologic and hydraulic analyses that demonstrate that the cumulative effect of the proposed development, when combined with all other existing and anticipated flood hazard area encroachments, will not increase the base flood elevation at any point within unincorporated Marion County outside of contiguously owned land by the applicant, and demonstrate compliance with Section 6.13.5.
  - (3) For alteration of a watercourse, an engineering analysis prepared in accordance with standard engineering practices which demonstrates that the flood-carrying capacity of the altered or relocated portion of the watercourse will not be decreased, and certification that the altered watercourse shall be maintained in a manner which preserves the channel's flood-carrying capacity; the applicant shall submit the analysis to FEMA as specified in Section 5.3.5(D) of this ~~division~~section
- D. Submission of additional data. When additional hydrologic, hydraulic or other engineering data, studies, and additional analyses are submitted to support an application, the applicant has the right to seek a Letter of Map Change from FEMA to change the base flood elevations, change floodway boundaries, or change boundaries of flood hazard areas shown on FIRMs, and to submit such data to FEMA for such purposes. The analyses shall be prepared by a Florida licensed engineer in a format required by FEMA. Submittal requirements and processing fees shall be the responsibility of the applicant.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.6. Inspections.**

- A. General. Development for which a floodplain development permit or approval is required shall be subject to inspection.
- B. Development other than buildings and structures. The Floodplain Administrator shall inspect all development to determine compliance with the requirements of this ~~division~~section and the conditions of issued floodplain development permits or approvals.
- C. Buildings, structures and facilities exempt from the *Florida Building Code*. The Floodplain Administrator shall inspect buildings, structures and facilities exempt from the *Florida Building Code* to determine compliance with the requirements of this ~~division~~section and the conditions of issued floodplain development permits or approvals.

- 
- D. Buildings, structures and facilities exempt from the *Florida Building Code*, lowest floor inspection. Upon placement of the lowest floor, including basement, and prior to further vertical construction, the owner of a building, structure or facility exempt from the *Florida Building Code*, or the owner's authorized agent, shall submit to the Floodplain Administrator:
- (1) If a design flood elevation was used to determine the required elevation of the lowest floor, the certification of elevation of the lowest floor prepared and sealed by a Florida licensed professional surveyor; or
  - (2) If the elevation used to determine the required elevation of the lowest floor was determined in accordance with Section 5.3.5(B)(3)(b) of this ~~division~~section, the documentation of height of the lowest floor above highest adjacent grade, prepared by the owner or the owner's authorized agent.
- E. Buildings, structures and facilities exempt from the *Florida Building Code*, final inspection. As part of the final inspection, the owner or owner's authorized agent shall submit to the Floodplain Administrator a final certification of elevation of the lowest floor or final documentation of the height of the lowest floor above the highest adjacent grade; such certifications and documentations shall be prepared as specified in Section 5.3.6(D) of this ~~division~~section.
- F. Manufactured homes. The Floodplain Administrator shall inspect manufactured homes that are installed or replaced in flood hazard areas to determine compliance with the requirements of this ~~division~~section and the conditions of the issued permit. Upon placement of a manufactured home, certification of the elevation of the lowest floor shall be submitted to the Floodplain Administrator.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.7. Variances and appeals.**

- A. General. The Marion County Development Review Committee shall hear and decide on requests for appeals and requests for variances from the strict application of this ~~division~~section. Pursuant to section 553.73(5), F.S., the Development Review Committee shall hear and decide on requests for appeals and requests for variances from the strict application of the flood resistant construction requirements of the *Florida Building Code*.
- B. Appeals. The Development Review Committee shall hear and decide appeals when it is alleged there is an error in any requirement, decision, or determination made by the Floodplain Administrator in the administration and enforcement of this ~~division~~section. Any person aggrieved by the decision may appeal such decision to the Circuit Court, as provided by Florida Statutes.
- C. Limitations on authority to grant variances. The Development Review Committee shall base its decisions on variances on technical justifications submitted by applicants, the considerations for issuance in Section 5.3.7(G) of this ~~division~~section, the conditions of issuance set forth in Section 5.3.7(H) of this ~~division~~section, and the comments and recommendations of the Floodplain Administrator and the Building Official. The Development Review Committee has the right to attach such conditions as it deems necessary to further the purposes and objectives of this ~~division~~section.
- D. Restrictions in floodways. A variance shall not be issued for any proposed development in a floodway if any increase in base flood elevations would result, as evidenced by the applicable analyses and certifications required in Section 5.3.5(C) of this ~~division~~section.
- E. Historic buildings. A variance is authorized to be issued for the repair, improvement, or rehabilitation of a historic building that is determined eligible for the exception to the flood resistant construction requirements of the *Florida Building Code*, Existing Building, Chapter 12 Historic Buildings, upon a determination that the proposed repair, improvement, or rehabilitation will not preclude the building's

---

continued designation as a historic building and the variance is the minimum necessary to preserve the historic character and design of the building. If the proposed work precludes the building's continued designation as a historic building, a variance shall not be granted and the building and any repair, improvement, and rehabilitation shall be subject to the requirements of the *Florida Building Code*.

- F. Functionally dependent uses. A variance is authorized to be issued for the construction or substantial improvement necessary for the conduct of a functionally dependent use, as defined in this [division](#)~~section~~, provided the variance meets the requirements of Section 5.3.7(D), is the minimum necessary considering the flood hazard, and all due consideration has been given to use of methods and materials that minimize flood damage during occurrence of the base flood.
- G. Considerations for issuance of variances. In reviewing requests for variances, the Development Review Committee shall consider all technical evaluations, all relevant factors, all other applicable provisions of the *Florida Building Code*, this [division](#)~~section~~, and the following:
- (1) The danger that materials and debris may be swept onto other lands resulting in further injury or damage;
  - (2) The danger to life and property due to flooding or erosion damage;
  - (3) The susceptibility of the proposed development, including contents, to flood damage and the effect of such damage on current and future owners;
  - (4) The importance of the services provided by the proposed development to the community;
  - (5) The availability of alternate locations for the proposed development that are subject to lower risk of flooding or erosion;
  - (6) The compatibility of the proposed development with existing and anticipated development;
  - (7) The relationship of the proposed development to the comprehensive plan and floodplain management program for the area;
  - (8) The safety of access to the property in times of flooding for ordinary and emergency vehicles;
  - (9) The expected heights, velocity, duration, rate of rise and debris and sediment transport of the floodwaters and the effects of wave action, if applicable, expected at the site; and
  - (10) The costs of providing governmental services during and after flood conditions including maintenance and repair of public utilities and facilities such as sewer, gas, electrical and water systems, streets and bridges.
- H. Conditions for issuance of variances. Variances shall be issued only upon:
- (1) Submission by the applicant, of a showing of good and sufficient cause that the unique characteristics of the size, configuration, or topography of the site limit compliance with any provision of this [division](#)~~section~~ or the required elevation standards;
  - (2) Determination by the Development Review Committee that:
    - (a) Failure to grant the variance would result in exceptional hardship due to the physical characteristics of the land that render the lot undevelopable; increased costs to satisfy the requirements or inconvenience do not constitute hardship;
    - (b) The granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, nor create nuisances, cause fraud on or victimization of the public or conflict with existing local laws and sections; and
    - (c) The variance is the minimum necessary, considering the flood hazard, to afford relief;

- 
- (3) Receipt of a signed statement by the applicant that the variance, if granted, shall be recorded in the Office of the Clerk of the Court in such a manner that it appears in the chain of title of the affected parcel of land; and
  - (4) If the request is for a variance to allow construction of the lowest floor of a new building, or substantial improvement of a building, below the required elevation, a copy in the record of a written notice from the Floodplain Administrator to the applicant for the variance, specifying the difference between the base flood elevation and the proposed elevation of the lowest floor, stating that the cost of federal flood insurance will be commensurate with the increased risk resulting from the reduced floor elevation (up to amounts as high as \$25 for \$100 of insurance coverage), and stating that construction below the base flood elevation increases risks to life and property.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.8. Violations.**

- A. Violations. Any development that is not within the scope of the *Florida Building Code* but that is regulated by this ~~division~~section that is performed without an issued permit, that is in conflict with an issued permit, or that does not fully comply with this ~~division~~section, shall be deemed a violation of this ~~division~~section. A building or structure without the documentation of elevation of the lowest floor, other required design certifications, or other evidence of compliance required by this ~~division~~section or the *Florida Building Code* is presumed to be a violation until such time as that documentation is provided.
- B. Authority. For development that is not within the scope of the *Florida Building Code* but that is regulated by this ~~division~~section and that is determined to be a violation, the Floodplain Administrator is authorized to serve notices of violation or stop work orders to owners of the property involved, to the owner's agent, or to the person or persons performing the work.
- C. Unlawful continuance. Any person who shall continue any work after having been served with a notice of violation or a stop work order, except such work as that person is directed to perform to remove or remedy a violation or unsafe condition, shall be subject to penalties as prescribed by law.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.9. Buildings and structures.**

- A. Design and construction of buildings, structures and facilities exempt from the *Florida Building Code*. Pursuant to Section 5.3.4(C) of this ~~division~~section, buildings, structures, and facilities that are exempt from the *Florida Building Code*, including substantial improvement or repair of substantial damage of such buildings, structures and facilities, shall be designed and constructed in accordance with the flood load and flood resistant construction requirements of ASCE 24. Structures exempt from the *Florida Building Code* that are not walled and roofed buildings shall comply with the requirements of Section 5.3.15 of this ~~division~~section.
- B. Furthering noncompliance. Any alteration, repair, reconstruction or improvements to a building that is not in compliance with the provisions of Division 5.3 Floodplain Management or the *Florida Building Code*, shall be undertaken only if said non-conformity is not furthered, extended, or replaced.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

---

### **Sec. 5.3.10. Subdivisions.**

- A. Minimum requirements. Subdivision proposals, including proposals for manufactured home parks and subdivisions, shall be reviewed to determine that:
  - (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding;
  - (2) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage; and
  - (3) Adequate drainage is provided to reduce exposure to flood hazards; in Zones A, AE, AH and AO, adequate drainage paths shall be provided to guide floodwaters around and away from proposed structures.
- B. Subdivision plats. Where any portion of proposed subdivisions, including manufactured home parks and subdivisions, lies within a flood hazard area, the following shall be required:
  - (1) Delineation of flood hazard areas, floodway boundaries and flood zones, and design flood elevations, as appropriate, shall be shown on preliminary plats;
  - (2) Where the subdivision has more than 50 lots or is larger than 5 acres and base flood elevations are not included on the FIRM, the base flood elevations determined in accordance with Section 5.3.5(B)(1) of this ~~division~~section; and
  - (3) Compliance with the site improvement and utilities requirements of Section 5.3.11 of this ~~division~~section.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.11. Site improvements, utilities and limitations.**

- A. Minimum requirements. All proposed new development shall be reviewed to determine that:
  - (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding;
  - (2) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage; and
  - (3) Adequate drainage is provided to reduce exposure to flood hazards; in Zones A, AE, AH and AO, adequate drainage paths shall be provided to guide floodwaters around and away from proposed structures.
- B. Sanitary sewage facilities. All new and replacement sanitary sewage facilities, private sewage treatment plants (including all pumping stations and collector systems), and on-site waste disposal systems shall be designed in accordance with the standards for onsite sewage treatment and disposal systems in Chapter 64E-6, F.A.C. and ASCE 24 Chapter 7 to minimize or eliminate infiltration of floodwaters into the facilities and discharge from the facilities into flood waters, and impairment of the facilities and systems.
- C. Water supply facilities. All new and replacement water supply facilities shall be designed in accordance with the water well construction standards in Chapter 62-532.500, F.A.C. and ASCE 24 Chapter 7 to minimize or eliminate infiltration of floodwaters into the systems.
- D. Limitations on sites in regulatory floodways. No development, including but not limited to site improvements, and land disturbing activity involving fill or regrading, shall be authorized in the regulatory

---

floodway unless the floodway encroachment analysis required in Section 5.3.5(C)(1) of this ~~division~~section demonstrates that the proposed development or land disturbing activity will not result in any increase in the base flood elevation.

- E. Limitations on placement of fill. Subject to the limitations of this ~~division~~section, fill shall be designed to be stable under conditions of flooding including rapid rise and rapid drawdown of floodwaters, prolonged inundation, and protection against flood-related erosion and scour. In addition to these requirements, if intended to support buildings and structures (Zone A only), fill shall comply with the requirements of the *Florida Building Code*. For all placement of fill, demonstration that the compensating storage or other hydraulic characteristics requirement of Section 6.13.5 of the Land Development Code has been met. ~~shall be submitted in accordance with Section 5.3.5(C)(4).~~

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.12. Manufactured homes.**

- A. General. All manufactured homes installed in flood hazard areas shall be installed by an installer that is licensed pursuant to section 320.8249, F.S., and shall comply with the requirements of Chapter 15C-1, F.A.C. and the requirements of this ~~division~~section.
- B. Limitations on installation in floodways. New installations of manufactured homes shall not be permitted in floodways.
- C. Foundations. All new manufactured homes and replacement manufactured homes installed in flood hazard areas shall be installed on permanent, reinforced foundations that are designed in accordance with the foundation requirements of the *Florida Building Code Residential* Section R322.2 and this ~~division~~section. Foundations for manufactured homes subject to Section 5.3.12(G) of this ~~division~~section are permitted to be reinforced piers or other foundation elements of at least equivalent strength.
- D. Anchoring. All new manufactured homes and replacement manufactured homes shall be installed using methods and practices which minimize flood damage and shall be securely anchored to an adequately anchored foundation system to resist flotation, collapse or lateral movement. Methods of anchoring include, but are not limited to, use of over-the-top or frame ties to ground anchors. This anchoring requirement is in addition to applicable state and local anchoring requirements for wind resistance.
- E. Elevation. ~~Manufactured homes that are placed, replaced, or substantially improved shall comply with Section 5.3.12(F) or 5.3.12(G) of this section, as applicable.~~ All manufactured homes that are placed, replaced, or substantially improved in flood hazard areas shall be elevated such that the bottom of the frame is at or above the base flood elevation plus one foot.
- F. ~~General elevation requirement. Unless subject to the requirements of Section 5.3.12(G) of this section, all manufactured homes that are placed, replaced, or substantially improved on sites located: (a) outside of a manufactured home park or subdivision; (b) in a new manufactured home park or subdivision; (c) in an expansion to an existing manufactured home park or subdivision; or (d) in an existing manufactured home park or subdivision upon which a manufactured home has incurred "substantial damage" as the result of a flood, shall be elevated such that the bottom of the frame is at or above the elevation required, as applicable to the flood hazard area, in the *Florida Building Code, Residential* Section R322.2 (Zone A).~~
- G. ~~Elevation requirement for certain existing manufactured home parks and subdivisions. Manufactured homes that are not subject to Section 5.3.12(F) of this section, including manufactured homes that are placed, replaced, or substantially improved on sites located in an existing manufactured home park or subdivision, unless on a site where substantial damage as result of flooding has occurred, shall be elevated such that either the:~~

---

~~(1) Bottom of the frame of the manufactured home is at or above the elevation required in the *Florida Building Code, Residential Section R322.2 (Zone A)*; or~~

~~(2) Bottom of the frame is supported by reinforced piers or other foundation elements of at least equivalent strength that are not less than 48 inches in height above grade.~~

~~H.F.~~ Enclosures. Enclosed areas below elevated manufactured homes shall comply with the requirements of the *Florida Building Code, Residential Section R322.2* for such enclosed areas.

~~I.G.~~ Utility equipment. Utility equipment that serves manufactured homes, including electric, heating, ventilation, plumbing, and air conditioning equipment and other service facilities, shall comply with the requirements of the *Florida Building Code, Residential Section R322*.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.13. Recreational vehicles and park trailers.**

A. Temporary placement. Recreational vehicles and park trailers placed temporarily in flood hazard areas shall:

- (1) Be on the site for fewer than 180 consecutive days; or
- (2) Be fully licensed and ready for highway use, which means the recreational vehicle or park model is on wheels or jacking system, is attached to the site only by quick-disconnect type utilities and security devices, and has no permanent attachments such as additions, rooms, stairs, decks and porches.

B. Permanent placement. Recreational vehicles and park trailers that do not meet the limitations in Section 5.3.13(A) of this ~~division~~~~section~~ for temporary placement shall meet the requirements of Section 5.3.12 for manufactured homes.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.14. Tanks.**

A. Underground tanks. Underground tanks in flood hazard areas shall be anchored to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the design flood, including the effects of buoyancy assuming the tank is empty.

B. Above-ground tanks, not elevated. Above-ground tanks that do not meet the elevation requirements of Section 5.3.14(C) of this section shall be permitted in flood hazard areas provided the tanks are anchored or otherwise designed and constructed to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the design flood, including the effects of buoyancy assuming the tank is empty and the effects of flood-borne debris.

C. Above-ground tanks, elevated. Above-ground tanks in flood hazard areas shall be attached to and elevated to or above the design flood elevation on a supporting structure that is designed to prevent flotation, collapse or lateral movement during conditions of the design flood. Tank-supporting structures shall meet the foundation requirements of the applicable flood hazard area.

D. Tank inlets and vents. Tank inlets, fill openings, outlets and vents shall be:

- (1) At or above the design flood elevation or fitted with covers designed to prevent the inflow of floodwater or outflow of the contents of the tanks during conditions of the design flood; and
- (2) Anchored to prevent lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy, during conditions of the design flood.

---

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)

### **Sec. 5.3.15. Other development.**

- A. General requirements for other development. All development, including man-made changes to improved or unimproved real estate for which specific provisions are not specified in this ~~division~~section or the *Florida Building Code*, shall:
- (1) Be located and constructed to minimize flood damage;
  - (2) Meet the limitations of Section 5.3.11(D) of this ~~division~~section if located in a regulated floodway;
  - (3) Be anchored to prevent flotation, collapse or lateral movement resulting from hydrostatic loads, including the effects of buoyancy, during conditions of the design flood;
  - (4) Be constructed of flood damage-resistant materials; and
  - (5) Have mechanical, plumbing, and electrical systems above the design flood elevation or meet the requirements of ASCE 24, except that minimum electric service required to address life safety and electric code requirements is permitted below the design flood elevation provided it conforms to the provisions of the electrical part of building code for wet locations.
- B. Fences in regulated floodways. Fences in regulated floodways that have the potential to block the passage of floodwaters, such as stockade fences and wire mesh fences, shall meet the limitations of Section 5.3.11(D) of this ~~division~~section.
- C. Retaining walls, sidewalks and driveways in regulated floodways. Retaining walls and sidewalks and driveways that involve the placement of fill in regulated floodways shall meet the limitations of Section 5.3.11(D) of this ~~division~~section.
- D. Roads and watercourse crossings in regulated floodways. Roads and watercourse crossings, including roads, bridges, culverts, low-water crossings and similar means for vehicles or pedestrians to travel from one side of a watercourse to the other side, that encroach into regulated floodways shall meet the limitations of Section 5.3.11(D) of this ~~division~~section. Alteration of a watercourse that is part of a road or watercourse crossing shall meet the requirements of Section 5.3.5(C)(3) of this ~~division~~section.

(Ord. No. 17-08, § 2, (Exh. A, § 1), 4-11-2017)