



SUBMITTAL SUMMARY REPORT 30313

PLAN NAME:	MARTEL PAVED TRAINING COURSE (REVISION TO 28841)	LOCATION:	296 N SW 67th Avenue Rd OCALA,
APPLICATION DATE:	06/19/2023	PARCEL:	23306-001-00
DESCRIPTION:			

CONTACTS	NAME	COMPANY
Applicant		MARION COUNTY UTILITIES
Applicant	Joseph London	Kimley-Horn & Associates
Applicant	Kimley Horn	KIMLEY-HORN AND ASSOCIATES, INC
Applicant	Kimley Horn	KIMLEY-HORN AND ASSOCIATES, INC
Engineer of Record	Joseph London	Kimley-Horn & Associates
Engineer of Record	Kimley Horn	KIMLEY-HORN AND ASSOCIATES, INC
Engineer of Record	Kimley Horn	KIMLEY-HORN AND ASSOCIATES, INC

SUBMITTAL	STARTED	DUE	COMPLETE	STATUS
OCE: Plan Review Revision (DR) v.1	05/21/2026	06/05/2026	06/05/2026	Requires Re-submit
OCE: Plan Review (DR) v.1	06/26/2023	07/10/2023	11/18/2025	Approved
OCE: Plan Review Revision (DR) v.2				Not Received

SUBMITTAL DETAILS

OCE: Plan Review Revision (DR) v.2

ITEM REVIEW NAME (DEPARTMENT)	ASSIGNED TO	DUE	COMPLETE	STATUS
911 Management (DR) (911 Management)	Janet Warbach	06/05/2026	05/27/2026	Approved
Environmental Health (Plans) (Environmental Health)	Evan Searcy	06/05/2026	05/29/2026	Approved
Fire Marshal (Plans) (Fire)	Jonathan Kenning	06/05/2026	05/22/2026	Requires Re-submit
Comments	1) With the addition of the two 1500 square foot structures, there shall now be required a fire department water supply provided within 400' of the buildings.			
Growth Services Planning & Zoning (DR) (GS Planning and Zoning)	sarah wells	06/05/2026	05/26/2026	Approved
Landscape (Plans) (Parks and Recreation)	Susan Heyen	06/05/2026	06/03/2026	Approved
Comments	no landscape revisions this submittal			
OCE Design (Plans) (Office of the County Engineer)	Gerald Koch	06/05/2026	06/04/2026	Approved

SUBMITTAL SUMMARY REPORT (30313)

ITEM REVIEW NAME (DEPARTMENT)	ASSIGNED TO	DUE	COMPLETE	STATUS
OCE Property Management (Plans) (Office of the County Engineer)	Delenie Roman	06/05/2026	06/05/2026	Informational
Comments	Checked Map. ----- IF APPLICABLE: Sec. 2.18.1.I - Show connections to other phases. Sec.2.19.2.H – Legal Documents Legal documents such as Declaration of Covenants and Restrictions, By-Laws, Articles of Incorporation, ordinances, resolutions, etc. Sec. 6.3.1.B.1 – Required Right of Way Dedication (select as appropriate) For Public Streets. "[All streets and rights-of-way shown on this plat or name specifically if less than all] are hereby dedicated for the use and benefit of the public." Sec. 6.3.1.B.2 – Required Right of Way Dedication For Non-Public Streets. "[All streets and rights-of-way shown on this plat or name specifically if less than all] are hereby dedicated privately to the [entity name]. All public authorities and their personnel providing services to the subdivision are granted an easement for access. The Board of County Commissioners of Marion County, Florida, shall have no responsibility, duty, or liability whatsoever regarding such streets. Marion County is granted an easement for emergency maintenance in the event of a local, state, or federal state of emergency wherein the declaration includes this subdivision or an emergency wherein the health, safety, or welfare of the public is deemed to be at risk." Sec. 6.3.1.D.3 - Cross Access Easements For Cross Access Easements. "All parallel access easements shown on this plat are hereby dedicated for the use and benefit of the public, and maintenance of said easements is the responsibility of [entity name]." Sec. 6.3.1.C.1 - Utility Easements (select as appropriate) "[All utility easements shown or noted or name specifically if less than all] are dedicated [private or to the public] for the construction, installation, maintenance, and operation of utilities by any utility provider." Sec. 6.3.1.C.2 – Utility Easements "[All utility tracts or identify each tract as appropriate] as shown are dedicated [private or to the public] for the construction and maintenance of such facilities." Sec.6.3.1.D(c)(1)(2)(3) - Stormwater easements and facilities, select as appropriate: 1. "[All stormwater and drainage easements as shown or noted or name specifically if less than all] are dedicated [private or to the public] for the construction and maintenance of such facilities." 2. "[All stormwater management tracts or identify each tract as appropriate] as shown are dedicated [private or to the public] for the construction and maintenance of such facilities." 3. When any stormwater easement and/or management tract is not dedicated to the public or Marion County directly, the following statement shall be added to the dedication language: "Marion County is granted the right to perform emergency maintenance on the [stormwater easement and/or management tract, complete accordingly] in the event of a local, state, or federal state of emergency wherein the declaration includes this subdivision or an emergency wherein the health, safety, or welfare of the public is deemed to be at risk." Sec.6.3.1.D(f) – If a Conservation Easement is required the following shall be provided: "A conservation easement [as shown or on tract and identify the tract, complete accordingly] is dedicated to [the Board of County Commissioners of Marion County, Florida or entity name, if not Marion County] for the purpose of preservation of [listed species, habitat, Karst feature and/or native vegetation, complete accordingly]." ----- - DR 6/5/26			
OCE Stormwater (Permits & Plans) (Office of the County Engineer)	Kevin Vickers	06/05/2026	05/26/2026	Approved
OCE Survey (Plans) (Office of the County Engineer)	Theresa Smail	06/05/2026	06/02/2026	Requires Re-submit
Corrections	2.12.10 - Easement or land reservation (Not Resolved) - Corrective Action: Please provide - 2.12.10 - Easement or land reservation: Show any known existing or proposed easement or land reservation			
Corrections	6.2.1.A. - Licensed Professional (Not Resolved) - 6.2.1.A. - Licensed Professional: Plans shall be prepared by a professional licensed by the State of Florida. The name, street address, signature, date, license number, and seal of the responsible professional shall be shown on each plan sheet. The same shall be provided on the cover page of any supporting documents and calculations.			
Corrections	6.4.7. Construction Plans - Survey Requirements (Not Resolved) - 6.4.7. Construction Plans - Survey Requirements: Survey information to support construction plans, including but not limited to Mass Grading, Improvement, or Major Site plans, shall meet requirements as set forth in Ch. 5J-17 FAC in addition to the following as identified in Section 6.4.7.A. through H. of the LDC.			
Corrections	6.2.1.F - North Arrow (Not Resolved) - 6.2.1.F - North Arrow: Provide north arrow and graphic drawing and written scale			
Corrections	2.12.8. - Current boundary and topographic survey (Not Resolved) - 2.12.8. - Current boundary and topographic survey: Current boundary and topographic survey (one foot contour intervals extending 100 feet beyond the project boundary) based upon accepted vertical datum. Surveys will be less than 12 months old and accurately reflect current site conditions, meeting standards set forth in Ch. 5J-17 FAC. Alternate topographic data may be accepted if pre-approved by the Marion County Land Surveyor.			
Corrections	6.2.1.E - Drawing legend (Not Resolved) - 6.2.1.E - Drawing legend: Provide a drawing legend as needed.			
OCE Traffic (Permits & Plans) (Office of the County Engineer)	Chris Zeigler	06/05/2026	05/22/2026	Approved
Utilities (OCE Plans) (Utilities)	Heather Proctor	06/05/2026	05/27/2026	Requires Re-submit
Corrections	6.14.2.A(1) - Letter from utility provider (Not Resolved) - Corrective Action: Parcel is within The City of Ocala's Service Area. A letter from the City of Ocala stating service availability and connection requirements shall be submitted prior to building permit issuance. Ensure the City of Ocala has seen and approved the revised utility connections, as they are not part of MCU's review process. - 6.14.2.A(1) - Letter from utility provider: Letter of availability and capacity from service area's utility provider, including map of water and sewer mains with distances shown to determine if connection is required.			
Comments	Project is within the City of Ocala utility service area. Please see the Corrections comments.			



Marion County Board of County Commissioners

Office of the County Engineer

412 SE 25th Ave.
Ocala, FL 34471
Phone: 352-671-8686
Fax: 352-671-8687

DEVELOPMENT REVIEW COMMITTEE WAIVER REQUEST FORM

Date: 07/10/2026 Parcel Number(s): 23306-001-00 Permit Number: 30313

A. PROJECT INFORMATION: Fill in below as applicable:

Project Name: Martel Paved Training Course Commercial ☒ Residential ☐
Subdivision Name (if applicable): _____
Unit _____ Block _____ Lot _____ Tract _____

B. PROPERTY OWNER'S AUTHORIZATION: The property owner's signature authorizes the applicant to act on the owner's behalf for this waiver request. The signature may be obtained by email, fax, scan, a letter from the property owner, or original signature below.

Name (print): Marion County
Signature: _____
Mailing Address: 2602 SE 8th Street City: Ocala
State: FL Zip Code: 34471 Phone # 352-671-8750
Email address: _____

C. APPLICANT INFORMATION: The applicant will be the point of contact during this waiver process and will receive all correspondence.

Firm Name (if applicable): Kimley-Horn & Associates, Inc. Contact Name: Thomas W. Trexler, P.E.
Mailing Address: 1700 SE 17th Street, Suite 200 City: Ocala
State: FL Zip Code: 34471 Phone # 352-438-3000
Email address: Thomas.trexler@kimley-horn.com

D. WAIVER INFORMATION:

Section & Title of Code (be specific): 2.12.8. - Current Boundary and Topographic Survey
Reason/Justification for Request (be specific): Request to use the previously approved survey from 2023 for the design and permitting of this project. This underlying major site plan was recently constructed and closed out in March 2026.

DEVELOPMENT REVIEW USE:

Received By: _____ Date Processed: _____ Project # _____ AR # _____

ZONING USE: Parcel of record: Yes ☐ No ☐ Eligible to apply for Family Division: Yes ☐ No ☐
Zoned: _____ ESOZ: _____ P.O.M. _____ Land Use: _____ Plat Vacation Required: Yes ☐ No ☐
Date Reviewed: _____ Verified by (print & initial): _____

1. ALL CONSTRUCTION COVERED BY THESE PLANS SHALL COMPLY WITH THE MATERIAL REQUIREMENTS AND QUALITY CONTROL STANDARDS CONTAINED IN THE MARION COUNTY "LAND DEVELOPMENT CODE" AND "UTILITY MANUAL" AS APPLICABLE.
2. NO CHANGE TO THE WORK AS SHOWN ON THE APPROVED PLANS SHALL BE MADE WITHOUT NOTIFICATION TO AND APPROVAL BY THE OFFICE OF THE COUNTY ENGINEER AND PROJECT ENGINEER.

- [illegible]

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN COUNTY'S RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL OR COUNTY SPECIFICATIONS AND STANDARDS (LATEST EDITION) OR FOOT SPECIFICATIONS AND STANDARDS (LATEST EDITION) IF NOT COVERED BY LOCAL OR COUNTY REGULATIONS.

2. ALL EXISTING PAVEMENT MARKINGS WITHIN THE STATE AND IN ITS RIGHT-OF-WAY SHALL BE THERMOPLASTIC STOP BARS, TRAFFIC ARROWS, LANE STRIPINGS, AND CROSS WALK

- [illegible]

1. THE CONTRACTOR SHALL CONSTRUCT GRAVITY SEWER LATERALS, MAN-HOLES, GRAVITY SEWER LINES AND DOMESTIC WATER AND FIRE PROTECTION SYSTEM AS SHOWN ON THESE PLANS. THE CONTRACTOR SHALL FURNISH ALL NECESSARY MATERIALS, EQUIPMENT, MACHINERY, TOOLS, MEANS OF TRANSPORTATION AND LABOR NECESSARY TO COMPLETE THE WORK IN FULL AND COMPLETE ACCORDANCE WITH THE SHOWN, DESCRIBED AND REASONABLY INTENDED REQUIREMENTS OF THE CONTRACT DOCUMENTS AND JURISDICTIONAL AGENCY REQUIREMENTS. IN THE EVENT THAT THE


- [illegible]

ALL MEASURES STATED ON THE EROSION AND SEDIMENT CONTROL PLAN, AND IN THE STORM WATER POLLUTION PREVENTION PLAN, SHALL BE MAINTAINED IN FULLY FUNCTIONAL CONDITION UNTIL NO LONGER REQUIRED FOR A COMPLETED PHASE OF WORK OR FINAL STABILIZATION OF THE SITE. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE CHECKED BY A QUALIFIED PERSON AT LEAST ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS OF THE END OF A 0.5" RAINFALL EVENT, AND CLEANED AND REPAIRED IN ACCORDANCE WITH THE


- ALL MEASURES STATED ON THE EROSION AND SEDIMENT CONTROL PLAN, AND IN THE ATTACHED SPECIFICATIONS, SHALL BE MAINTAINED THROUGHOUT THE ENTIRE CONSTRUCTION PERIOD. UNLESS OTHERWISE REQUIRED FOR A COMPLETED PHASE OF CONSTRUCTION, MEASURES SHALL BE MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD. MEASURES SHALL BE CHECKED BY A QUALIFIED PERSON AT LEAST ONCE EACH DAY TO DETERMINE IF THEY ARE MAINTAINED AND OPERATING AS INTENDED. MEASURES SHALL BE REPAIRED OR REPLACED IN ACCORDANCE WITH THE EROSION AND SEDIMENT CONTROL PLAN, AND THE ATTACHED SPECIFICATIONS FOR RAINFALL EVENT, AND CLEANED AND REPAIRED IN ACCORDANCE WITH THE ATTACHED SPECIFICATIONS.
- INLET PROTECTION DEVICES AND BARRIERS SHALL BE REPAIRED OR REPLACED IF THEY SHOW SIGNS OF UNDERMINING, OR DETEIORATION.
- ALL SEDIMENT AREAS SHALL BE CHECKED REGULARLY TO SEE THAT A GOOD SEDIMENTATION MAINTENANCE PROGRAM IS BEING MAINTAINED THROUGHOUT AND REPAIRED AS NEEDED. FOR MAINTENANCE REQUIREMENTS REFER TO SECTION 01 52 00, MAINTENANCE OF EXISTING FACILITIES.
- SILT FENCES SHALL BE REPAIRED TO THEIR ORIGINAL CONDITIONS IF DAMAGED. SEDIMENT SHALL BE REMOVED FROM THE SILT FENCES WHEN IT REACHES THE TOP OF THE FENCE. THE RESULT OF THE FENCE CHECKS SHALL BE RECORDED.
- THE CONSTRUCTION ENTRANCES SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING OR FLOW OF MUD INTO PUBLIC RIGHTS-OF-WAY. THIS INCLUDES TRACKING OF SEDIMENT ON THE DRIVEWAYS AND DRIVEWAYS OF THE AREAS AS CONDITIONS DEMAND.
- THE CONSTRUCTION AND STORAGE AREAS SHALL BE KEPT IN A CONDITION SUITABLE FOR PARKING AND STORAGE. THIS MAY REQUIRE THE CONSTRUCTION OF TEMPORARY PARKING AREAS AS CONDITIONS DEMAND.
- OUTLET STRUCTURES IN THE SEDIMENTATION BASINS SHALL BE MAINTAINED IN A CONDITION SUITABLE FOR THE COLLECTION AND REMOVAL OF SEDIMENT. SEDIMENT BASINS OR TRAPS WHEN THE DESIGN CAPACITY HAS BEEN REDUCED BY 25% SHALL BE REPAIRED OR REPLACED AS NECESSARY.
- #11 MAINTENANCE/OPERATION SHALL BE THE RESPONSIBILITY OF THE OWNER.

1. ALL MATERIAL REMOVED FROM THIS SITE BY THE CONTRACTOR SHALL BE DISPOSED OF BY THE CONTRACTOR IN A LEGAL MANNER.
2. REFER TO THE TOPOGRAPHIC SURVEY FOR ADDITIONAL DETAILS OF EXISTING STRUCTURES, ETC., LOCATED WITHIN THE PROJECT SITE. UNLESS OTHERWISE NOTED, ALL EXISTING BUILDINGS, STRUCTURES, SLABS, CONCRETE, ASPHALT, DEBRIS FILES, SIGNS, AND ALL APPURTENANCES ARE TO BE REMOVED FROM THE SITE BY THE CONTRACTOR.

1. ALL MATERIAL REMOVED FROM THIS SITE BY THE CONTRACTOR SHALL BE DISPOSED OF BY THE CONTRACTOR IN A LEGAL MANNER.
2. REFER TO THE TOPOGRAPHIC SURVEY FOR ADDITIONAL DETAILS OF EXISTING STRUCTURES, ETC. LOCATED WITHIN THE PROJECT SITE. UNLESS OTHERWISE NOTED, EXISTING STRUCTURES SHALL BE REMOVED. EXISTING CONCRETE, ASPHALT, DRIVEWAYS, PAVEMENTS, AND ALL UTILITIES ARE TO BE REMOVED FROM THE SITE BY THE CONTRACTOR. THE PROPOSED PROJECT SHALL BE CONSTRUCTED TO THE LARGEST AND MOST BENEFICIAL SIZE AND SCOPE. SOME ITEMS MAY NOT BE REMOVED MAY NOT BE DEPENDED ON THE TOPOGRAPHIC SURVEY. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VISIT THE SITE AND DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES. IF ANY ITEM IS IN QUESTION, THE CONTRACTOR SHALL CONTACT THE OWNER PRIOR TO REMOVAL OF SAID ITEMS.
3. THE CONTRACTOR SHALL REFER TO THE DEMOLITION PLAN FOR EXISTING PRESERVATION OF EXISTING TREES. IF TREES NOT SPECIFICALLY SHOWN TO BE PRESERVED OR RELOCATED SHALL BE REMOVED AS A PART OF THIS CONTRACT. TREE PROTECTION FENCINGS SHALL BE INSTALLED PRIOR TO ANY DEMOLITION.



SOIL TEST RESULTS:	
TEST HOLE SP-01 (GROUND EL. = 84.63)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-02 (GROUND EL. = 87.84)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-03 (GROUND EL. = 83.33)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-04 (GROUND EL. = 87.86)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-05 (GROUND EL. = 85.73)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-06 (GROUND EL. = 88.22)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-07 (GROUND EL. = 83.07)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-08 (GROUND EL. = 84.90)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-09 (GROUND EL. = 85.88)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-10 (GROUND EL. = 84.42)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-11 (GROUND EL. = 86.02)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-12 (GROUND EL. = 86.75)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-13 (GROUND EL. = 87.93)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-14 (GROUND EL. = 87.54)	GROUND WATER DEPTH NOT FOUND



SOIL TEST RESULTS (CONT.):	
TEST HOLE SP-21 (GROUND EL. = 81.98)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-22 (GROUND EL. = 81.32)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-23 (GROUND EL. = 81.87)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-24 (GROUND EL. = 85.43)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-25 (GROUND EL. = 88.92)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-26 (GROUND EL. = 88.95)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-27 (GROUND EL. = 87.18)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-28 (GROUND EL. = 83.97)	GROUND WATER DEPTH NOT FOUND
TEST HOLE SP-29 (GROUND EL. = 87.93)	GROUND WATER DEPTH NOT FOUND

DATE: 01/11/2017
PROJECT: MARION COUNTY SHERIFF TRAINING COURSE
SHEET: 1 OF 1
DRAWN BY: J. H. HARRIS
CHECKED BY: J. H. HARRIS
APPROVED BY: J. H. HARRIS

Kimley-Horn

INCORPORATED

1000 N. W. 10TH AVE.
SUITE 100
FORT LAUDERDALE, FL 33304
TEL: 954.576.1100
WWW.KIMLEY-HORN.COM

MARION COUNTY SHERIFF TRAINING COURSE




MAJOR SITE PLAN

OVERALL AND DRAINAGE MAP

MARION COUNTY SHERIFF TRAINING COURSE

MAJOR SITE PLAN


OVERALL AND DRAINAGE MAP




STORMWATER POLLUTION PREVENTION PLAN (S.W.P.P.P.) NOTES:

- [illegible]


[illegible]




- TREE PROTECTION NOTES:**
1. TREE PROTECTION BARRIAGES SHALL BE INSTALLED AROUND ALL PROTECTED TREES AND GROUPS OF TREES PRIOR TO ANY CLEARING OR GRADING OPERATIONS, INCLUDING THE REMOVAL OF CONCRETE TREES.
 2. FOR LARGE GROUPS OF TREES, BARRIAGES MAY BE PLACED BETWEEN THE PROTECTED TREES AND THE CONSTRUCTION ACTIVITY AREA.
 3. BARRIAGES SHALL BE MADE OF WOOD MATERIALS CAPABLE OF SURVIVING FOR THE DURATION OF THE CONSTRUCTION.
 4. BARRIAGES SHALL BE MAINTAINED AROUND THE DURATION OF CONSTRUCTION AND REPAIRS/REPLACEMENTS AS REQUIRED.
 5. CLEARING OF EQUIPMENT OR MATERIAL ON THE SURFACE OF WASTE MATERIALS, INCLUDING BUT NOT LIMITED TO FENCE, OR INSIDE, ASPHALT, CONCRETE, AND MORTAR WITHIN THE TREE PROTECTION ZONE (IF ANY TREE IS NOT ALLOWED).
 6. THE MOVEMENT OF EQUIPMENT OR STORAGE OF EQUIPMENT, MATERIALS, DEBRIS, OR FILL WITHIN THE TREE OF ANY TREE IS NOT ALLOWED.




DITCH BOTTOM INLET WITH OUTFLOW SKIMMER
REFER TO F.O.D.T. INDEX AND FOR STEEL REINFORCEMENT AND ADDITIONAL NOTES.








OVERFLOW STRUCTURE SKIMMER DETAIL



SPRINKLER ASSEMBLY
NOT TO SCALE



MITERED END SECTION & RIP-RAP PAD DETAIL
NOT TO SCALE
RIP-RAP SHALL BE PLACED IN LOCATIONS SHOWN ON SHEET 006.



Kimley»Horn

INCORPORATED

1000 N. GULF BLVD., SUITE 100
FORT MYERS, FL 33901
TEL: 888.352.5273
WWW.KIMLEY-HORN.COM

MARTEL PAVED TRAINING COURSE

MAJOR SITE PLAN DETAILS

PREPARED FOR
MARION COUNTY SHERIFF DEPARTMENT

FLORIDA

REV.	DESCRIPTION	DATE	BY	CHKD.	APP'D.
1	ISSUED FOR PERMITTING	06/17/2020	JD	JD	JD
2	REVISED FOR CONSTRUCTION	07/27/2020	JD	JD	JD

DATE: 06/17/2020

PROJECT: MARTEL PAVED TRAINING COURSE

LOCATION: 1000 N. GULF BLVD., SUITE 100, FORT MYERS, FL 33901

SCALE: AS SHOWN

DESIGNED BY: JDA

DRAWN BY: JDA

CHECKED BY: JDA

APPROVED BY: JDA

PROJECT NO.: 2019-001



CLIENT: MARION COUNTY SHERIFF DEPARTMENT

DATE: 06/17/2020

BY: JDA

CHKD.: JDA

APP'D.: JDA

[illegible]