1 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.C - Geotechnical Investigation Report

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

2 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.7 - Geotechnical Criteria

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

3 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2 A(1)/(2) - Contributing Basins/Tc

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

4 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.B(1)/(2) - Runoff Analysis/ Tc Calculations

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

5 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.A(3) - Retention/Detention Area Design Parameters

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

6 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.3 - Type of Stormwater Facility Criteria

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

7 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.4 - Stormwater Quantity Criteria

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

8 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.4.C - Discharge Conditions

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

9 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.B(6) - Freeboard

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

10 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.4.D - Recovery Analysis

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

11 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.6 - Stormwater Quality Criteria

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

12 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.6.C - Best Management Practices

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

13 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.A(12)/6.12.5 - Stormwater Details, Cross Sections, References

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

14 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.B(8) - Calculation & Plan Consistency

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

15 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.10.B - Copy of NPDES Permit or NOI

STATUS OF REVIEW: INFO

REMARKS: Please provide a copy of the NPDES permit or NOI prior to construction.

16 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: Copy of District Permit (County Interest)

STATUS OF REVIEW: INFO

REMARKS: Please provide a copy of the District permit prior to construction.

17 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.10 - Karst Topography and High Recharge Areas

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

18 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.12 - Operation and Maintenance

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

19 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: Please provide a final signed and sealed hard copy signature page with references to the stormwater analysis or final hard copy of the full stormwater analysis.

STATUS OF REVIEW: INFO

REMARKS: See comment under "6.13.2.B(4) - Hydrologic Analysis"

20 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: Additional Stormwater comments

STATUS OF REVIEW: INFO

REMARKS: (1) If you have questions or would like to discuss the stormwater review comments, please contact Kevin Vickers, PE at 352-671-8695 or kevin.vickers@marionfl.org. (2) Proposed grading and

drainage modifications that impact the FDOT ROW drainage systems need to be coordinated directly with FDOT.

21 DEPARTMENT: ENGTRF - TRAFFIC REVIEW

REVIEW ITEM: 6.11.5 - Driveway access

STATUS OF REVIEW: INFO

REMARKS: 4/28/25 - Driveway access and related pavement markings and signage must be permitted by

FDOT in consultation with OCE Traffic.

22 DEPARTMENT: ENGIN - DEVELOPMENT REVIEW

REVIEW ITEM: 2.12.4.K - List of approved waivers, their conditions, and the date of approval

STATUS OF REVIEW: INFO

REMARKS: 4/17/25-add waivers if requested in future

23 DEPARTMENT: ENGIN - DEVELOPMENT REVIEW

REVIEW ITEM: Additional Development Review Comments

STATUS OF REVIEW: INFO

REMARKS: After approval, plans will be electronically stamped by the County. The applicant will receive an email indicating that approved plans are available for download and are located in the ePlans project Approved folder. For Development Review submittals, with the exception of Final Plats and Minor Site Plans, applicants are required to print, obtain required signatures, and sign and seal two 24"x 36" sets of the electronically stamped approved plan and deliver them to the Office of County Engineer, Development Review Section, located at 412 SE 25th Avenue Ocala, FL 34471. Upon receipt, a development order will be issued. Until such time as that development order is issued, the project does not have final approval and construction, if applicable, shall not commence. For plans requiring As-Builts, As-Builts and associated documentation shall be submitted on paper in accordance with current county requirements.

24 DEPARTMENT: DOH - ENVIRONMENTAL HEALTH

REVIEW ITEM: Operating Permit Required

STATUS OF REVIEW: INFO

REMARKS: Requires limited use water system permit through the Department of Health in Marion County. Although no utility work is being done an operating permit for this well will be required. An application, water system diagram, and water testing will be required.

Please reach out to Rebecca.Roy@FLHealth.gov

25 DEPARTMENT: DOH - ENVIRONMENTAL HEALTH

REVIEW ITEM: 2.12.6 - Location of septic systems & wells

STATUS OF REVIEW: INFO

REMARKS: Well must be 100' from septic system, currently they are ~60' away. Variance may be required.

26 DEPARTMENT: DOH - ENVIRONMENTAL HEALTH

REVIEW ITEM: Additional Health comments

STATUS OF REVIEW: INFO

REMARKS: Limited Use Water System permit required for well.

27 DEPARTMENT: LUCURR - LAND USE CURRENT REVIEW

REVIEW ITEM: 6.5 & 6.6 - Habitat Preservation/Mitigation Provided?

STATUS OF REVIEW: INFO

REMARKS: If any listed species are observed/potentially located on site, coordinate with FWC and get required permits. Habitat preservation/mitigation plan shall be submitted to County for records at later stage.

28 DEPARTMENT: 911 - 911 MANAGEMENT

REVIEW ITEM: Additional 911 comments

STATUS OF REVIEW: INFO

REMARKS: Sheets 4 - 6 - Please remove label for S US Hwy 441 on any future submittals. I will not reject

for this at this time however if any future submittals are done this needs to be removed.

29 DEPARTMENT: ZONE - ZONING DEPARTMENT

REVIEW ITEM: 2.12.6 - Location of water and sewer. Does this need a special use permit?

STATUS OF REVIEW: INFO

REMARKS: Indicates use of well/sewer. Defer to MCU/DOH for any needed permits.

30 DEPARTMENT: ZONE - ZONING DEPARTMENT

REVIEW ITEM: 5.2 & 5.3 - Verify any overlay zones such as ESOZ, Springs Protection, or Flood Plain

STATUS OF REVIEW: INFO

REMARKS: Within property boundaries:

ESOZ

Secondary Springs Protection Zone

FEMA Flood Zones X/AE

9/2 Please indicate on cover sheet.

31 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 6.13.2.B(4) - Hydrologic Analysis

STATUS OF REVIEW: NO

REMARKS: After further review, this project should probably have been routed as a minor site plan. The original amount of impervious triggered the need for the major site plan. The proposed amount of impervious falls below the threshold and would qualify for the minor site plan. Because the project was routed as a major site plan, it is subject to the requirements of a major site plan. The only way to be relieved of the requirements of a major site plan is to seek a waiver to the requirements. Please contact the reviewer to discuss pursuing the waiver.

32 DEPARTMENT: ENGDRN - STORMWATER REVIEW

REVIEW ITEM: 7.1.3 - Drainage Construction Specifications

STATUS OF REVIEW: NO

REMARKS: Please add the following note to the cover page: "No change to the work as shown on the approved plans shall be made without notification to and approval by the office of the County Engineer." The note is required to be on the cover sheet.

33 DEPARTMENT: ENGTRF - TRAFFIC REVIEW

REVIEW ITEM: 6.11.3 - Traffic Impact Analysis

STATUS OF REVIEW: NO

REMARKS: 8/29/25 - Using the latest version of the ITE Trip Generation Manual, provide the number of weekday daily trips and maximum peak HR trips on the cover sheet under a section labeled "Traffic Statement".

4/28/25 - Traffic statement minimally required. If traffic assessment or traffic study is required, a traffic methodology must first be submitted separately. Contact OCE Traffic with any questions.

34 DEPARTMENT: LUCURR - LAND USE CURRENT REVIEW

REVIEW ITEM: 2.12.4.L(2)/3.2.3 - Use Consistent with FLU Designation?

STATUS OF REVIEW: NO

REMARKS: [09/18/2025] see comments below:

1. Policy 120 request letter is submitted. However, the request letter is not approved yet, and it requires the documentation showing the property and its existence before and after April 7, 1994. Please provide the

information in the resubmittal.

2. Please describe what the specific uses and programs are on site.

[original comments] The property is located within B-2 zoning classification and Rural Land land use designation. B-2 is not compatible with RL land use designation. Policy 120 letter is required. Please see Additional Planning Comments below.

35 DEPARTMENT: LUCURR - LAND USE CURRENT REVIEW

REVIEW ITEM: 2.12.4.L(3) - All applicable Developer's Agreements listed?

STATUS OF REVIEW: NO

REMARKS: [09/18/2025] Policy 120 request letter is submitted and noted on the cover sheet. However, the request letter is not approved yet. Please see other Land Use review comments.

[original comments] When Policy 120 letter is approved, please add a note indicating Policy 120 letter on the Cover Sheet.

36 DEPARTMENT: LUCURR - LAND USE CURRENT REVIEW

REVIEW ITEM: 2.12.4.L(6) - Gross/wetland/floodplain acreage listed?

STATUS OF REVIEW: NO

REMARKS: [09/18/2025] Portions of the parcel on the east side are located within Flood Zone. Please provide information as commented below.

[original comment] Provide a statement indicating if the subject property is located within one percent (100-year) FEMA flood plain. Show one percent (100-year) FEMA flood zone on plan and list acreage and percentage.

37 DEPARTMENT: LUCURR - LAND USE CURRENT REVIEW

REVIEW ITEM: 2.12.16/6.5 - [EALS or EALS-ER provided?]

STATUS OF REVIEW: NO

REMARKS: Provide Environmental Assessment of Listed Species (EALS) or submit an Exemption Request per LDC Sec. 6.5.

38 DEPARTMENT: LUCURR - LAND USE CURRENT REVIEW

REVIEW ITEM: Additional Planning Items:

STATUS OF REVIEW: NO

REMARKS: [09/18/2025] See comments below:

- 1. Policy 120 request letter is submitted. However, the request letter is not approved yet, and it requires the documentation showing the property and its existence before and after April 7, 1994. Please provide the information in the resubmittal.
- 2. Please describe what the specific uses and programs are on site.

[original comments] Due to incompatibility with Land Use designation, a Policy 120 letter is required for this property. Please submit a request letter to Marion County Growth Services Director Chuck Varadin. Provide sufficient support documents with request letter. Until the letter is issued, this item remains as NO. Please include the Policy 120 letter in resubmittal.

39 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.7.4 - Shade tree requirements

STATUS OF REVIEW: NO

REMARKS: Provide shade tree calculations 1/3,000sf of project site

40 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.8.4 - Landscape area requirements for non-residential development

STATUS OF REVIEW: NO

REMARKS: Provide landscape area calculations showing 20% is met

41 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.8.6 - Buffers STATUS OF REVIEW: NO

REMARKS: 1. Confirm Oak trees and winged elm trees along US 441 are a minimum of 30' from OHW,

evergreen understory trees would be allowed at a 1:1 basis if a conflict exists

42 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.8.7 - Parking areas and vehicular use areas

STATUS OF REVIEW: NO

REMARKS: Terminus parking islands shall have a canopy tree

43 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.8.9 - Service and equipment areas

STATUS OF REVIEW: NO

REMARKS: Will there be a dumpster? if so, show screening

44 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.8.12 - Landscape completion inspection requirements

STATUS OF REVIEW: NO

REMARKS: Provide note from this section of plans

45 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.9.2 - Irrigation plan requirements (details, legend, notes)

STATUS OF REVIEW: NO

REMARKS: Provide signed and sealed irrigation plan

46 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.9.6 - Completion inspection requirements

STATUS OF REVIEW: NO

REMARKS: Provide note from this section of plans

47 DEPARTMENT: LSCAPE - LANDSCAPE DESIGN AND IRRIGATION

REVIEW ITEM: 6.19.3 - Outdoor lighting plan requirements

STATUS OF REVIEW: NO

REMARKS: will there be outdoor lighting? if so please provide a signed and sealed photometric plan

48 DEPARTMENT: ZONE - ZONING DEPARTMENT

REVIEW ITEM: 2.12.24 - Landscape requirements/6.8.6 - Buffering

STATUS OF REVIEW: NO

REMARKS: Please provide required buffer type along ROW, per LDC Sec. 6.8.6. Any garbage collection

area shall meet screening requirements, per LDC Sec. 6.8.9

9/2 Show location. dimensions and labels of buffering on plan.

49 DEPARTMENT: ZONE - ZONING DEPARTMENT

REVIEW ITEM: 2.12.32 - Show 100yr flood zone

STATUS OF REVIEW: NO

REMARKS: Please indicate FEMA flood zone or flood prone areas

9/2 Include flood zone designation (X) on cover sheet.

50 DEPARTMENT: ZONE - ZONING DEPARTMENT

REVIEW ITEM: 2.12.32 - Modified Environmental Assessment for Listed Species (LDC 6.5.4) -OR- EALS Exemption Application (LDC 6.5.3) submitted (including habitat assessment as necessary per LDC 6.6.4)

STATUS OF REVIEW: NO

REMARKS: Please provide Environmental Assessment for Listed Species (EALS) or EALS exemption application, per LDC Sec. 6.5

9/2 Requested exemption contingent on approval.

51 DEPARTMENT: ZONE - ZONING DEPARTMENT

REVIEW ITEM: Additional Zoning comments

STATUS OF REVIEW: NO

REMARKS: Commercial B-2 zoning in agricultural Rural Lands. Property needs to obtain recognition as existing non-residential use per Comprehensive Plan Policy 10.1.5, which indicates that:

"The County shall insure that conforming commercial and industrial uses existing as of April 7, 1994, the initial adoption date of the plan, shall be considered conforming uses.

- 1. Proof of Development: Property owners shall be required to provide sufficient documentation to the County to obtain a conformity letter for such existing development.
- 2. Permitted Use(s): The pre-existing use(s) may expand onto any property with the same ownership, properly zoned and contiguous to the existing commercial or industrial use as of the referenced date. The pre-existing use shall be limited to the number of use(s) on the site and was developed in conformity with the Zoning classification at that time. The recognized pre-existing use may change as long as the use is allowable within the Zoning classification.
- 3. Subdivision of Property with Pre-Existing Use(s): Should the property which includes a pre-existing use recognized under this policy be legally subdivided, then the conforming use letter shall apply only to the portion of the property which historically included the majority of the pre-existing use with primary consideration for the hard improvements such as structures, public water and sewer, driveway and parking supporting the recognized use.
- 4. Property Compliance: If a property with a vested letter obtains a Comprehensive Plan amendment and Zoning Change for consistency purposes, then the vested letter shall be void and the property shall comply with all applicable Comprehensive Plan, Zoning, and LDC requirements.
- 5. Appeals: The County shall implement an appeal procedure as further defined in the LDC." To request a conformity letter, please contact the Growth Services director at Chuck.Varadin@marionfl.org. 9/2 This item will remain no until policy 120 letter has been approved.

52 DEPARTMENT: ENRAA - ACQ AGENT ENG ROW

REVIEW ITEM: Major Site Plan STATUS OF REVIEW: NO

REMARKS: Please reflect who will be signing on behalf of the company on the cover sheet. If it is Jeffrey Forbes, please provide documentation that shows their authority to sign on behalf of the entity, as their name is not reflected on SunBiz. Project Map checked as well. -EMW 9.2.2025

IF APPLICABLE:

Sec. 2.18.1.I - Show connections to other phases.

Sec.2.19.2.H – Legal Documents

Legal documents such as Declaration of Covenants and Restrictions, By-Laws, Articles of Incorporation, ordinances, resolutions, etc.

Sec. 6.3.1.B.1 – Required Right of Way Dedication (select as appropriate)

For Public Streets. "[All streets and rights-of-way shown on this plat or name specifically if less than all] are hereby dedicated for the use and benefit of the public."

Sec. 6.3.1.B.2 – Required Right of Way Dedication

For Non-Public Streets. "[All streets and rights-of-way shown on this plat or name specifically if less than all] are hereby dedicated privately to the [entity name]. All public authorities and their personnel providing services to the subdivision are granted an easement for access. The Board of County Commissioners of Marion County, Florida, shall have no responsibility, duty, or liability whatsoever regarding such streets. Marion County is granted an easement for emergency maintenance in the event of a local, state, or federal

state of emergency wherein the declaration includes this subdivision or an emergency wherein the health, safety, or welfare of the public is deemed to be at risk."

Sec. 6.3.1.D.3 - Cross Access Easements

For Cross Access Easements. "All parallel access easements shown on this plat are hereby dedicated for the use and benefit of the public, and maintenance of said easements is the responsibility of [entity name]." Sec. 6.3.1.C.1 - Utility Easements (select as appropriate)

"[All utility easements shown or noted or name specifically if less than all] are dedicated [private or to the public] for the construction, installation, maintenance, and operation of utilities by any utility provider." Sec. 6.3.1.C.2 – Utility Easements

"[All utility tracts or identify each tract as appropriate] as shown are dedicated [private or to the public] for the construction and maintenance of such facilities."

Sec. 6.3.1.D(c)(1)(2)(3) - Stormwater easements and facilities, select as appropriate:

- 1. "[All stormwater and drainage easements as shown or noted or name specifically if less than all] are dedicated [private or to the public] for the construction and maintenance of such facilities."
- 2. "[All stormwater management tracts or identify each tract as appropriate] as shown are dedicated [private or to the public] for the construction and maintenance of such facilities."
- 3. When any stormwater easement and/or management tract is not dedicated to the public or Marion County directly, the following statement shall be added to the dedication language: "Marion County is granted the right to perform emergency maintenance on the [stormwater easement and/or management tract, complete accordingly] in the event of a local, state, or federal state of emergency wherein the declaration includes this subdivision or an emergency wherein the health, safety, or welfare of the public is deemed to be at risk." Sec.6.3.1.D(f) –

If a Conservation Easement is required the following shall be provided: "A conservation easement [as shown or on tract and identify the tract, complete accordingly] is dedicated to [the Board of County Commissioners of Marion County, Florida or entity name, if not Marion County] for the purpose of preservation of [listed species, habitat, Karst feature and/or native vegetation, complete accordingly]."



Office of the County Engineer

412 SE 25th Ave. Ocala, FL 34471 Phone: 352-671-8686 Fax: 352-671-8687

	Date: 10/14/2025 Parcel Number(s): 02709-000-00	Permit Number: 32721
A.	. PROJECT INFORMATION: Fill in below as applicable:	
	Project Name: Orange Lake Overlook Restoration Subdivision Name (if applicable):	Commercial Residential
	Subdivision Name (if applicable): UnitBlockLotTract	
В.	PROPERTY OWNER'S AUTHORIZATION: The property of owner's behalf for this waiver request. The signature may be of owner, or original signature below.	
	Name (print): Tom Kay	
	Signature: Lon lan	0 : "
	Mailing Address: 7204 SE County Road 234	City: Gainesville
	State: Florida Zip Code: 32641 Phone # (352) 373- Email address: jeffrey@alachuaconservationtrust.org	1076
	APPLICANT INFORMATION: The applicant will be the poir all correspondence. Firm Name (if applicable): JBrown Professional Group Inc. Mailing Address: 3530 NW 43rd St	
	State: Florida Zip Code: 32606 Phone # (353) 375-6	
	Email address: jack.charnas@jbpro.com	
D.	Section & Title of Code (be specific): Reason/Justification for Request (be specific): Proposed site plaimprovements.	6.10 n is under the threshold required for stormwater
DE Re	EVELOPMENT REVIEW USE: eceived By: Date Processed:11/3/25	Project #2025030052 AR #32721
Z 0	ONING USE: Parcel of record: Yes \(\subseteq \text{No } \subseteq \) Eligoned: \(\text{ESOZ:} \) P.O.M. \(\text{Land Use:} \) atte Reviewed: \(\text{Verified by (print & initial):} \)	ble to apply for Family Division: Yes □ No □Plat Vacation Required: Yes □ No □



Office of the County Engineer

412 SE 25th Ave. Ocala, FL 34471 Phone: 352-671-8686 Fax: 352-671-8687

Section & Title of Code (be specific)	6.2.5
Reason/Justification for Request (be specific):	Proposed site plan is under the threshold required for stormwater
improvements.	
Section & Title of Code (be specific)	6.13.2.A(1) Proposed site plan is under the threshold required for stormwater
	Proposed site plan is under the threshold required for stormwater
improvements.	
Carting of Title of Carlo (ha amazifa)	6.13.2.A(2)
Section & Title of Code (be specific)	Proposed site plan is under the threshold required for stormwater
Reason/Justification for Request (be specific)	Proposed site plan is under the threshold required for stormwater
Section & Title of Code (be specific)	6.13.2.A(3)
Passon/Justification for Request (he specific)	Proposed site plan is under the threshold required for stormwater
improvements.	
improvements.	
Section & Title of Code (be specific)	6.13.2.A(12)
Reason/Justification for Request (be specific)	Proposed site plan is under the threshold required for stormwater
improvements.	
Section & Title of Code (be specific)	6.13.2.B
Reason/Justification for Request (be specific)	: Proposed site plan is under the threshold required for stormwater
improvements.	
	0.40.0 P(4)
Section & Title of Code (be specific)	6.13.2.B(1)
	Proposed site plan is under the threshold required for stormwater
improvements.	



Office of the County Engineer

412 SE 25th Ave. Ocala, FL 34471 Phone: 352-671-8686 Fax: 352-671-8687

Section & Title of Code (be specific)	6.13.2.B(2)	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.2.B(4)	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.2.B(6) Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.2.B(8)	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.2.C	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.3	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
	0.40.4	
Section & Title of Code (be specific)	6.13.4 Proposed site plan is under the threshold required for stormwater	



Office of the County Engineer

412 SE 25th Ave. Ocala, FL 34471 Phone: 352-671-8686 Fax: 352-671-8687

DEVELOPMENT REVIEW COMMITTEE WAIVER REQUEST FORM

Section & Title of Code (be specific)	6.13.4.C	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.4.D	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.6	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.6	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.6.C	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
Section & Title of Code (be specific)	6.13.7	
Reason/Justification for Request (be specific): improvements.	Proposed site plan is under the threshold required for stormwater	
	C 42.0	
Section & Title of Code (be specific)	6.13.8 Proposed site plan is under the threshold required for stormwater	

4



Office of the County Engineer

412 SE 25th Ave. Ocala, FL 34471 Phone: 352-671-8686 Fax: 352-671-8687

Section & Title of Code (be specific)	6.13.12
Reason/Justification for Request (be specific): _improvements.	Proposed site plan is under the threshold required for stormwater
improvements.	
Section & Title of Code (be specific)	
Reason/Justification for Request (be specific):	
Section & Title of Code (be specific)	
Reason/Justification for Request (be specific): _	
Section & Title of Code (be specific)	
Reason/Justification for Request (be specific): _	
Section & Title of Code (be specific)	
Section & Title of Code (be specific)	
Section & Title of Code (be specific)	
Reason/Justification for Request (be specific): _	

From: <u>Jack Charnas, PE</u>

To: Vickers, Kevin; Development Review

Cc: Pool, Aaron; Cambre, Jason; Ezekiel Durand

Subject: RE: Waiver Request for AR 32721

Date: Thursday, October 30, 2025 8:14:27 AM

Attachments: image001.png

image002.png image003.png image004.png image005.png

CAUTION: THIS MESSAGE IS FROM AN EXTERNAL SENDER

This email originated from outside the organization. Do not click links, open attachments, or share any information unless you recognize the sender and know the content is safe. Report suspicious emails using the "Phish Alert" button in Outlook or contact the Helpdesk.

Good Morning Mr. Vickers,

I have responded below to your comments in red, please let me know if you would like a revised application today.

- You've included a section 6.2.5 this section of code doesn't exist. Please clarify intent. This was a typo, please remove it from the list.
- You've included section 6.13.2.B and several subsections. Since you've included 6.13.2.B in the application, all subsections are automatically part of the waiver. Why were the subsections listed separately? If you are okay with it, we will remove the subsections and just list the main section of code that covers them. We were not aware if each subsection needed to be listed separately or if the overarching section would be sufficient. We have no objection to removing the subsection and listing just the main section of code that covers them. The intent of the waiver request is to be exempt from stormwater management code as we are reducing the impervious area on site below the required threshold.
- You've included section 6.13.4 and several subsections. Since you've included 6.13.4 in the application, all subsections are automatically part of the waiver. Why were the subsections listed separately? If you are okay with it, we will remove the subsections and just list the main section of code that covers them. We were not aware if each subsection needed to be listed separately or if the overarching section would be sufficient. We have no objection to removing the subsection and listing just the main section of code that covers them. The intent of the waiver request is to be exempt from stormwater management code as we are reducing the impervious area on site below the required threshold.
- You've included section 6.13.6 and several subsections. Since you've included
 6.13.6 in the application, all subsections are automatically part of the waiver. Why were the subsections listed separately? If you are okay with it, we will remove the

subsections and just list the main section of code that covers them. Also, it looks like 6.13.6 was listed twice in the application. Please clarify intent. We were not aware if each subsection needed to be listed separately or if the overarching section would be sufficient. We have no objection to removing the subsection and listing just the main section of code that covers them. The intent of the waiver request is to be exempt from stormwater management code as we are reducing the impervious area on site below the required threshold.

Thank you,

Jack Charnas, PE

Project Manager

o (352) 375-8999



Our Locations

Gainesville (HQ) St. Augustine Tallahassee

Our Services

Civil Engineering
Surveying
Planning & GIS
Landscape Architecture
Construction Services

From: Vickers, Kevin < Kevin. Vickers@marionfl.org>
Sent: Wednesday, October 29, 2025 3:16 PM

To: Jack Charnas, PE < jack.charnas@jbpro.com>; Development Review

<DevelopmentReview@marionfl.org>

Cc: Pool, Aaron <Aaron.Pool@marionfl.org>; Cambre, Jason <Jason.Cambre@marionfl.org>; Ezekiel

Durand <Ezekiel.durand@jbpro.com> **Subject:** RE: Waiver Request for AR 32721

[EMAIL FROM EXTERNAL SOURCE]

Jack,

In reviewing the sections of code included in this waiver, we have a few questions/clarifications:

 You've included a section 6.2.5 – this section of code doesn't exist. Please clarify intent. You've included section 6.13.2.B and several subsections. Since you've included 6.13.2.B in the application, all subsections are automatically part of the waiver. Why were the subsections listed separately? If you are okay with it, we will remove the subsections and just list the main section of code that covers them.

- You've included section 6.13.4 and several subsections. Since you've included 6.13.4 in the application, all subsections are automatically part of the waiver. Why were the subsections listed separately? If you are okay with it, we will remove the subsections and just list the main section of code that covers them.
- You've included section 6.13.6 and several subsections. Since you've included 6.13.6 in the application, all subsections are automatically part of the waiver. Why were the subsections listed separately? If you are okay with it, we will remove the subsections and just list the main section of code that covers them. Also, it looks like 6.13.6 was listed twice in the application. Please clarify intent.

Thanks.



Kevin Vickers, P.E.

Engineering Project Manager
Office of the County Engineer

Marion County Board of County Commissioners 412 SE 25th Ave.

Ocala, FL 34471

Main: 352-671-8686 | Direct: 352-671-8695

Empowering Marion for Success!

Under Florida law, emails to our organization are public records. If you do not want your email reviewed in response to a public records request, contact this office by phone.

From: Jack Charnas, PE < jack.charnas@jbpro.com>

Sent: Tuesday, October 28, 2025 10:18 AM

To: Development Review < DevelopmentReview@marionfl.org>; Vickers, Kevin

<Kevin.Vickers@marionfl.org>

Cc: Pool, Aaron <Aaron.Pool@marionfl.org>; Cambre, Jason <Jason.Cambre@marionfl.org>; Ezekiel

Durand <Ezekiel.durand@jbpro.com>

Subject: RE: Waiver Request for AR 32721

CAUTION: THIS MESSAGE IS FROM AN EXTERNAL SENDER

This email originated from outside the organization. Do not click links, open attachments, or share any information unless you recognize the sender and know the content is safe. Report suspicious emails using the "Phish Alert" button in Outlook or contact the Helpdesk.

Good Morning Marion County,

Please see the attached Waiver request application form and site plan. We have mailed out the same package with the review fee this morning and expect it to arrive towards the end of this week/beginning of next week. Please let us know in the meantime if there is anything else you need from us to keep this process moving.

Thank you,

Jack Charnas, PE

Project Manager

o (352) 375-8999



Our Locations

Gainesville (HQ) St. Augustine Tallahassee

Our Services

Civil Engineering
Surveying
Planning & GIS
Landscape Architecture
Construction Services

From: Development Review < <u>DevelopmentReview@marionfl.org</u>>

Sent: Tuesday, October 14, 2025 9:39 AM

To: Jack Charnas, PE < jack.charnas@ibpro.com>; Vickers, Kevin < Kevin.Vickers@marionfl.org>;

Ezekiel Durand < Ezekiel.durand@jbpro.com>

Cc: Development Review < <u>DevelopmentReview@marionfl.org</u>>; Pool, Aaron < <u>Aaron.Pool@marionfl.org</u>>; Cambre, Jason < <u>Jason.Cambre@marionfl.org</u>>

Subject: RE: Waiver Request for AR 32721

[EMAIL FROM EXTERNAL SOURCE]

Good morning,

Please find attached a copy of the Development Review Waiver Request application.

Feel free to reach out should you have any questions.

Kind regards,

Kelly

Your Development Review Team Office of the County Engineer

Marion County Board of County Commissioners 412 SE 25th Ave., Ocala, FL 34471

Main: 352-671-8686

Empowering Marion for Success!

Under Florida law, emails to our organization are public records. If you do not want your email reviewed in response to a public records request, contact this office by phone.

From: Jack Charnas, PE < <u>jack.charnas@jbpro.com</u>>

Sent: Tuesday, October 14, 2025 9:23 AM

To: Vickers, Kevin < Kevin.Vickers@marionfl.org; Ezekiel Durand Ezekiel.durand@jbpro.com>

Cc: Development Review < <u>DevelopmentReview@marionfl.org</u>>; Pool, Aaron < <u>Aaron.Pool@marionfl.org</u>>; Cambre, Jason < <u>Jason.Cambre@marionfl.org</u>>

Subject: RE: Waiver Request for AR 32721

CAUTION: THIS MESSAGE IS FROM AN EXTERNAL SENDER

This email originated from outside the organization. Do not click links, open attachments, or share any information unless you recognize the sender and know the content is safe. Report suspicious emails using the "Phish Alert" button in Outlook or contact the Helpdesk.

Received, thank you Kevin! We will return the waiver request form as soon as we receive it from staff.

Thank you,

Jack Charnas, PE

Project Manager

o (352) 375-8999



Our Locations

Gainesville (HQ) St. Augustine Tallahassee

Our Services

Civil Engineering
Surveying
Planning & GIS
Landscape Architecture
Construction Services

From: Vickers, Kevin < <u>Kevin.Vickers@marionfl.org</u>>

Sent: Tuesday, October 14, 2025 9:21 AM

To: Jack Charnas, PE < jack.charnas@ibpro.com>; Ezekiel Durand < Ezekiel.durand@ibpro.com>

Cc: Development Review < <u>DevelopmentReview@marionfl.org</u>>; Pool, Aaron

<<u>Aaron.Pool@marionfl.org</u>>; Cambre, Jason <<u>Jason.Cambre@marionfl.org</u>>

Subject: Waiver Request for AR 32721

[EMAIL FROM EXTERNAL SOURCE]

Good Morning,

Attached is the draft list of code sections you will need to seek a waiver to. Please take a look through the code and make sure there's no other sections you think should be added to this list. All sections need to be listed in the waiver request form.

I've copied DRC staff on this email. They can send you the waiver request form and answer any further questions you have about the DRC meeting process.

In the meantime feel free to reach out to me with any questions.

Thanks,



Kevin Vickers, P.E.

Engineering Project Manager
Office of the County Engineer

Marion County Board of County Commissioners 412 SE 25th Ave.


Ocala, FL 34471


Main: 352-671-8686 | Direct: 352-671-8695


Empowering Marion for Success!

Under Florida law, emails to our organization are public records. If you do not want your email reviewed in response to a public records request, contact this office by phone.

Marion County Florida - Interactive Map







GENERAL DEVELOPMENT INFORMATION

1. DEVELOPMENT INFORMATION

B. PROJECT DESCRIPTION; THIS PROJECT INCLUDES REMOVAL OF ROADSDE PARKING AND REGRADING THE SMALE, PARKING SURFACE GRADING AND STABILIZATION, AND ADDING AND ACCESS TO THE SETT. ESTE THE SETT SE SERVED BY AN ON-SITE POTABLE WELL AND SEPTIC SYSTEM FOR WASTE WATER.

D. TAX PARCEL NO.S: 02709-000-00

E. SEC/TOWN/RANGE:

F. ZONING: B-2 (COMMUNITY BUSINESS) & A-1 (GENERAL AGRICULTURE) SEE POLICY 120 LETTER FOR COMPATIBILITY WAIVER

G. FUTURE LAND USE: RL - RURAL LAND

H. ADMACHT PARCELS

ONTHERN PARCEL: ADDRESS N/A (A-1, 8-2 & RURAL LAND)
SOUTHERN PARCEL: 5855 NW 1967H LOPP (A-3 & RURAL LAND)
SOUTHERN PARCEL: 5007 LOORESS N/A (A-1 & RURAL LAND)
EXISTEN PARCEL: ADDRESS N/A (A-1 & RURAL LAND)
EXISTEN PARCEL: ADDRESS N/A (A-1 & RURAL LAND)
WESTERN PARCEL: TOR TWA TOR N U.S HWY ALM

2 LOCATION OF SUBJECT PROPERTY: SEE LOCATION MAP THIS SHEET

3. CONTACT INFORMATION

ALACHUA CONSERVATION TRUST INC., CONTACT: JEFFREY FORBES 7204 SE COUNTY RD. 234 GAINESVILLE, F. 12841 (352) 373-1078 A. OWNER:

B. ENGINEER: JBROWN PROFESSIONAL GROUP INC., CONTACT: ANDREW GEISEL, PE (865) 659-8553

C. SURVEYOR; JBROWN PROFESSIONAL GROUP INC., CONTACT: TROY WRIGHT, PSM (352) 375-8999

D. LANDSCAPE ARCHITECT: JBROWN PROFESSIONAL GROUP INC., CONTACT: MICHAEL HANS, PLA (678) 206-3959

4. ADDITIONAL DESIGN DATA

A. SETBACK REQUIREMENTS (MARION COUNTY CODE SEC. 4,2.18.E)
a. FRONT/STREET: 40 FT
b. REAR: 25 FT
c. SIDE: 10 FT

B. BUFFER REQUIREMENTS (MARION COUNTY CODE SEC.4.2.18.G)

a. FRONT/STREET: TYPE C (15 FT)

b. REAR: TYPE C (15 FT)

c. SIDE: TYPE E (5 FT)

DEVELOPMENT STANDARDS REQUIREMENTS (MARION COUNTY CODE SEC. 4.2.18.0).

MAXIMUM HEIGHT: 50 FT

B. MAXIMUM HEIGHT: 50 FT
b. PROPOSED HEIGHT: N/A – NO BUILDINGS PROPOSED
c. MAXIMUM LOT AREA: NONE
d. PROPOSED LOT AREA: N/A – NO LOTS PROPOSED
c. MAXIMUM LOT MEDIC: N/A – NO LOTS PROPOSED
d. MAXIMUM LOT MIDTE: N/A – NO LOTS PROPOSED
g. MAXIMUM PLOOR RATIC: 1.0
h. PROPOSED LOOR RATIC: N/A – NO BUILDINGS PROPOSED

5. IMPERVIOUS AREA

A. EXISTING:

BUILDING: 3,336 SF = .077 AC = .15% PAVEMENT: 7,227 SF = .17 AC = .32% TOTAL IMPERVIOUS AREA: 10,563 SF = .25 AC = .47%

B. PROPOSED:

BUILDING: 3,336 SF = .077 AC = .15% PAVEMENT: 3,088 SF = .070 AC = .13% TOTAL IMPERVIOUS AREA: 6,404 SF = .15 AC = .28%

6. PERVIOUS AREA:

A. EXISTING: 2.297.681 SF = 52.75 AC = 99.55% B. PROPOSED: 2,301,840 SF = 52.84 AC = 99.72%

A. VEHICLE PARKING CRITERIA PER MARION COUNTY CODE SEC. 6.11.8:

4 SPACES/1,000 SF FOR NEIGHBORHOOD CENTER UNDER 100,000 SF

B. VEHICLE PARKING PROVIDED:

TOTAL SPACES CALCULATION: 4 EA BUILDINGS = 2,805 SF = 12 SPACES TOTAL SPACES PROVIDED: 17 SPACES PROVIDED

THE PROJECT HAS NOT BEEN GRANTED CHARGES APPROVAL AND/OR GRANTED AND/OR RESERVED ANY PUBLIC FACILITY CAPACITIES. PUTURE RIGHTS TO DEVILOP THE RESULTING PROPERTY AND SUBJECT TO A DEPOSED CONCURSION. OF STEMMATION, AND PIBLL APPROVAL TO ADMINISTRATION OF THE PROJECT TO A SECOND CONCURSION. OF STEMMATION, AND PIBLL APPROVAL TO ADMINISTRATION OF THE PROPERTY OF THE PR

CONSTRUCTION DRAWINGS

ORANGE LAKE OVERLOOK RESTORATION

FOR

ALACHUA CONSERVATION TRUST





TION MAP

3 COST 1030 3 102 102 102 102 102 102 102 102 102 102	1000 1000	CAN THE STATE OF T	
LOCATION OF	PROJECT PROJECT	THE OSERA	
ATION: I, MY SUCCESSORS, AND ASSIGNS SHALL THE IMPROVEMENTS AS SHOWN ON THIS PLAN.	San	THE MARKET CONFICIONES STLLEGE ANALYSIS DESCRIPTION MARTIN ANALYSIS GLACES ANALYSIS GLACES ANALYSIS GLACES ANALYSIS GLACES ANALYSIS GLACES	,
PROFESSIONAL CERTIFICATION THESE PLANS AND COLDULATIONS WERE COMPLETED LAPPLICABLE FOURIERIESTS OF THE MARION INT CODE, EXCEPT AS WAIVED.		COLLER SEGNAND ACHECO D426	

	OILLI NOLK			
SHEET NUMBER	SHEET TITLE			
C0.0	COVER SHEET			
C0.1	LEGEND, ABBREVIATIONS, AND NOTES			
C1.0	DEMOLITION AND EROSION CONTROL PLAN			
C2.0	DIMENSION PLAN			
C3.0	PAVING, GRADING, AND DRAINAGE PLAN			
C3.1	DRIVEWAY PLAN			
C4.0	DETAILS			

			LOCATE
REVISIONS	Androw		

			- 00	SISCI OM SISCINGUIS OFF		
			ENGINEER OF RECORD:	ANDREW J.K. GEISEL, P.E. FLORIDA LICENSE NO. 94616		
			OF RECORD:	FLORIDA LICENSE NO. 94616		
			THIS ITEM HAS BEEN DIGITALLY			
			SIGNED AND SEALED BY ANDREW GEISEL, PE ON THE DATE ADJACENT TO THE SEAL			
			PRINTED CORIES OF THIS DOCUMENT ARE NOT			
			CONSIDERED SIG	INED AND SEALED AND THE SIGNATU		
	The state of the s	Γ^{-}	MUST BE VER	IFIED ON ANY ELECTRONIC COPIES.		



IG ES

3530 NW 43rd Street | Seitnerville, Floride 32606-4420-US-1 S, Suite 1 | St. Augustine, Floride 32066

Selmonille: (352) 375 3990 | St. Augustine: (359) 7 Toll Pres: (849) Go-JBPro | E-mell: context@bpro

LE:	
	COVER SHEET

ALACHUA CONSERVATION TRUST

OWNERS CERTIFICAT

ORANGE LAKE OVERLOOK RESTORATION

0791-24-001

AUGUST 2025

PAVING, GRADING AND DRAINAGE SPECIFICATIONS

- ALL DRAIMAGE CONSTRUCTION, INCLIDING MATERIALS, CONSTRUCTION TECHNIQUES, AND TECHNICAL STANDARDS, SHALL BE IN ACCORDANCE WITH THE LATEST FOOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FOOT DESIGN IMMANAL.
- AND BROIDE CONSTRUCTION AND THE CARLEST FOOT DESIGN WARRAN.

 A LL AREAS OF NICE CONSTRUCTION PAUL BE CLARRED NO GRIBBED. SUTTABLE TOP SOIL REMAINING ORSITE MAY BE STOOPPILED FOR FINE GRADING IN LANDSCAPED AREAS. THE CONTRACTOR SHALL FROMINGS AND PROSECS OF ALL DESIGNS OF HANDSTRUCK MATCHES, MISTRATIC MEMBER, ACCORDANCE WITH ALL ROQUED AND PROSECS OF ALL DESIGN OF HANDSTRUCK MATCHES, TO BRAIN SHALL BE PROSECTED THROUGHT SITE CONTRACTION.
- AND SHALL BE PLACED IN 6" 12" LOOSE LIFTS AND COMPACTED TO 99% DENSITY USING MODIFIEE PROCCTOR METHOD (ASASTIO 1-189).

 8. SURSOIL EXCAVATION: WHERE SURSOIL EXCAVATION IS REQUIRED, UNSUITABLE MATERIALS SHALL BE REMOVED TO A DEPTH OF 18 BELOW THE LIBEROOK BASE AND BACKFILLED WITH CLEAN FILL.
- C. STABILIZED SUBGRADE: ALL STABILIZED MATERIAL SHALL CONFORM TO SECTION 914 AND PLACED ACCORDING TO FROST STANDARD SPECIFICATIONS SECTION 160 IN ONE 12" MINIMUM COMPACTED LIFT. SUBGRADE SHALL BE STABILIZED TO A MINIMUM LBR VALUE OF 40 PER DESIGN SECTION.

 D. RAFF COURSE- ALL MATERIAL SHALL BE LIMPROX CONFIDENTIAL TO FROST STANDARD SPECIFICATIONS
- D. BASE COURSE: ALL MATERIAL SHALL BE LIMEROOK CONFORMING TO FOOT STANDARD SPECIFICATION SECTION 91 MAD PLACED ACCORDING TO SECTION 200 IN ONE 6" (PER DESIGN SECTION) WINDOWS COMPACTED LIFT. ALL BASE MATERIAL SHALL BE CONFORMED TO 1905 TENSITY BY MODIFIED PROCTO SECTION 300. 3010 T-1403. THE PRIME CONT SHALL CONFORM 19 FOOT STANDARD SPECIFICATIONS SECTION 300.
- E. SURFACE COURSE: ALL ASPHALTIC CONCRETE MATERIAL SHALL BE SUPERPAYE AND SHALL CONFORM TO FDOT STANDARD SPECIFICATIONS SECTION 334. ALL ASPHALTIC CONCRETE CONSTRUCTION SHALL CONFORM TO FDOT STANDARD SPECIFICATIONS SECTION 330.
- ALL CONDRETE USED FOR CONSTRUCTION OF DRAINAGE STRUCTURES, SIDEWALKS, ETC. SHALL BE CLASS I CONFORMING TO FDOT STANDARD SPECIFICATIONS SECTION 346.
- 5. SIGERAL SHALL SE CONSTRUCTED IN ACCORDANCE WITH FOOT STANGARD SPECIFICATIONS SECTION 522.
 6. DISTRIGO TOPOGRAPHY INFORMATION EXPECTED IS BASED ON TOPOGRAPHIC SHAPEYS PROVIDED BY THE PROPERTY OF THE PROPERTY OF

WORK WITHIN FOOT RIGHT-OF-WAY

- THE METHOD AND MANNER OF PERFORMING THE WORK AND THE QUALITIES OF MATERIAL FOR CONSTRUCTION WITHIN THE RIGHT-OF-WAY SHALL CONFORM TO THE REQUIREMENTS SPECIFIED BY FDOT.
- FDDT RESERVES THE RIGHT TO MODIFY THE PROPOSED WORK WITHIN THEIR RIGHT-OF-WAY TO ENSURE COMPATIBILITY WITH EXISTING IMPROVEMENTS. SUCH MODIFICATION COSTS SHALL BE BORN BY THE CONTRACTOR.
- TRAFFIC CONTROL WITHIN EXISTING RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LATEST MUTCO OR FDOT STANDARDS FOR CONTROL OF TRAFFIC THROUGH WORK ZONES.
- THE CONTRACTOR SHALL SUBMIT A TEMPORARY TRAFFIC CONTROL PLAN TO FDOT FOR APPROVAL PRIOR TO CONSTRUCTION WITHIN THE RIGHT-OF-WAY.

GENERAL CONSTRUCTION NOTES

- TRAFFIC CONTROL WITHIN EXISTING R/W SHALL BE IN ACCORDANCE WITH LATEST MUTCO OR FDOT STANDARDS FOR CONTROL OF TRAFFIC THROUGH WORK ZONES.
- MARION COUNTY SHALL BE NOTIFIED 24 HOURS IN ADVANCE FOR INSPECTION OF PERTINENT STACES OF CONSTRUCTION WITHIN THEIR R./W. SUBGRADE PREPARATION, LIMEROCK PLACEMENT, INSPECTION OF THE SWEPT LIMEROCK BASE PRIOR TO THE PLACEMENT OF ASSENTIAL, AND OTHERS AS REJOURDED TO.
- CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL EXISTING UTILITIES WITHIN THE WORK LIMITS OF ALL IMPROVEMENTS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR PROTECTION ALL EXISTING NOTIFY_ABEND_AND_THE UTILITY_PROVIDER TO CORDINATE REMEDIAL_ACTION_CORR, CONTRACTOR SHALL NOTIFY_ABEND_AND_THE UTILITY_PROVIDER TO CORDINATE REMEDIAL_ACTION.
- ALL DISTURBED AREAS WITHIN THE R/W SHALL BE SEEDED, FERTILIZED, AND MULCHED UNLESS SODDING IS OTHERWISE SPECIFIED. SODDING IS REQUIRED ON ALL SLOPES 3:1 OR STEEPER.
- CONTRACTOR IS RESPONSIBLE FOR DISPOSING OF ALL FOREIGN DEBRIS AND MATERIAL OFFSITE. DISPOSAL METHODS AND LOCATION SHALL BE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE, AND FERENAL REGULATIONS AND REQUIREMENTS.
- SEE DEMOLITION AND EROSION CONTROL PLAN FOR SPECIFIC EROSION AND SEDIMENT CONTROL MEASURES.
- SILT FENCING AND/OR STAKED HAY BALES SHALL BE CONSTRUCTED WHERE SHOWN ON THE DRAWINGS PRIOR TO STARTING CONSTRUCTION.
- ALL DISTURBED AREAS IN THE CONSTRUCTION AREA SHALL BE COMPLETELY GRASSED BY COMPLETION OF CONSTRUCTION. EVIDENCE OF GROWTH MUST BE PRESENT PRIOR TO FINAL RELEASE.
- NO CHANGE TO THE WORK AS SHOWN ON THE APPROVED PLANS SHALL BE MADE WITHOUT THE NOTIFICATION TO AND APPROVAL BY THE OFFICE OF THE COUNTY ENGINEER.
- 10. CONTRACTOR TO PERFORM FINAL VERIFICATION OF THE ASSENCE OF ANY LISTED SPECIES PRIOR TO BEGINNING ANY SOLD DISTURBANCE ACTIVITIES. IN THE EVENT LISTED SPECIES ARE DISCOVERED, WORK IS TO BE GLAZIO UNITE. PROFILE PREMITTING INDUCH FLORIDA SPECIES ARE DISCOVERED, WORK LIST TO BE CHARACTER OF THE PROFILE PRESERVATION OF MITIGATION PLANS DEVELOPED SHALL BE SUBMITTED TO THE COUNTY OWN APPROVAL BY FIG.

NPDES EROSION AND SEDIMENT CONTROL PERMITTING NOTES

- I THE CONTROLLED IS REQUISED TO IT UP BE FORCED AND TO ENVIRONMENT REPORT (COPP)

 THE CONTROLLED IS REQUISED TO IT UP BE FORCED AND TO ENVIRONMENT REPORT (COPP)

 RECORDED AND THE REPORT OF THE PROPERTY OF T
- THE CONTRACTOR SHALL ABIDE BY THE REQUIREMENTS OF THE STORMWATER POLLUTION PREVENTION PL. (SHPPP) AND COP AT ALL THESE TREQUEDUDIC CONSTRUCTION, AND UTILIZE ALL APPROPRIATE EST MANAGEMENT PRACTICES (BMP) AS REQUIRED TO PREVENT EROSION AND SEDIMENT DISCHARGE OFFSITE DURING CONSTRUCTION.
- 3. EROSION AND SEDIMENT CONTROL BMP'S SHALL BE IN ACCORDANCE WITH THE STATE OF FLORIDA
 EROSION AND SEDIMENT CONTROL DESIGNER AND REVIEWER MANUAL, DATED JLLY 2013, OR LATEST
 UPDATE. THE CONTRACTOR IS REPOSSIBLE TO UTILIZE ALL BMP'S, SA RECESSANT THROUGHOUT
 CONSTRUCTION, AND MAY UTILIZE MULTIPLE BMP'S OR OTHER MEANS AND METHODS DEEMED APPROPRIATE
 TO CONTROL LEGISION AND SEMENT DISCHARGE.
- TO CONTINUE MEDICAL MASS SIGNARY INSCRIPTION SPECIAL AND SIGNARY CONTROL (SSC)

 A THE COMMENTED SHALL WITHER A STATE OF LONGERS CERTIFIED SHOULD AND SIGNARY CONTROL (SSC)

 WINGHAM THE CRITITIED SHAPETORS SHALL INSPECTAL ALL SIGNARYS FROM STATEMENT AREA.

 WINGHAM THE CRITITIES SHAPETORS SHALL INSERVED A STATEMENT AREA.

 WINGH SHAPETOR SHAPETORS AND SH
- 5. UPON SATISFACTORY COMPACTION OF THE PROJECT CONSTRUCTION AND SITE STABILIZATION, THE CONTRACTOR SHALL FILL THE NEVER STROMARISM NOTICE OF TREMINITION (NOT) (MILE 22-22)-20(5), FALC, WITH PERF THE PRINT CONFACE IS DEPENDED OWNERS WERE ALL SOLD DISTRIBUTION, ACTIVITIES WELL COMPACTS AND STREAMINING OF THE ORIGINATION OF THE ORIGINATI

ADMODITION ADMODITION FOR APPRIENT BOOK & AUGUST BOOK & AUGUST BOOK & AUGUST BOOK & AUGUST BOOK & BOOK & AUGUST BOOK & BULDONG BU

STANDARD ABBREVIATIONS

		APPR	DRWN	DATE	NO.
					\neg
ANDREW J.K. GEISEL, P.E.	ENGINEER				\neg
FLORIDA LICENSE NO. 94616	OF RECORD:				\neg
THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY ANDREW GEISEL, PE					
DATE ADJACENT TO THE SEAL.					
PIES OF THIS DOCUMENT ARE NOT	DOM/TED 00				
NED AND SEALED AND THE SIGNATU	CONSIDERED SIG				
IFIED ON ANY ELECTRONIC COPIES.	MUST BE VER				





3530 NW 43rd Street | Seinesville, Floride 32606-4428 US-1 S, Suite 1 | St. Augustine, Floride 32086

Saliyaayilla: (252) 375 2000 | St. Aligilatiya: (200) 700 200 Toli From (244) Go. UP/o | E-mail: combact@byro.com SHEET TITLE:

ALACHUA CONSERVATION TRUST

LEGEND, ABBREVIATIONS, AND NOTES

AUGUST 2025
PROJECT NO: 0791-24-001

ORANGE LAKE OVERLOOK RESTORATION

LEGEND

OHW — EXISTING OVERHEAD ELECTRIC LINE

er EXISTING STORM SEWER LINE

- 76- EXISTING CONTOUR LINE

a 35.00

____T __T __T ___ PROPOSED TREE BARRICADE FENCE

O 12" OAK EXISTING TREE TO REMAIN

PROPOSED CONCRETE PAVEMENT & SIDEMALK

PROPOSED UNPAVED PARKING

PROPOSED FINISHED GRADE SPOT ELEVATION

C0.1

STORMWATER POLLUTION PREVENTION PLAN

A. PROJECT NAME AND LOCATION

PROJECT NAME: BEN F. KEITH - PARKING LOT EXPANSION

ADDRESS: 5201 NE 40TH TERRACE, GAINESVILLE, FL 32609

RANGE: 20E COUNTY: ALACHUA LATITUDE: 29 701710

B. SITE MAP

THE SITE MAP IS DEPICTED ON SHEET C2.0 DIMENSION PLAN

C. NATURE OF THE CONSTRUCTION ACTIVITY

THIS PROJECT CONSISTS OF 31 PROPOSED TRUCK PARKING SPACES AND ACCOMPANYING DRAINAGE INFRASTRUCTURE IMPROVEMENTS.

D. SEQUENCE OF MAJOR SOIL DISTURBING ACTIVITIES

- 1. INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES AND IMPLEMENTATION OF THE EROSION AND SEDIMENT CONTROL PLAN.
- CLEARING AND GRUBBING OF PROPOSED PARKING LOT AREA.
- INSTALLATION OF STORM SEWER PARKING LOT AREA.

- PARKING AREA BASE.
- 8. FINISHED GRADING OF PARKING LOTS AND STABILIZATION OF THE SITE.
- ASPHALT PAVING.
- 10. FINAL GRASSING AND LANDSCAPING CLEANING SEDIMENT FROM STORM SEWER SYSTEM AND BASIN OUTFALL
- E. TOTAL AREA OF THE PROJECT SITE: 13.93± ACRES
- F. TOTAL AREA OF THE SITE TO BE DISTURBED: 1.15± ACRES

G. SOIL TYPES AND WATER TABLE

N/A

H. LOCATION AND DRAINAGE AREA FOR EACH DISCHARGE POINT

STORMMATER BASIN NO.	DRAMAGE AREA	LOCATION OF DISCHARGE POINT	PEICENNO WATERS
N/A	N/A	N/A	N/A

L CONTROLS

- 1. PRIOR TO SOIL DISTURBING ACTIVITIES THE CONTRACTOR SHALL INSTALL THE TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES AS SHOWN ON THE FROSION AND SEDIMENT CONTROL PAN
- THE CONTRACTOR SHALL CONTROL AND RESTRICT SITE ACCESS. THE CONTRACTOR SHALL INSTALL EROSION CONTROL MATERIALS AT THE ACCESS POINT. AS REQUIRED, TO PREVENT MIDRATION OF PRODUCE MATERIALS STORMAND BASES, STEE GARGING STORMANDER MIDDIGS. THE MODEST FAIRLY STORMANDER MADERIAL TO THE CONTROL OF PRODUCE MATERIALS STORMANDER MADERIAL TO THE CONTROL OF THE CONTROL OF STORMANDER MADERIAL TO THE CONTROL OF T
- 4. UPON INSTALLATION, THE CONTRACTOR SHALL PROTECT THE STORM AND SANITARY SEWER SYSTEMS WITH HAYBALES AND/OR FILTER FABRIC TO PREVENT
- DEBRIS AND SEDIMENTS FROM DITEITING THESE SYSTEMS.

 THE CONTRACTOR SHALL UTILIZE TEMPORARY CONTROS SUCH AS SEEDING, MULCHING, GEOTEXILES, WATERING, SOO STABILIZATION, OR OTHER MEANS TO PROPORT DISCISION OF DEPORTS DOES FOR MINE, WATER, OR BAIN.

J. CONTROLS TO DIVERT STORMWATER FLOW DURING CONSTRUCTION

- THE CONTRACTOR SHALL TAKE MEASURES TO DISURE STORMWATER RUNOFF DOES NOT LEAVE THE PROJECT SITE MITHOUT FIRST PASSING THROUGH A SEDIMENT BASIS TO ALLOW SETTLING OF SUPPLIED SOLIDS IN THE STORMWATER PRIDGE TO DISCHARGE FROM THE PROJECT SITE.

 THE CONTRACTOR SHALL INSTALL SITE FENCING AS SHOWN ON THE EROSICAN AND SEDIMENT CONTRACTOR, PAIN.
- 3. THE CONTRACTOR SHALL CONSTRUCT, INSTALL, AND STABILIZE STORMWATER BASINS. SITE GRADING SHALL DIRECT STORMWATER RUNOFF TO THESE FACILITIES DURING CONSTRUCTION AND PRIOR TO DISCHARGE FROM THE PROJECT SITE.
- 4. THE CONTRACTOR SHALL USE SILT FENCING, TEMPORARY SWALES, EARTHEN DIKES, CHECK DAMS, OR OTHER MEANS TO DIRECT STORMWATER RUNOFF TO

K. TEMPORARY SEDIMENT BASINS

- 1. THE CONTRACTOR SHALL CONSTRUCT, INSTALL, AND STABILIZE STORMWATER BASINS OR SUMP OUTFAILS. THE CONTRACTOR SHALL USE THESE FACILITIES AS HE CONTINUED SHALL CONSIDER, HIS PROBLEM STORMARD BASINS ON SOME OUTFALLS. HE CONTINUED KEEP FACILITIES AS TEMPORARY SEQUENT BASINS DURING HEST EXTENDED ON THE STEP CONTINUED AND THE CONTINUED RESIDENT STORMARTER RUNOF TO THESE FACILITIES DURING CONSTRUCTION AND PRIOR TO DISCHARGE FROM HE PROBLET SITE. HE CONTINUED SHALL CLAIM STORMARTER BASINS OF SILL AND SCHIMENT EXPOSITS AT THE END OF CONSTRUCTION AND DISPOSE OF THE MATERIALS IN ACCORDANCE WITH ALL LICAL STATE, AND FEDERAL REQUIREMENTS.

L. PERMANENT STORMWATER MANAGEMENT CONTROLS

REVISIONS

- 1. THE COMPLETED PROJECT HAS ZERO (0) PERMANENT STORMWATER MANAGEMENT FACILITIES. ALL STORMWATER MANAGEMENT FACILITIES SHALL BE PERMITTED AND APPROVED BY THE CITY OF GAINESVILLE AND THE SJRWMD.
- 2. THE COMPLETED PROJECT WILL INCORPORATE AND MAINTAIN PERMANENT GRASSING, LANDSCAPING, AND/OR GROUND COVERS TO PROTECT SITE SOILS FROM

M. CONTROLS FOR SPECIAL POLLUTANTS

- WASTE DISPOSAL: WASTE CONSTRUCTION MATERIALS, DEBRIS, AND GARBAGE WILL BE PLACED IN APPROPRIATE CONTAINERS. THE CONTRACTOR SHALL DISPOSE OF THESE MATERIALS IN AN APPROPRIATE MANNER AND IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REQUIREMENTS. NO WASTE MATERIALS SHALL BE BURIED ON SITE.
- 2. OFFSITE VEHICLE TRACKING: THE CONTRACTOR SHALL CONTROL AND RESTRICT SITE ACCESS. THE CONTRACTOR SHALL INSTALL EROSION CONTROL MATERIALS AT THE VEHICLE ACCESS POINT, AS REQUIRED, TO PREVENT MIGRATION OF ERODABLE MATERIALS OFFSITE, EITHER BY VEHICLE, WIND, OR STORMWATER

- 3. FERTILIZERS, HERRICIDES, AND PESTICIDES: FLORIDA FRIENDLY FERTILIZERS AND PESTICIDES WILL BE USED AT A MINIMUM AND IN ACCORDANCE WITH THE MANUFACTURER'S SUGGESTED APPLICATION RATES. THE CONTRACTOR SHALL NOT STORE THESE ITEMS ON SITE.
- 4. TOXIC SUBSTANCES: THE CONTRACTOR SHALL NOT STORE FUELS, PAINT, CHEMICALS, OR OTHER MATERIALS THAT ARE CONSIDERED TO BE TOXIC ON SITE. SHOULD THE CONTRACTOR DESIRE TO STORE SUCH MATERIALS ON SITE, THE CONTRACTOR SHALL PREPARE AND SUBMIT A WRITTEN PLAN TO ADDRESS STORAGE SPILL PREVENTION AND CLEANUP PRIOR TO STORING THE MATERIALS ON SITE
- STREAMS, STILL TREVENIUM, AND DECRAMOP PRIOR TO STREAM IN MEMORIALS ON STILE.

 OHIER: PORT-O-LETS OR OHIER TREVENIUM, AND STREAM SERVICE STREAM SERVER SYSTEM AND AWAY FROM THE INLET POINTS TO THE STORM SEWER SYSTEM AND AWAY FROM THE STORMWATER BASINS. THE CONTRACTOR SHALL NOT ALLOW VEHICLE MAINTAINANCE ON SITE.

N. MAINTENANCE PLAN

- 1. THE CONTRACTOR SHALL MAINTAIN PERMANENT AND TEMPORARY EROSION AND SEDIMENT CONTROL FEATURES IN ACCORDANCE WITH THE PLANS AND
- TECHNICAL SPECIFICATIONS. ARMITTAIN PERMANENT AND TEMPORARY ENGINE AND SEDIMENT CONTROL PERMANENT AND AUDITORISES IN ACCOMMENCE WITH THE PERMANENT AND TECHNICAL SPECIFICATIONS.

 SILT FENCING SHALL BE INSPECTED WEEKLY BY THE CONTRACTOR AND ANY NECESSARY REPAIRS TO SHALL BE MADE IMMEDIATELY. THE CONTRACTOR SHALL REMOVE ACCUMULATED SEDIMENT FROM THE SILT FENCING WHEN IT HAS REACHED ONE-THIRD THE HEIGHT OF THE SILT FENCE.
- 3. THE CONTRACTOR SHALL MAINTAIN THE SITE VEHICULAR ACCESS POINT TO PREVENT TO PREVENT MIGRATION OF ERODABLE MATERIALS OFFSITE, EITHER BY VEHICLE, WIND, OR STORMWATER TRANSPORT.
- THE CONTRACTOR SHALL INSPECT INJETS MANHOLES AND DUTEAUS IMMEDIATELY AFTER EACH BAINFALL EVENT AND REPAIR THE CONTROLS NECESSARY TO
- 4. THE CONTRACTOR SHALL INSTEAD THE MANICLES, AND OUTPALLS IMMODIFIED WHER EACH SUPPALL END HAVE BEPAIR THE CONTROLS NECESSARY TO PREVIOUS TELL POSITIONS DESCRIBED THE SECTION SHALL SHAPE ALL END HAVE SHAPE AND SHAPE SHAPE AND FIND SHAPE SHAPE AND SHAPE SHAPE AND FIND SHAPE S

O. COMPLIANCE INSPECTIONS

1. QUALIFIED PERSONNEL WILL INSPECT ALL POINTS OF DISCHARGE, ALL DISTURBED AREAS OF THE CONSTRUCTION SITE THAT HAVE NOT BEEN STABILIZED, ACTIVE CONSTRUCTION AREAS, VEHICULAR ACCESS POINTS AND ALL BEST MANAGEMENT PRACTICES AT LEAST ONCE EVERY 7 CALENDER DAYS OR WITHIN 24 HOURS OF THE END OF A RAINFALL EVENT THAT IS 0.5 INCHES OR GREATER. AREAS OF THE PROJECT SITE THAT HAVE BEEN STABILIZED SHALL BE INSPECTED AT LEAST ONCE A MONTH, THESE INSPECTIONS SHALL CONTINUE UNTIL A NOTICE OF TERMINATION IS FILED.

P. NON-STORMWATER DISCHARGES

- 1. IT IS EXPECTED THAT THE FOLLOWING NON-STORMWATER DISCHARGES MAY OCCUR FROM THE SITE DURING CONSTRUCTION: FIRE FLOW TESTS OR FLUSHING, WATER FROM UTILITY LINE FLUSHING, PAVEMENT WASH WATER (WHERE NO SPILLS OR LEAKS OF TOXIC OR HAZARDOUS MATERIALS HAVE OCCURRED), AND
- 2. DEWATERING SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DEP GENERIC PERMIT FOR THE DISCHARGE OF PRODUCED GROUND WATER FROM ANY NONCONTAMINATED SITE ACTIVITY.
- 3. IF NON-STORMWATER DISCHARGES DO OCCUR, WATERS SHOULD BE DIRECTED TO STORMWATER BASINS OR TEMPORARY BASINS PRIOR TO DISCHARGE FROM THE
- PROJECT STEE.

 4. TURBID WATERS FROM STORMWATER PONDS SHALL NOT BE PUMPED OFFISTE OR DIRECTLY TO OFFSITE RECEIVING WATERS.

 5. ANY PUMPED WATER FROM THE STORMWATER PONDS SHALL BE TREATED SO AS NOT TO ALLOW DISCHARGE OF POLLUTED WATERS FROM THE PROJECT SITE. TREATMENT OPTIONS INCLUDE SILT FENCES, SETTLING PONDS, PROPERLY USED FLOCCULATING AGENTS, OR OTHER APPROPRIATE MEANS.

CONSTRUCTION INSPECTION FORM STORMWATER POLLUTION PREVENTION PLAN

INSPECTION FREQUENCY: WEEKLY OR AFTER 0.50 INCHES OF RAIN

PROJECT NAME	BEN E. KEITH - PARKING LOT EXPANSION
OWNER	BEN E. KEITH COMPANY
CONTRACTOR	
CONSTRUCTION MANAGER	

FORM INSTRUCTIONS

ENTER THE DATE OF THE INSPECTION. IF THE INSPECTED ITEM IS SATISFACTORY, INSERT A CHECK. IF THE INSPECTED ITEM IS UNSATISFACTORY, INSERT AN "X" AND DESCRIBE THE MAINTENANCE ACTIONS TAKEN TO CORRECT THE PROBLEM. THE INSPECTOR SHALL ENTER THEIR INITIALS. CREATE ADDITIONAL SHEETS IF NECESSARY.

INSPECTOR INFORMATION:

QUALIFICATION DATE

THE ABOVE SIGNATURE ALSO SHALL CERTIFY THAT THIS FACILITY IS IN COMPLIANCE WITH THE STORMWATER POLLUTION PREVENTION PLAN AND THE STATE OF FLORIDA GENERIC PERMIT FOR STORMWATER DISCHARGE FROM LARGE AND SMALL CONSTRUCTION ACTIVITIES IF THERE ARE NOT ANY INCIDENTS OR NON-COMPLIANCE (IDENTIFIED AGOVE

NAME (RESPONSIBLE AUTHORITY) DATE

CERTIFICATION STATEMENT STORMWATER POLLUTION PREVENTION PLAN

ALL CONTRACTOR(S) AND/OR SUB-CONTRACTOR(S) RESPONSIBLE FOR COMPLYING WITH THIS STORWWATER POLLUTION PREVENTION PLAN SHALL SIGN THE CERTIFICATION STATEMENT BELOW. MULTIPLE COPIES OF THIS CERTIFICATION STATEMENT MAY BE NECESSARY DEPENDING ON THE NUMBER OF SUB-CONTRACTORS ASSOCIATED WITH THE PROJECT.

am∋ BEN E. KEITH - PARKING LOT EXPANSION CONTRACTOR OF THE PARTY OF THE ADDRESS TELEPHONE NUMBER

I CERTIFY, UNDER PENALTY OF LAW THAT I UNDERSTAID, AND SHALL COMPLY WITH, THE TERMS AND CONDITIONS OF THE STATE OF FLORIDA GENERIC STORWANER PERMIT FOR STORWANER DISCHARGE FROM LARGE AND SMALL CONSTRUCTION ACTIVITIES AND THIS STORWANER POLIUTION PERSONNELS.

TITLE

BIONATURE	DATE

DATE OF INSPECTION	SILT FENCE	STRUCTURAL DIVERSI	21 1	SEDIMENT TRAP	SUBSURFACE DRAIN	PIPE SLOPE DRAIN	LEVEL SPREADERS	PROTECTION	VEGETATIVE PRESERV	AREA RETENTION POND	CONSTRUCTION ENTRY	PERIMETER DITCH	CURB AND GUTTER	PAVED ROAD SURFAC	ROCK UNITE! PROIEK	RETAINING SYSTEM	SEDIMENT BASIN	TEMPORARY SEED /	PERMANENT SEED /	MULCH	GEOTEXTILE	RIP-RAP	TREE PROTECTION	DETENTION POND	WASTE DISPOSAL /	HOUSEKEEPING	SAND BAG	отнея	observations or maintenance actions taken	INSPECTED BY
	П		П		Т	П			T	\top	Т		П	\neg			Т		П		Т	П	П	T	Т		Т	П		
	\top	\top	\top	\neg	$^{+}$	П	\neg	\neg	\top	\top	\top	\top	П	\neg	\top	\top	\top	$^{-}$	П	\top	\top	т	П	\top	\top	\top	$^{+}$	П		
		\neg		\neg	†	\Box	\top		\top	\top	1	$^{+}$	П	\top	$^{+}$	\top	$^{+}$	†	П	\top	$^{+}$	Ħ	\Box	\top	$^{+}$		†	П		
	П	\top	П	\top	T	П	1	_	T	T		\top	П	\top	†	1	T	T	П	\top	T	П	Ħ	\top	\top	\top	T	П		
	П	\neg	П	\neg	Т	П	\top		Т		\top	Т	П	\top	Т	Т	Т	Т	П	T	T	П	П	T	Т		Т	П		
			П			П						Т		\neg				Т	П	\top	Т		П	\top	Т		Т	П		
												\Box		\Box																
																												П		
												\perp																		
																												П		
												\Box		\Box																
																												П		
												\perp																		
														\perp														П		
	Ш		Ш			ш				\perp	\perp	┸	Ш	\perp				┖	Ш	\perp				\perp	\perp		\perp	Ш		
	\Box					\Box					1			\perp				\Box	\Box				LT					П		

NO.	DATE	DESCRIPTION	DRWN	APPR		
					ENGINEER	ANDREW J.K. GEISEL, P.E.
					OF RECORD:	FLORIDA LICENSE NO. 94616
П						ITEM HAS BEEN DIGITALLY
						D SEALED BY ANDREW GEISEL, PE DATE ADJACENT TO THE SEAL.
					DOWNTED CO	PIES OF THIS DOCUMENT ARE NOT
					CONSIDERED SIG	INED AND SEALED AND THE SIGNATURE
			$\overline{}$		MUST BE VER	IFIED ON ANY ELECTRONIC COPIES.





3530 NW 43rd Street | Seinesville, Floride 32606 4428 US-1 S, Suite 1 | St. Augustine, Florida 32086


Salmoville: (952) 975-9999 | St. Augustine: (954) 799-9 Toll Free: (944) Go-JBPro | E-mail: contact@bproson


STORMWATER POLLUTION PREVENTION PLAN


AUGUST 2025 0791-24-001


ALACHUA CONSERVATION TRUST


ORANGE LAKE OVERLOOK RESTORATION
















TEMPORARY GRAVEL CONSTRUCTION ENTRANCE N.T.S.

NOTES


- 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF-WAY. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN.




LIMEROCK OUTCROP REMOVAL DETAIL.



SHALLOW AND DEEP SINKHOLE/CAVITY MAINTENANCE REPAIR DETAIL.
N.T.S.





EXPANSION JOINT DETAIL, N.T.S.

		REVISIONS						
ı	DATE	DESCRIPTION	DRWN	APPR				
1								
1					ENGINEER	ANDREW J.K. GEISEL, P.E.		
1					OF RECORD:	FLORIDA LICENSE NO. 94616		
1						ITEM HAS BEEN DIGITALLY D SEALED BY ANDREW GEISEL, PE		
						DATE ADJACENT TO THE SEAL.		
					DOINTED CO	PIES OF THIS DOCLIMENT ARE NOT		
					CONSIDERED SIG	INED AND SEALED AND THE SIGNATUR		
					MUST BE VER	MUST BE VERIFIED ON ANY ELECTRONIC COPIES.		





3530 NW 43rd Street | Seitnerville, Floride 32606-4420-US-1 S, Suite 1 | St. Augustine, Floride 32066

ALACHUA CONSERVATION TRUST MARION COUNTY, FLORIDA

DETAILS

ORANGE LAKE OVERLOOK RESTORATION MAJOR SITE PLAN

0791-24-001

AUGUST 2025