


Drawing name: C:\Users\mmerritt\MapData\Local\Temp\publish_35968\FL303 - East Lake Weir.dwg T=1(20) Dec 10, 2025 2:47pm by: mmerritt

LOCATION MAP



VICINITY MAP



PREPARED FOR:



PROJECT DESCRIPTION:

RAW LAND NSB

SITE NAME:

EAST LAKE WEIR

SITE NUMBER:

FL303

PROJECT INFORMATION

SITE ADDRESS:	14607 E. HWY 25 OCKLAWAHA, FL 32183
LATITUDE:	29° 01' 34.788" (NAD 83)
LONGITUDE:	-81° 53' 15.247" (NAD 83)
ELEVATION:	94.10' NAVD 88 (TOWER CENTER)
PROPERTY OWNER:	FIG LAKE PRESERVE LLLP
PARCEL ID:	48512-000-00
PARCEL SIZE:	1,400-AC
ZONING:	A-1 (GENERAL AGRICULTURE)
FUTURE LAND USE:	RURAL LAND (1 DU/10 AC)
JURISDICTION:	MARION COUNTY
SURVEYOR:	ADVANCED LAND SURVEYING 371 BRIGHTWATERS DRIVE, COCOA BEACH, FL 32931
APPLICANT:	GULFSTREAM TOWERS, LLC 127 W. FAIRBANKS AVE. #469 WINTER PARK, FL 32789 PHONE: (407) 617-0167
ENGINEER:	ADRIAN D. ROZEN, PE FORESITE GROUP, LLC 10150 HIGHLAND MANOR DR #210 TAMPA, FL 33610 (770) 368-1399
POWER:	DUKE ENERGY
TELCO:	CENTURYLINK
DESIGN DATA:	
DESIGN CODE:	FLORIDA BUILDING CODE, 8TH EDITION (2023) (FBC) & TIA/EIA 222-H (TIA)
BASIC WIND SPEED:	131 MPH (PER FBC)
EXPOSURE CATEGORY:	C
STRUCTURAL RISK CATEGORY:	II

SHEET INDEX

SHEET	DESCRIPTION	REV.
T-1	TITLE SHEET	0
Z-1	OVERALL SITE PLAN	0
Z-2	ENLARGED COMPOUND PLAN & TOWER ELEVATION	0
Z-3	FENCE DETAILS	0
Z-4	LANDSCAPE PLAN & PLANTING DETAILS	0
Z-5	SITE SIGNAGE	0



CAUTION
THE UTILITIES SHOWN HEREON ARE FOR THE CONTRACTOR'S CONVENIENCE ONLY.
THERE MAY BE OTHER UTILITIES NOT SHOWN ON THESE PLANS. THE ENGINEER
ASSUMES NO RESPONSIBILITY FOR THE LOCATIONS SHOWN AND IT SHALL BE THE
CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL UTILITIES WITHIN THE LIMITS OF
THE WORK. ALL DAMAGE MADE TO EXISTING UTILITIES BY THE CONTRACTOR
SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR.
FOR EMERGENCIES CALL: 911



LOCATED AT:
127 W. FAIRBANKS AVENUE, #469
WINTER PARK, FL 32789



FL CA 26115
Foresite Group, Inc.
10150 Highland Manor Dr. # | 813.549.3250
Suite 210 | 813.621.3580
Tampa, FL 33610 w | www.fg-inc.net

SEAL:



This item has been digitally
signed and sealed by Adrian
D. Rozen, PE, on the date
shown below. Printed copies
of this document are not
considered signed and
sealed and the signature
must be verified on any
electronic copies.
2025.12.10 15:24:57-05007

PROJECT:

EAST LAKE WEIR
FL303

LOCATED AT:
14607 E. HWY 25
OCKLAWAHA, FL 32183

APPROVALS

CARRIER	
LANDLORD	
LEASING	
CONSTRUCTION	



REVISIONS DATE

ISSUED FOR: ZONING
PROJECT MANAGER: MWM
DRAWING BY: KLL
DATE: 12/10/2025
TITLE:

TITLE SHEET

SHEET NUMBER: T-1
JOB/FILE NUMBER: 412.033

Drawing name: C:\Users\mmerritt\MyPData\Local\Temp\publishing_25988\FL303 - East Lake Weir.dwg Z-2 Dec 10, 2025 2:48pm by mmerritt



FROM MARION COUNTY, FL LAND DEVELOPMENT CODE SECTION 4.3.25. - TELECOMMUNICATIONS TOWERS AND ANTENNAS:

E.(5) "LIGHTING. TOWERS SHALL NOT BE ARTIFICIALLY LIGHTED EXCEPT AS REQUIRED BY THE FEDERAL AVIATION ADMINISTRATION (FAA) OR OTHER APPLICABLE AUTHORITY. IF LIGHTING IS REQUIRED, THE COUNTY SHALL REVIEW THE AVAILABLE LIGHTING ALTERNATIVES AND APPROVE THE DESIGN THAT WILL CAUSE THE LEAST DISTURBANCE TO THE SURROUNDING VIEWS, INCLUDING BUT NOT LIMITED TO INSTALLATION OF BOTTOM SHIELDING ON ALL LIGHTS."

E.(6) "COLOR. TOWERS SHALL EITHER MAINTAIN A GALVANIZED STEEL FINISH, OR CONCRETE, OR BE PAINTED A COLOR SO AS TO REDUCE VISUAL OBTRUSIVENESS, SUBJECT TO ANY APPLICABLE STANDARDS OF THE FAA, EXCEPT FOR CAMOUFLAGE TOWERS. THE WIRING CONDUIT AND COAXIAL CABLE SHALL BE DESIGNED OR PAINTED TO REDUCE VISUAL OBTRUSIVENESS."


GULFSTREAM TOWERS

LOCATED AT:
127 W. FAIRBANKS AVENUE, #469
WINTER PARK, FL 32789

FORESITE group

FL CA 26115
Foresite Group, Inc.
10150 Highland Manor Dr. e | 813.549.3250
Suite 210 | 813.621.3580
Tampa, FL 33610 w | www.fg-inc.net

SEAL:



This item has been digitally signed and sealed by Adrian D. Rozin, PE, on the date shown below. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.
2025.12.10 15:24:02-05007

PROJECT:

**EAST LAKE WEIR
FL303**

LOCATED AT:
14807 E. HWY 25
OKLAHAWA, FL 32183

APPROVALS

CARRIER

LANDLORD

LEASING

CONSTRUCTION

REVISIONS

DATE

ISSUED FOR:

ZONING

PROJECT MANAGER:

MWM

DRAWING BY:

KLL

DATE:

12/10/2025

TITLE:

**ENLARGED
COMPOUND PLAN &
TOWER ELEVATION**

SHEET NUMBER:

Z-2

JOB/FILE NUMBER:

412.033


FENCE NOTES:

(INSTALL FENCING PER ASTM F-567, SWNG GATES PER ASTM F- 900)


1. GATE POST: 3½" DIA. SCHEDULE 40 PER ASTM-F 1083.
2. CORNER AND TERMINAL OR PULL POST: 3" DIA. SCHEDULE 40 PER ASTM-F 1083.
3. LINE POST: 2" DIA. SCHEDULE 40 PIPE PER ASTM-F 1083.
4. GATE FRAME: 1½" DIA. SCHEDULE 40 PIPE PER ASTM-F 1083.
5. TOP RAIL AND BRACE RAIL: 1½" DIA. SCHEDULE 40 PIPE PER ASTM-F 1083.
6. FABRIC: 9 GA. CORE WIRE SIZE 2" MESH, CONFORMING TO ASTM-A392.
7. TIE WIRE: MINIMUM 9 GA. GALVANIZED STEEL AT POSTS AND RAILS A SINGLE WRAP OF FABRIC TIE AND AT TENSION WIRE BY HOG RINGS SPACED MAXIMUM 24" INTERVALS.
8. TENSION WIRE: 6 GA. GALVANIZED STEEL.
9. GALVANIZED WOVEN WIRE TRIPLE STRAND 12-½" GA. TWISTED WIRE TO MATCH WITH FABRIC 14 GA., 4 PT. BARBS SPACED ON APPROXIMATELY 5" CENTERS.
10. GATE LATCH: 1-½" O.D. PLUNGER ROD WITH MUSHROOM TYPE CATCH AND LOCK, KEYED ALIKE FOR ALL SITES IN A GIVEN MTA.
11. COMPLY WITH ANY LOCAL ORDINANCES REQUIRING PERMITS FOR PLACEMENT OF BARBED WIRE.
12. WARNING SIGNS USING THE INTERNATIONAL SYMBOL OF ELECTRICAL SHOCK HAZARD SHALL BE FURNISHED AND INSTALLED ON THE EXTERIOR OF ALL SIDES OF THE MAIN PERIMETER FENCE AND THE GATE. ADDITIONALLY, SIGNS SHALL BE FURNISHED AND INSTALLED THAT STATE "NO TRESPASSING" IN ENGLISH. THE SIGNS SHALL BE IMPERVIOUS TO WEATHERING AND BE MOUNTED TO AVOID EASE OF REMOVAL BY VANDALS.
13. INSTALL DUCKBILL TYPE GATE HOLDBACKS TO PREVENT UNINTENTIONAL GATE SWING.

TYPICAL WOVEN WIRE FENCING NOTES


NOT TO SCALE

**DOUBLE SWING GATE DETAIL**

NOT TO SCALE

**WOVEN WIRE FENCE DETAIL**

NOT TO SCALE

**WOVEN WIRE CORNER, GATE, END OR PULL POST DETAIL**

NOT TO SCALE

FROM MARION COUNTY, FL LAND DEVELOPMENT
CODE SECTION 4.3.25, - TELECOMMUNICATIONS
TOWERS AND ANTENNAS:

E.(10) "SECURITY FENCING. TOWERS SHALL BE ENCLOSED BY SECURITY FENCING NOT LESS THAN SIX FEET IN HEIGHT AND SHALL ALSO BE EQUIPPED WITH AN APPROPRIATE ANTI-CLIMBING DEVICE; PROVIDED, HOWEVER, THAT THE BOARD MAY WAIVE SUCH REQUIREMENTS, AS IT DEEMS APPROPRIATE."

GULFSTREAM
TOWERS

LOCATED AT:
127 W. FAIRBANKS AVENUE, #469
WINTER PARK, FL 32789

FORESITE
group

FL CA 26115
Foresite Group, Inc.
10150 Highland Manor Dr. e | 813.549.3250
Suite 210 | 813.621.3580
Tampa, FL 33610 | www.fg-inc.net

SEAL:



This item has been digitally signed and sealed by Adrian D. Rosen, PE, on the date shown below. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.
2025.12.10 15:23:33-0500'

PROJECT:

**EAST LAKE WEIR
FL303**

LOCATED AT:
14807 E. HWY 25
OCFLAWAHA, FL 32183

APPROVALS

CARRIER

LANDLORD

LEASING

CONSTRUCTION

REVISIONS

DATE

ISSUED FOR:

ZONING

PROJECT MANAGER:

MWM

DRAWING BY:

KLL

DATE:

12/10/2025

TITLE:

FENCE DETAILS

SHEET NUMBER:

Z-3

JOB/FILE NUMBER:

412.033

GENERAL LANDSCAPE NOTES:

1. CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLATION OF PLANT MATERIAL ACCORDING TO DRAWINGS.
2. WARRANTY: ALL PLANTS SHALL BE WARRANTED TO REMAIN ALIVE, HEALTHY, AND IN THRIVING CONDITION FOR A PERIOD OF ONE YEAR FROM FINAL ACCEPTANCE
3. PLANTS SHALL BE SPECIMEN QUALITY. PLANTS SHALL BE SOUND, HEALTHY AND VIGOROUS, WELL BRANCHED, AND DENSELY FOLIATED WHEN IN LEAF.
4. HEIGHT AND SPREAD DIMENSIONS SPECIFIED REFER TO THE MAIN BODY OF THE PLANT AND NOT FROM BRANCH TIP TO TIP. IF A RANGE OF SIZE IS GIVEN, NO PLANT SHALL BE AS LARGE AS THE MAXIMUM SIZE SPECIFIED.
5. SHADE TREES SHALL BE STRAIGHT UNLESS OTHERWISE SPECIFIED
6. PLANTS SHALL BE SUBJECT TO REVIEW BY OWNER'S REPRESENTATIVE. OWNER'S REPRESENTATIVE SHALL BE THE SOLE JUDGE OF THE QUALITY AND ACCEPTABILITY OF MATERIALS AND PLACEMENT.
7. PLANTING PLANS INDICATE DIAGRAMMATIC LOCATIONS ONLY. SITE ADJUSTMENTS OF PLANTING DESIGN AND RELOCATION OF PLANT MATERIAL INSTALLED PRIOR TO OWNER REPRESENTATIVE'S APPROVAL SHALL BE DONE WITHOUT PENALTY OR ADDITIONAL COST TO OWNER. STAKE PLANT LOCATIONS AT SITE AND OBTAIN OWNER REPRESENTATIVE'S APPROVAL PRIOR TO PLANT INSTALLATION.
8. PLACE PLANTS UPRIGHT AND TURNED SO THAT THE MOST ATTRACTIVE SIDE IS VIEWED.
9. UNDERGROUND UTILITIES SHALL BE LOCATED AND MARKED BEFORE DIGGING. THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR ALL DAMAGE OF UTILITY LINES.
10. IF DRAINAGE IS NOT SUFFICIENT NOTIFY OWNER'S REPRESENTATIVE IN WRITING BEFORE INSTALLING PLANTS, OTHERWISE, CONTRACTOR SHALL BE TOTALLY RESPONSIBLE FOR THE GUARANTEE AND LIVABILITY OF THE PLANT.
11. PROVIDE TRENCH EDGING, 7" WIDE AT SHRUB BEDS IN LAWN AREAS UNLESS OTHERWISE NOTED.
12. PROVIDE 3" THICKNESS MULCH AT ALL PLANTS AND PLANTING BEDS. MULCH SHALL BE PINE STRAW UNLESS OTHERWISE NOTED.
13. MAINTENANCE WORK SHALL BE PERFORMED UNTIL DATE OF FINAL ACCEPTANCE BY OWNER'S REPRESENTATIVE.
14. FRONDS OR LEAVES: MUST BE OF MEDIUM FOLIAGE, ALL GOOD LEAVES, MAXIMUM OF 10% CHLOROSIS ALLOWED, WITH NO EXTREME SUCCELENCE.
15. ROOT SYSTEM: ROOTS MUST BE STURDILY ESTABLISHED IN BALL THAT HAS BEEN TIGHTLY WRAPPED AND SECURELY TIED WITH TWINE OR WIRE, OR PINNED.
16. CONTRACTOR'S PRICES SHALL INCLUDE ALL LABOR AND MATERIAL NECESSARY TO COMPLETE THE WORK, I.E. MULCH, PLANTING, SOIL MIX, WOOD AND WIRE STAKING MATERIAL, ETC.
17. WHERE WIRE BASKETS ARE USED ON TREES OR SHRUBS, CUT WIRE BACK TO BASE OF ROOT BALL AND REMOVE FROM PLANTING.
18. QUANTITIES NECESSARY TO COMPLETE THE WORK ON THE DRAWING SHALL BE FURNISHED. QUANTITY ESTIMATES HAVE BEEN MADE CAREFULLY, BUT THE OWNER'S REPRESENTATIVE ASSUMES NO LIABILITY FOR OMISSION OR ERRORS. HIS ESTIMATES ARE ONLY AN AID FOR CLARIFICATION OF UNITS AND A CHECK FOR THE CONTRACTOR TO COMPARE WITH HIS OWN ESTIMATES. DIFFERENCES SHALL BE BROUGHT TO THE ATTENTION OF OWNER'S REPRESENTATIVE. NO EXTRA COMPENSATION SHALL BE ALLOWED FOR EXTRA QUANTITIES NECESSARY TO COMPLETE THE WORK.
19. CONTRACTOR TO DESIGN-BUILD IRRIGATION SYSTEM

FROM MARION COUNTY, FL LAND DEVELOPMENT CODE SECTION 4.3.25. - TELECOMMUNICATIONS TOWERS AND ANTENNAS:

E.(4) "LANDSCAPING AND BUFFERS. LANDSCAPING OF TOWER ELECTRICAL CONTROL EQUIPMENT FACILITIES SHALL APPLY TO THOSE SITES WHICH ARE ADJACENT TO OR WITHIN 330 FEET (STRAIGHT LINE DISTANCE) OF A RESIDENCE OR DEVELOPMENT. A PLANTING AREA A MINIMUM OF FOUR FEET WIDE, AROUND THE OUTSIDE PERIMETER OF THE FENCE ARE THE TOWER COMPOUND SHALL BE ESTABLISHED. THE AREA SHALL BE PLANTED WITH A HEDGE OF NATIVE OR ORNAMENTAL EVERGREEN SHRUBS AT LEAST 30 INCHES IN HEIGHT AT PLANTING AND CAPABLE OF GROWING TO AT LEAST 40 INCHES IN HEIGHT WITHIN THE FIRST GROWING SEASON. PLANTS SHALL BE MULCHED USING TWO INCHES OF MATERIAL. A DRIP OR LOW VOLUME/PRESSURE IRRIGATION SYSTEM OR OTHER ALTERNATIVE MEANS OF INSURING HEARTY GROWTH OF VEGETATION SHALL BE UTILIZED. THESE PLANT MATERIALS SHALL BE DESIGNED AND PLACED TO EFFECTIVELY SCREEN THE VIEW OF THE TOWER COMPOUND FROM ADJACENT PROPERTY. ORNAMENTAL TREES MAY BE INCLUDED IN THE DESIGN TO ACHIEVE THIS GOAL. LANDSCAPE BUFFERING ON THE PARENT PARCEL SHALL BE INSTALLED ALONG THE PORTION OF THE PARENT PARCEL BOUNDARIES BETWEEN THE TOWER AND OFF-SITE RESIDENTIALLY ZONED PROPERTY AS NECESSARY TO BUFFER RESIDENTIAL PROPERTY WHEN VEGETATIVE BUFFERS ARE NON-EXISTENT OR PROVIDE INSUFFICIENT SCREENING. PLANT MATERIALS SHALL BE DESIGNED AND PLACED TO SCREEN THE VIEW OF THE TOWER COMPOUND. ORNAMENTAL TREES MAY BE INCLUDED IN THE DESIGN TO ACHIEVE THIS GOAL. EXISTING MATURE TREE GROWTH AND NATURAL LAND FORMS ON THE PROPERTY SHALL BE PROTECTED AND PRESERVED TO THE MAXIMUM EXTENT POSSIBLE. NEW TREES SHALL BE A MINIMUM OF TWO INCHES DBH AND SHALL BE CONTAINER GROWTH. SHRUBS SHALL BE A MINIMUM OF 18-24 INCHES IN HEIGHT. PLANTS SHALL BE MULCHED USING TWO INCHES OF MATERIAL. ALL PLANT MATERIAL SHALL BE MAINTAINED IN PERPETUITY FOLLOWING FINAL INSPECTION AND APPROVAL. REPLACEMENTS SHALL BE MADE ANNUALLY AND COORDINATED WITH THE GROWTH SERVICES DIRECTOR OR HIS DESIGNEE. THE BOARD MAY REQUIRE A GREATER BUFFER WHERE APPROPRIATE OR WAIVE OR MODIFY ANY OR ALL OF THESE REQUIREMENTS IF THE FOALS OF THE THIS SECTION WOULD BE BETTER SERVED THEREBY."

WATERING SCHEDULE:


THE PROPOSED TREES AND SHRUBS SHALL BE MANUALLY WATERED (E.G., WATER TRUCK) UNTIL ALL PLANTINGS ARE ESTABLISHED OR UNTIL THE RAINY SEASON (WHICHEVER OCCURS FIRST; MINIMUM OF 6 MONTHS). WATERING SHALL BE ADJUSTED AS NEEDED BASED ON WEATHER CONDITIONS TO MAINTAIN MINIMUM MOISTURE REQUIREMENTS AND AVOID OVERWATERING.

– TREES: WATERING SCHEDULE SHALL BE EVERY 10-14 DAYS, WITH ENOUGH WATER AS REQUIRED TO MOISTEN SOIL TO A DEPTH OF 18 INCHES. WATER AROUND DRIP LINE – DO NOT WATER AROUND THE TRUNK.

– SHRUBS: INITIAL WATER SCHEDULE SHALL BE ENOUGH WATER AS REQUIRED TO KEEP TOP INCH OF SOIL MOIST, APPLIED EVERY 1-2 DAYS AFTER PLANTING, WHEREAFTER WATERING SHALL TAKE PLACE EVERY 5 DAYS TO KEEP THE ROOT BALL AND SURROUNDING SOIL DAMP TO MOIST.

PLANTING PROCEDURES:


1. LAY OUT BED.
2. ROTOTILL BED TO 12" DEPTH.
3. INSTALL PLANTS AND MULCH.
4. WATER THOROUGHLY.
5. IF UNABLE TO ROTOTILL DUE TO TREE ROOTS, HAND DIG HOLE (FOR EACH PLANT) 12" WIDE AND 6" DEEPER THAN CONTAINER.

**SHRUB PLANTING DETAIL**

NOT TO SCALE

LANDSCAPE SCHEDULE					
DESCRIPTION	SPECIES	HEIGHT (MIN.)	QUANTITY	SIZE	COMMENTS
EVERGREEN HEDGE	WAX MYRTLE	30"	45 (PLANT 5 FEET O.C.)	3 GAL	HEAT/DROUGHT TOLERANT (MYRTA CERIFERA)

1. CONTRACTOR SHALL WARRANTY ALL PLANTINGS FOR ONE YEAR BEGINNING AT THE DATE OF ACCEPTANCE. CONTRACTOR SHALL REPLACE ANY DEAD OR DISCOLORED TREES/SHRUBS WITHIN THE WARRANTY PERIOD.




GULFSTREAM TOWERS

LOCATED AT:
127 W. FAIRBANKS AVENUE, #469
WINTER PARK, FL 32789

FORESITE group

FL CA 26115
Foresite Group, Inc.
10150 Highland Manor Dr. #1
Suite 210
Tampa, FL 33610
813.549.3250
813.621.3580
www.fg-inc.net

SEAL:



PROJECT:

**EAST LAKE WEIR
FL303**

LOCATED AT:
14807 E. HWY 25
OCKLAWAHA, FL 32183

APPROVALS

CARRIER

LANDLORD

LEASING

CONSTRUCTION

REVISIONS

DATE

ISSUED FOR:

ZONING

PROJECT MANAGER:

MWM

DRAWING BY:

KLL

DATE:

12/10/2025

TITLE:

**LANDSCAPING PLAN
& PLANTING DETAILS**

SHEET NUMBER:

Z-4

JOB/FILE NUMBER:

412.033



SITE NAME: <u>EAST LAKE WEIR</u>	
SITE NUMBER: <u>FL303</u>	
FCC REGISTRATION NUMBER: <u>TBD</u>	

FOR LEASING INFORMATION:	IN CASE OF EMERGENCY:
_____	_____

NO TRESPASSING

POSTING OF THIS SIGN REQUIRED BY LAW

24"

OWNER CONTACT SIGN

WHITE/GREEN BACKGROUND, BLACK/RED LETTERING.
MOUNTING LOCATION: GATE
QUANTITY: 2



14"

AUTHORIZED PERSONNEL SIGN

WHITE/BLUE BACKGROUND, WHITE/BLACK LETTERING.
MOUNTING LOCATION: GATE & BASE OF TOWER.
QUANTITY: 1
WHERE ACCESS GATE INSTALLED (QTY. 2)



12"

FCC REGISTRATION SIGN


WHITE/GREEN BACKGROUND, WHITE/BLACK LETTERING.
MOUNTING LOCATION: GATE & BASE OF TOWER.
QUANTITY: 2



14"

DANGER NO TRESPASSING SIGN

WHITE/BLACK BACKGROUND, WHITE/BLACK LETTERING.
MOUNTING LOCATION: GATE & BASE OF TOWER.
QUANTITY: 1
WHERE ACCESS GATE INSTALLED (QTY. 2)



10"

NOTICE RF SIGN (BLUE)

WHITE/BLUE BACKGROUND, WHITE/BLACK LETTERING.
MOUNTING LOCATION: GATE & CENTERLINE OF FENCING
AROUND SITE. (QTY. 4)
WHERE ACCESS GATE INSTALLED (QTY. 5)



14"

DANGER HIGH VOLTAGE SIGN

WHITE/BLACK BACKGROUND, WHITE/BLACK LETTERING.
MOUNTING LOCATION: GATE
QUANTITY: 1
WHERE ACCESS GATE INSTALLED (QTY. 2)


GULFSTREAM
TOWERS

LOCATED AT:
127 W. FAIRBANKS AVENUE, #469
WINTER PARK, FL 32789

FORESITE
group

FL CA 26115
Foresite Group, Inc.
10150 Highland Manor Dr. # | 813.549.3250
Suite 210 | 813.621.3580
Tampa, FL 33610 w | www.fg-inc.net

SEAL:



This item has been digitally signed and sealed by Adrian D. Rozen, PE, on the date shown below. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.
2025.12.10 15:22:39-05007

PROJECT:

EAST LAKE WEIR
FL303

LOCATED AT:
14807 E. HWY 25
OCALA, FL 32183

APPROVALS

CARRIER _____

LANDLORD _____

LEASING _____

CONSTRUCTION _____

REVISIONS _____

DATE _____

ISSUED FOR: _____

ZONING _____

PROJECT MANAGER: _____

MWM

DRAWING BY: _____

KLL

DATE: _____

12/10/2025

TITLE: _____

SITE SIGNAGE

SHEET NUMBER: _____

Z-5

JOB/FILE NUMBER: _____

412.033