

## PROCUREMENT REQUEST FORM

Use this form for General Requisitions, Task Orders, or Solicitations. Leave non-applicable fields blank. Incomplete or incorrect forms will be returned. Hover over a field for help

Date: 3/5/2026 Type of Request: General Requisition (PO Request)

Department: Parks Name & Phone: Joey Amodo

Solicitation/Contract #: \_\_\_\_\_ or State/Cooperative Contract#: KPN-202001-02

Board Action Required? Yes If yes, Board Date Requested: 4/7/2026 Quotes Attached: Yes

Vendor Number: \_\_\_\_\_ Vendor Address: PO Box 231  
Delhi, NY 13753  
 Vendor Email: gsemenetz@sportsfield.com  
 Vendor Name: Sportsfield Specialties

Department Ship To: Parks

Street: 111 SE 25th Ave City: Ocala Zip: 34471

GL Account & Project Code	Line	Fund	Account	Project Code	Amount	Short Name	Total Purchase Amount
Amounts by Line Item:	1	CR362572	563102	PRC 202201	\$117,775.35	362R	<u>\$ 117,775.35</u>

\*\*\* All computer purchases (software or hardware) require prior IT approval. Attach approval to this form.\*\*\*

### THIS SECTION FOR PROJECTS ONLY

Contingency % Amount: 0.00% Contingency \$ Amount: \_\_\_\_\_

Substantial Completion Date: \_\_\_\_\_ Final Completion Date: \_\_\_\_\_

Liquidated Damages: \_\_\_\_\_

#### Detailed Description/Scope of Work - Grant Information (if applicable)

Contractor is responsible for installing 20' high safety netting system for synthetic fields at Rotary Sportsplex.

#### Additional Information/County Admin Notes for Agenda



Remit To:  
Sportsfield Specialties  
PO Box 231  
Delhi, NY 13753

Quote Number: 121328

**QUOTE**

Page: 1 of 5

<b>Quote To:</b> Marion County Board of County Commissioners 110 NW 1st Ave Ocala FL 34475-6601 US	<b>Ship To:</b> Rotary Sportsplex 5220 SE Maricamp Rd. Ocala, FL 34480 US	<b>Date:</b> 3/4/2026 <b>Expires:</b> 4/3/2026 <b>PO Num:</b> Rotary Park Stormguard 2  <b>Sales Person:</b> Allan Leavy <b>Cell:</b> 607.376.3081 <b>Email:</b> allan.leavy@sportsfield.com
---	--	--

USD

Line	Part	Description	Qty /	Sales UoM	Unit Price	Line Total
1	BSS420		720.00	LF	\$58.90	\$42,408.00
		StormGuard® Professionally Pre-Engineered 20' Straight Pole Ball Safety Netting System. System Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Straight Poles, Cabling and Hardware Kit. Maximum Allowable Pole Spacing 25' on Center. 30" Ground Sleeves, Ground Sleeve Caps and #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Sold Separately.  (4) 180 feet				
5	BSSN36		14,400.00	SQF	\$1.10	\$15,840.00
		#36 Gauge Twisted, Knotted Black Nylon Ball Safety System Net, 2.6mm (0.102362") Diameter Twine, 345 lb. (156 kg.) Minimum Breaking Strength, 1-3/4" (44mm) Square Mesh, 0.0425 lbs. per Square Foot, Sewn Rope Binding on Perimeter Edges, Strong Resistance to Ultraviolet (UV) Light Degradation  (4) 20 feet x 180 feet				
6	GS430		40.00	EA	\$94.50	\$3,780.00
		Aluminum Ground Sleeve for 4"O.D. Post, 4.300"O.D. (4.100"i.D.) x 30"L, Includes Stop-Bolt and Leveling Base Plate				
7	PESSN		1.00	EA	\$2,165.00	\$2,165.00
		Stamped and sealed drawings and calculations by a licensed professional engineer for Standard/StormGuard® Netting System with Ground Sleeve Insert *Includes design and analysis of structural elements and drilled shaft foundation for dead and wind loads based on local building codes and soil conditions. *Spread footing foundation substitution available at additional charge. *Customer is to provide soils report information for the foundation design, otherwise typical soil parameters for the area of the project per the USDA's web soil survey will be used. It is the customer's responsibility to verify that site conditions meet or exceed the assumed parameters used by the professional engineer. *Loading assumes Stormguard Break-Away System will engage during extreme wind or extreme winter weather if provided, or owner will remove netting prior to an extreme wind event or winter weather. *Unless requested otherwise, bare pole winds loads are calculated using ASCE-7 risk category I basic windspeeds (dependent on location) and exposure category determined by site topography, vegetation, and constructed facilities found on satellite imagery. *Stamp revisions due to changes in project scope, or conditions differing from submitted documents may be provided at an additional fee.				



Remit To:  
Sportsfield Specialties  
PO Box 231  
Delhi, NY 13753

Quote Number: 121328

**QUOTE**

Page: 2 of 5

8	Install-SRV	1.00 EA	\$49,000.00	\$49,000.00
Installation service(s) per remarks.				

**QUOTE - Miscellaneous Charge -**

Description	Ext. Price
1.) Freight-NY1-Direct	\$3,262.35
2.) Freight-NC-Direct	\$1,320.00

Lines Total	\$113,193.00
Total Taxes	\$0.00
Line Miscellaneous	\$0.00
Quote Miscellaneous	\$4,582.35
<b>Quote Total</b>	<b>\$117,775.35</b>

- Customer is responsible for material take-off, quantities and specification compliance and/or equivalency of quoted products.
- All prices listed are in US Dollars
- Lead times vary by product and begin after receipt of purchase order, credit approval, and acceptance of color, material(s) and design. Please reach out to your team at Sportsfield Specialties for specific product lead times.
- All freight is FOB Origin. Freight rates are estimates provided at the time of quotation. Actual freight rates, include shipping & handling, will be billed at the time of shipment. The customer is responsible for any difference between the quoted freight rate and the actual freight rate at the time of shipment. The actual freight rates may differ from the estimates as a result of variable factors, such as the change in product quantity and/or material order, state of national economy, fuel costs, capacity and/or rate levels at the time of shipment. Split orders will require additional freight charges. Freight quoted does not include additional equipment to unload or unloading services, assembly or installation.
- Applicable State and Local Sales Tax will be added to the final invoice unless a tax exempt or Resale Certificate is provided prior to order shipment.
- Wire transfers, by check and established credit terms are accepted payment methods. Accepted credit cards are VISA, Mastercard and American Express.
- Pricing assumes any electrical connections and wiring are supplied by others unless otherwise indicated.
- Customer is responsible for approval and associated cost of any applicable local and state codes.
- Due to the increase of steel and aluminum raw material pricing caused by increased demand, coupled with market instability and uncertainty due to the implementation of international trade tariffs, Sportsfield Specialties, Inc. will no longer be able to guarantee current product pricing after this quotation has expired in thirty (30) days. To avoid a potential product price increase, customers will need to provide Sportsfield Specialties, Inc. with a fully executed purchase order or letter of intent before this quotation expires to guarantee this product pricing. Sportsfield Specialties, Inc reserves the right to requote product pricing as necessary based on current steel and aluminum raw material pricing once this quotation has expired in thirty (30) days.
- If your quote includes custom and/or make-to-order item(s), the item(s) will not be fully released into production until all order information is verified. This information includes color choices, bench configurations, field dimensions and any necessary engineering. Custom items and items with digital graphics require a signed rendering prior to release into production. Once color selections are made and material has been ordered for custom or make-to-order items, the order cannot be canceled. Custom and make-to-order items cannot be returned.
- Shipments outside of the US- Import Duties, Taxes, and Customs Clearance:  
The buyer is solely responsible for all applicable import duties, tariffs, customs fees, taxes, and any other related charges upon entry into the destination country. Seller assumes no responsibility for these costs.  
It is the buyer's responsibility to ensure compliance with all import regulations and to provide a licensed customs broker to facilitate clearance of the goods. The seller will not be held liable for delays, additional charges, or penalties resulting from the buyer's failure to arrange proper customs brokerage services



Remit To:  
Sportsfield Specialties  
PO Box 231  
Delhi, NY 13753

Quote Number: 121328

## QUOTE

Page: 3 of 5

### **Large Item Shipping**

Please be aware that due to our limited storage capacity, we do not have much flexibility to extend ship dates for certain products. Please let us know immediately if you need to adjust your shipment date.

### **Netting Disclaimer:**

DISCLAIMER: Sportsfield Specialties, Inc. protective netting systems are designed and intended as a complete netting system. In the event your facility replaces an existing system, relies on existing structural elements, or purchases an extension to an existing protective netting system, Sportsfield Specialties, Inc. does not make any representations or warranty relating to the overall design of the combined facility and/or the connection points to and the cables that are part of the existing netting system. Owner's decision to proceed with an extension in lieu of a complete new netting system will be at Owner's sole risk and without liability to Sportsfield Specialties, Inc. and Owner shall indemnify and hold harmless Sportsfield Specialties, Inc. from all claims, damages, losses and expenses arising out of or resulting therefrom.

### **Netting Notes:**

- Systems utilizing Dyneema rope should be expected to sag/stretch after initial installation. SSI strongly recommends that the client prepare for a re-tensioning trip in the weeks/months after initial installation, but this has been excluded from our proposal unless directed otherwise.
- Proposal assumes connection locations will be identified prior to installer arriving on-site.
- Assumes all cable connections shown are feasible per design using typical termination practices including welded tabs, thimbles and fist grips.
- Sportsfield Specialties cannot be held liable if concrete cracks while installing eyelets or poles at the concrete wall or dugout.
- Final tension and deflection in the netting shall be determined, accepted and maintained by the Owner.
- Verification of loads on any existing structural elements shall be by others.

### **Project with Install**

- Pricing does not include tax.
- Includes equipment rental as required.
- Proposal assumes clear access to the work area and that work area is free of obstacles, other trades, etc. Any predecessor tasks required to be completed by others must be completed prior to our arrival.
- Proposal assumes equipment (lifts, excavation/concrete equipment, cranes, utility vehicles, etc.) can access warning track and/or construction area without field protection. SSI will not be held liable for any resulting damages if field protection is not requested by the Owner/Contractor.
- If field protection is used as directed, SSI will not be held liable for any damages to the field, turf, warning track and/or construction area.
- Restoration of warning track, grass, turf, concrete and/or any other surface is not included.
- If the demolition of existing elements (poles, foundations, steel, earth, concrete, etc.) are included in this scope of work, the proposal is based on visible site conditions and assumes that traditional demolition techniques will be successful. Additional costs may apply for any unforeseen circumstances or conditions that arise during the demolition process that result in additional labor, equipment, or other demolition requirements.
- Some wrinkles in the windscreen/vinyl are characteristic of the material and are to be expected.
- Excludes state-specific contractor's license, permits, bonds, inspections and any associated costs.
- The costs associated with union/prevailing wages are not included unless otherwise stated. Any prevailing wage schedules or certified payroll requirements must be explicitly outlined prior to bid and/or contract execution to ensure wage compliance.
- The installation of athletic equipment includes an estimated number of mobilizations to ensure favorable cost management and utilizes the most efficient scheduling practices. Therefore, it is the responsibility of the Contractor or Owner's Representative to mitigate unsuccessful mobilizations. If additional mobilizations are necessary, there will be an additional charge subject to travel time, mileage, lodging and other associated expenses.
- At the completion of the project, Sportsfield Specialties and/or the installer will schedule a walk-through with the Contractor/Owner's Representative to address any issues/concerns before leaving the job site. If the Contractor/Owner's Representative is not available for a walk-through, or non-warranty issues are discovered after the installer leaves the job site, additional remobilization charges to address the punch list may apply.

### **RAW Material Volatility**

DISCLAIMER: Due to the ongoing increase of steel and aluminum raw material pricing caused by increased demand, coupled with market instability and uncertainty due to the implementation of international trade tariffs, Sportsfield Specialties, Inc. will no longer be able to guarantee current product pricing after this quotation has expired in sixty (60) days. To avoid a potential product price increase, customers will need to provide Sportsfield Specialties, Inc. with a fully executed purchase order or letter of intent before this quotation expires to guarantee this product pricing. Sportsfield Specialties, Inc. reserves the right to requote product pricing as necessary based on current steel and aluminum raw material pricing once this quotation has expired in sixty (60) days.



Remit To:  
Sportsfield Specialties  
PO Box 231  
Delhi, NY 13753

Quote Number: 121328

**QUOTE**

Page: 4 of 5

---

***Pole Placement Notes:***

- If foundations are required, public and private utilities must be marked by end user prior to our arrival. Sportsfield Specialties cannot be held liable for any damages resulting from unmarked utilities.
- Proposal assumes favorable digging conditions and does not include shoring, rock drilling, caissons, water removal, or additional backfill material.
- Owner to designate on site location for dumping spoils.
- The installation pricing included in this proposal reflects preliminary foundation estimates based on similar projects completed in the past. SSI reserves the right to update pricing as required once the stamped design is received from a licensed Professional Engineer.
- Surveying and Locating/Marking equipment locations (poles, columns, structures, etc.) is by others.

Date

---

Signature

---

Printed Name/Title

---



Remit To:  
Sportsfield Specialties  
PO Box 231  
Delhi, NY 13753

Quote Number: 121328

**QUOTE**

Page: 5 of 5

---