



SUBMITTAL SUMMARY REPORT
28214

PLAN NAME:	GOLDEN OCALA - W.E.C. RETAIL & EVENT CENTER @ SOUTH COMMERCIAL (AKA: RETAIL AT WEC SOUTH COMMERCIAL)	LOCATION:	1615 NW 81ST TERRACE RD OCALA,
APPLICATION DATE:	03/28/2022	PARCEL:	21068-001-02
DESCRIPTION:			

CONTACTS	NAME	COMPANY
Applicant	Tillman Associates	Tillman & Associates Engineering, LLC
Applicant	Tillman Associates	Tillman & Associates Engineering, LLC
Engineer of Record	Tillman Associates	Tillman & Associates Engineering, LLC
Engineer of Record	Tillman Associates	Tillman & Associates Engineering, LLC

SUBMITTAL	STARTED	DUE	COMPLETE	STATUS
OCE: Plan Review (DR) v.1	12/04/2025	12/18/2025	12/04/2025	Approved
OCE: Plan Review (DR) v.1	08/02/2024	08/09/2024	12/04/2025	Approved

SUBMITTAL DETAILS

OCE: Plan Review (DR) v.2				
ITEM REVIEW NAME (DEPARTMENT)	ASSIGNED TO	DUE	COMPLETE	STATUS
Landscape (Plans) (Parks and Recreation)	Susan Heyen	12/18/2025	12/04/2025	Approved
OCE: Plan Review (DR) v.1				
ITEM REVIEW NAME (DEPARTMENT)	ASSIGNED TO	DUE	COMPLETE	STATUS
911 Management (DR) (911 Management)		08/09/2024	12/04/2025	Approved
Environmental Health (Plans) (Environmental Health)		08/09/2024	12/04/2025	Approved
Fire Marshal (Plans) (Fire)		08/09/2024	12/04/2025	Approved
Growth Services Planning & Zoning (DR) (GS Planning and Zoning)		08/09/2024	12/04/2025	Approved
Landscape (Plans) (Parks and Recreation)		08/09/2024	12/04/2025	Approved
OCE Design (Plans) (Office of the County Engineer)		08/09/2024	12/04/2025	Approved
OCE Property Management (Plans) (Office of the County Engineer)		08/09/2024	12/04/2025	Approved
OCE Stormwater (Permits & Plans) (Office of the County Engineer)		08/09/2024	12/04/2025	Approved
OCE Survey (Plans) (Office of the County Engineer)		08/09/2024	12/04/2025	Approved
OCE Traffic (Permits & Plans) (Office of the County Engineer)		08/09/2024	12/04/2025	Approved
Utilities (OCE Plans) (Utilities)		08/09/2024	12/04/2025	Approved

From: [Kayla Oliver](#)
To: [Development Review](#)
Cc: [George Horton](#)
Subject: FW: Plan Number 28214 Major Site Plan will expire in 30 days
Date: Monday, August 10, 2026 9:32:45 AM
Attachments: [image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)

CAUTION: THIS MESSAGE IS FROM AN EXTERNAL SENDER

This email originated from outside the organization. Do not click links, open attachments, or share any information unless you recognize the sender and know the content is safe. Report suspicious emails using the "Phish Alert" button in Outlook or contact the Helpdesk.

Hi Development Review,

We are requesting a one-year extension for AR#28214 since construction of the 7 South Retail Buildings is still underway. Please place this request on the 8/17 DRC Agenda.

Thank you,
Kayla Oliver
Permit Coordinator

Tillman & Associates
— ENGINEERING, L.L.C. —

Civil Engineering - Planning - GIS - Landscape Architecture - Environmental
1720 SE 16th Ave., Bldg 100 | Ocala, FL 34471
Office: 352-387-4540 x235
KOliver@tillmaneng.com



From: DoNotReply EPL Permit Notify <DoNotReply-EPLPermitNotify@marionfl.org>
Sent: Sunday, July 19, 2026 12:07 AM
To: Permits <Permits@Tillmaneng.com>
Subject: Plan Number 28214 Major Site Plan will expire in 30 days

Hello,

This plan will expire soon. You may view details online by visiting the [Marion County Civic Access Portal](#).

If an extension is needed, please reply to this email providing the reason for the request and the duration of the extension. Upon receipt of the request, we will begin processing for formal approval. Fees may apply.


This message was sent from an official Marion County Board of County Commissioners email

account. If you have questions or believe this message was sent in error, please contact us directly at +1 352 671 8686.

Thank you,

Office of the County Engineer
Marion County Board of County Commissioners
Ocala, Florida
[Empowering Marion for Success!](#)






DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 21214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

NO EXPRESSION OF OPINION IS MADE BY THE COMMITTEE AS TO THE ACCURACY OF THE INFORMATION SUBMITTED TO THE MARION COUNTY LAND DEVELOPMENT COMMISSION. THE COMMITTEE'S REVIEW IS LIMITED TO THE TECHNICAL ASPECTS OF THE APPLICATION. THE COMMITTEE DOES NOT GUARANTEE THE ACCURACY OF THE INFORMATION SUBMITTED. THE COMMITTEE'S REVIEW IS LIMITED TO THE TECHNICAL ASPECTS OF THE APPLICATION. THE COMMITTEE DOES NOT GUARANTEE THE ACCURACY OF THE INFORMATION SUBMITTED.

NOTICE
The approval of this plan is based on the information submitted. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.



NOTE:
*See Tree Preservation Plan for limits of existing tree removal and protection areas.

- LEGEND:
- SHOWN/REMOVE EXISTING ASPHALT PAVEMENT
 - TO BE RELOCATED
 - TO BE REMOVED
 - TO REMAIN

- NOTES:
1. LIGHT POLE IS PART OF HOTEL 2' SITE LIGHTING PLAN.
 2. LIGHT POLE IS PART OF HOTEL 2' SITE LIGHTING PLAN. WILL BE RELOCATED TO NEW LOCATION BY OTHER.

RECEIVED
AUG 29 2024
Marion County
Office of the County Engineer

Tillman & Associates
ENGINEERING, LLC
C/O. INDIAN LAKE - 18000 LAKE DRIVE, SUITE 100
INDIAN LAKE, FLORIDA 32033
OFFICE: (352) 387-4540 FAX: (352) 387-4545

DATE	REVISIONS
8/24/24	1. SUBMITTAL TO MARION COUNTY LAND DEVELOPMENT COMMISSION

MAJOR SITE PLAN
G.O. W.E.C. RETAIL & EVENT CENTER @ S. COMA1
MARION COUNTY, FLORIDA


DATE: 8/23/24
DRAWN BY: KJD
CHECK BY: GH
JOB NO: 20-608


DEMOLITION PLAN

SHEET 04.03










DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 20214
APPROVAL DATE: 5/19/24
EXPIRATION DATE: 5/19/26

NO CONSTRUCTION SHALL BE COMPLETED TO THE COMPLETION OF THE CONSTRUCTION OF THE PROJECT. THE DEVELOPER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE MARION COUNTY ENGINEER AND THE MARION COUNTY BOARD OF COUNTY COMMISSIONERS. THE DEVELOPER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE MARION COUNTY ENGINEER AND THE MARION COUNTY BOARD OF COUNTY COMMISSIONERS.



LEGEND:
REINFORCED ASPHALT PAVEMENT
PROPOSED CONCRETE

RECEIVED
AUG 26 2024
Marion County
Office of the County Engineer

Tillman & Associates
ENGINEERING, LLC
10000 W. US HWY 90, SUITE 100
DADE CITY, FL 34608
OFFICE: (352) 387-5400 FAX: (352) 387-5445

DATE	BY	REVISION
05/19/24	JD	1. INITIAL DESIGN
05/19/24	JD	2. REVISED DESIGN
05/19/24	JD	3. REVISED DESIGN
05/19/24	JD	4. REVISED DESIGN
05/19/24	JD	5. REVISED DESIGN
05/19/24	JD	6. REVISED DESIGN
05/19/24	JD	7. REVISED DESIGN
05/19/24	JD	8. REVISED DESIGN
05/19/24	JD	9. REVISED DESIGN
05/19/24	JD	10. REVISED DESIGN
05/19/24	JD	11. REVISED DESIGN
05/19/24	JD	12. REVISED DESIGN
05/19/24	JD	13. REVISED DESIGN
05/19/24	JD	14. REVISED DESIGN
05/19/24	JD	15. REVISED DESIGN
05/19/24	JD	16. REVISED DESIGN
05/19/24	JD	17. REVISED DESIGN
05/19/24	JD	18. REVISED DESIGN
05/19/24	JD	19. REVISED DESIGN
05/19/24	JD	20. REVISED DESIGN
05/19/24	JD	21. REVISED DESIGN
05/19/24	JD	22. REVISED DESIGN
05/19/24	JD	23. REVISED DESIGN
05/19/24	JD	24. REVISED DESIGN
05/19/24	JD	25. REVISED DESIGN
05/19/24	JD	26. REVISED DESIGN
05/19/24	JD	27. REVISED DESIGN
05/19/24	JD	28. REVISED DESIGN
05/19/24	JD	29. REVISED DESIGN
05/19/24	JD	30. REVISED DESIGN
05/19/24	JD	31. REVISED DESIGN
05/19/24	JD	32. REVISED DESIGN
05/19/24	JD	33. REVISED DESIGN
05/19/24	JD	34. REVISED DESIGN
05/19/24	JD	35. REVISED DESIGN
05/19/24	JD	36. REVISED DESIGN
05/19/24	JD	37. REVISED DESIGN
05/19/24	JD	38. REVISED DESIGN
05/19/24	JD	39. REVISED DESIGN
05/19/24	JD	40. REVISED DESIGN
05/19/24	JD	41. REVISED DESIGN
05/19/24	JD	42. REVISED DESIGN
05/19/24	JD	43. REVISED DESIGN
05/19/24	JD	44. REVISED DESIGN
05/19/24	JD	45. REVISED DESIGN
05/19/24	JD	46. REVISED DESIGN
05/19/24	JD	47. REVISED DESIGN
05/19/24	JD	48. REVISED DESIGN
05/19/24	JD	49. REVISED DESIGN
05/19/24	JD	50. REVISED DESIGN
05/19/24	JD	51. REVISED DESIGN
05/19/24	JD	52. REVISED DESIGN
05/19/24	JD	53. REVISED DESIGN
05/19/24	JD	54. REVISED DESIGN
05/19/24	JD	55. REVISED DESIGN
05/19/24	JD	56. REVISED DESIGN
05/19/24	JD	57. REVISED DESIGN
05/19/24	JD	58. REVISED DESIGN
05/19/24	JD	59. REVISED DESIGN
05/19/24	JD	60. REVISED DESIGN
05/19/24	JD	61. REVISED DESIGN
05/19/24	JD	62. REVISED DESIGN
05/19/24	JD	63. REVISED DESIGN
05/19/24	JD	64. REVISED DESIGN
05/19/24	JD	65. REVISED DESIGN
05/19/24	JD	66. REVISED DESIGN
05/19/24	JD	67. REVISED DESIGN
05/19/24	JD	68. REVISED DESIGN
05/19/24	JD	69. REVISED DESIGN
05/19/24	JD	70. REVISED DESIGN
05/19/24	JD	71. REVISED DESIGN
05/19/24	JD	72. REVISED DESIGN
05/19/24	JD	73. REVISED DESIGN
05/19/24	JD	74. REVISED DESIGN
05/19/24	JD	75. REVISED DESIGN
05/19/24	JD	76. REVISED DESIGN
05/19/24	JD	77. REVISED DESIGN
05/19/24	JD	78. REVISED DESIGN
05/19/24	JD	79. REVISED DESIGN
05/19/24	JD	80. REVISED DESIGN
05/19/24	JD	81. REVISED DESIGN
05/19/24	JD	82. REVISED DESIGN
05/19/24	JD	83. REVISED DESIGN
05/19/24	JD	84. REVISED DESIGN
05/19/24	JD	85. REVISED DESIGN
05/19/24	JD	86. REVISED DESIGN
05/19/24	JD	87. REVISED DESIGN
05/19/24	JD	88. REVISED DESIGN
05/19/24	JD	89. REVISED DESIGN
05/19/24	JD	90. REVISED DESIGN
05/19/24	JD	91. REVISED DESIGN
05/19/24	JD	92. REVISED DESIGN
05/19/24	JD	93. REVISED DESIGN
05/19/24	JD	94. REVISED DESIGN
05/19/24	JD	95. REVISED DESIGN
05/19/24	JD	96. REVISED DESIGN
05/19/24	JD	97. REVISED DESIGN
05/19/24	JD	98. REVISED DESIGN
05/19/24	JD	99. REVISED DESIGN
05/19/24	JD	100. REVISED DESIGN

MAJOR SITE PLAN
GO W.E.C. RETAIL & EVENT CENTER @ S. COMAL
MARION COUNTY, FLORIDA

DATE: 05/19/24
DRAWN BY: JD
CHECKED BY: SH
JOB NO: 20-0000

SCALE: 1" = 40'

SHEET: 05.03



NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER

DETAIL
REMOVED
(SEE SHEET 05.03)

RECEIVED
AUG 26 2024
Marion County
Office of the County Engineer


DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 2024
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26
All construction shall conform to the controlling
ordinances of Marion County, Florida. The applicant
shall be responsible for obtaining all necessary permits
and approvals from the appropriate agencies. The
applicant shall be responsible for obtaining all necessary
permits and approvals from the appropriate agencies.
The approval of these plans is limited to the
information provided on these plans and does not
constitute a warranty or guarantee of any kind.
The applicant shall be responsible for obtaining
all necessary permits and approvals from the
appropriate agencies, as applicable, by state and/or federal
laws.

LEGEND:
PROPOSED
ASPHALT
PAVEMENT
PROPOSED
CONCRETE



DATE	8/19/24
APPROVED BY	GH
CHECKED BY	GH
JOB NO.	20-6088
MAJOR SITE PLAN G.O. W.E.C. RETAIL & EVENT CENTER @ S COMPT MARION COUNTY, FLORIDA	
GEOMETRY PLAN	
SHEET 05.04	

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER



DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA

APPLICATION # 25714
APPROVAL DATE: 5/15/24
EXPIRATION DATE: 5/15/25

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

NOTES:
The approval of these plans is limited to the information provided on the plans. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

Tillman & Associates
ENGINEERING, LLC
CIVIL ENGINEERING - PLANNING - LANDSCAPE ARCHITECTURE - ENVIRONMENTAL
1000 S. W. 10th Ave., Suite 100, Ft. Lauderdale, FL 33304
Phone: (352) 397-4540 Fax: (352) 397-4545


DATE	REVISION
05/15/24	1. INITIAL DESIGN
05/15/24	2. PRELIMINARY DESIGN
05/15/24	3. PRELIMINARY DESIGN
05/15/24	4. PRELIMINARY DESIGN
05/15/24	5. PRELIMINARY DESIGN
05/15/24	6. PRELIMINARY DESIGN
05/15/24	7. PRELIMINARY DESIGN
05/15/24	8. PRELIMINARY DESIGN
05/15/24	9. PRELIMINARY DESIGN
05/15/24	10. PRELIMINARY DESIGN

MAJOR SITE PLAN
GO WEC-RETAIL & EVENT CENTER @ S. COMM'L
MARION COUNTY, FLORIDA
SITE GRADING PLAN
(STORM DRAINAGE SYSTEM)


DATE: 5/15/24
DRAWN BY: AD
CHECKED BY: GH
JOB NO.: 20-00000
SHEET: 06.02



NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER




NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER



RECEIVED
AUG 7 2014
Marion County
Office of the County Engineer

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 2014
APPROVAL DATE: 8/19/2014
COMPLETION DATE: 8/19/2014

NOTICE
The approval of this plan is limited to the conditions stated on the application of Marion County, and does not constitute an approval of the project or any other aspect of the project. The project is subject to the conditions of the County Engineer's Office (352) 337-4540. Fax: (352) 337-4545.



LEGEND

- EXISTING CONTOURS
- PROPOSED CONTOURS
- PROPOSED STORM PIPE
- EXISTING STORM PIPE
- PROPOSED SPOT ELEVATION
- PROPOSED SWALE BOTTOM
- PROPOSED YARD DRAIN
- PROPOSED STORM MANHOLE
- PROPOSED DITCH BOTTOM INLET
- PROPOSED ATRIUM YARD DRAIN

- NOTES
1. LIGHT POLE IS PART OF HOTEL SITE LIGHTING PLAN. (NOT PART OF THIS SITE)
 2. LIGHT POLE IS PART OF HOTEL SITE LIGHTING PLAN. (NOT PART OF THIS SITE)
 3. ENGINEER OF RECORD NOT RESPONSIBLE FOR LOWER LEVEL DESIGN.
 4. CONTRACTOR RESPONSIBLE FOR SITE PREPARATION AND IMPLEMENTATION OF GEOLOGICAL ENGINEER'S RECOMMENDATIONS AS FOUND IN, BUT NOT LIMITED TO, GEOTECH REPORT NO. 21-0084-25.7
21-0084-25.8
21-0084-30.3
21-0084-32.1
21-0084-32.2


MAJOR SITE PLAN
G.O. W.E.C. RETAIL & EVENT CENTER @ S. COMAL
MARION COUNTY, FLORIDA
DATE: 08/07/2014
DRAWN BY: J.D.
CHECKED BY: G.H.
JOB NO: 14-0000

SITE GRADING PLAN
(STORM DRAINAGE SYSTEM)

SEE SHEET 06.02

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER

SHIT: 06.03



RECEIVED

APR 18 2014

Marion County Engineer
Office of the County Engineer

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA

APPLICATION # 25214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/29

NOTES:
1. The applicant shall maintain the site in accordance with the approved site plan and grading plan. The applicant shall maintain the site in accordance with the approved site plan and grading plan. The applicant shall maintain the site in accordance with the approved site plan and grading plan.



LEGEND

- EXISTING CONTOURS
- PROPOSED CONTOURS
- PROPOSED STORM PIPE
- EXISTING STORM PIPE
- PROPOSED SPOT ELEVATION
- PROPOSED SWALE BOTTOM
- PROPOSED YARD DRAIN
- PROPOSED STORM MANHOLE
- PROPOSED DITCH BOTTOM INLET
- PROPOSED ATRIUM BOTTOM DRAIN

VL-L
JK-L
DX-L
AD

NOTES:
1. ENGINEER OF RECORD NOT RESPONSIBLE FOR LOWER LEVEL DESIGN.

Tillman & Associates
ENGINEERING, LLC
CIVIL ENGINEERING - LANDSCAPE ARCHITECTURE - INTERIOR DESIGN - PLANNING
OFFICE: (352) 387-4546 Fax: (352) 387-4545

DATE	REVISIONS
8/19/24	APPROVED FOR GRADING ONLY



MAJOR SITE PLAN
GOVERNMENT CENTER & EVENT CENTER @ S. COMET
MARION COUNTY, FLORIDA
SITE GRADING PLAN
(GRADING)

DATE: 2/20/24
DRAWN BY: KD
CHKD BY: GH
DWG NO.: 24-005



SEE SHEET 06.02

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER




DEVELOPMENT REVIEW COMMITTEE MARION COUNTY, FLORIDA	
APPLICATION #:	20214
APPROVAL DATE:	8/19/24
EXPIRATION DATE:	8/19/26

All construction areas conform to the construction standards contained in the Marion County Land Development Code, latest revision. Areas of right-of-way disturbed during construction shall be graded and sodded. Seed and mulch may be used if approved by the County Engineer or equivalent.

RECEIVED
AUG 26 2024
Marion County
Office of the County Engineer

Tillman & Associates	
ENGINEERING - PLANNING - LANDSCAPE ARCHITECTURE - SURVEYING INC. ENGINEERING, LLC	
1710 S.E. 18TH AVE., SUITE 100, OAKLAND FL 33171 Phone: (352) 387-4500 Fax: (352) 389-4445	
DATE:	REVISIONS:
NOV-07	NORTH PLANTAIN RD PROJECT
NOV-07	REFERRAL TO AND REPLY REFERENCE 06/07/07
MAJOR SITE PLAN	
GO WALK-BETAILA EVENT CENTER & S COMPLEX	
MARION COUNTY, FLORIDA	
SITE GRADING PLAN	
DATE: 5/26/24	
DRAWN BY: KID	
CHECK BY: GIL	
JOB NO.: 20-60088	
SHEET: 06.04	



- NOTES:
- EXISTING WELLS ARE FOUND WITHIN THE LIMITS OF THIS PROJECT. ANY EXISTING WELLS SHOWN TO BE REMOVED SHALL BE PERMITTED AND PERFORMED IN ACCORDANCE WITH AN APPROVED WELL PLUGGING RULE 40E.03(2), F.A.C. BY A FLORIDA LICENSED WATER WELLS CONTRACTOR.
 - SITE PREPARATION SHALL BE IN ACCORDANCE WITH GEOTECHNICAL SITE EXPLORATION PROJECT NO. 21-0004-30 DATED JUNE 14, 2021, PROJECT NO. 21-0004-30 DATED AUGUST 11, 2021 & PROJECT NO. 22-0109-04 DATED AUGUST 4, 2022, AND ALL AS AMENDED. CONSTRUCTION IS RESPONSIBLE FOR OBTAINING ALL REPORTS AND RESULTS FROM THE RECOMMENDED CONSTRUCTION SPECIFICATIONS CENTER SINCE WITHIN THE SERVICE OF A LICENSED GEOTECHNICAL ENGINEER TO OBSERVE SITE CONSTRUCTION AND PERFORM GEOTECHNICAL TESTING DURING CONSTRUCTION IN ACCORDANCE WITH MARION COUNTY LDC AND THE GEOTECHNICAL REPORTS REFERENCED IN ITEM 2 ABOVE.
 - CONSTRUCTION ENTRANCE TO BE FROM NW 80TH AVE. NO HEAVY VEHICLES TO USE NW 14TH ST PER MARION COUNTY REQUEST.
- DEMOLITION LEGEND:**
- TO BE RELOCATED
 - TO BE REMOVED
 - TO REMAIN
- NOTE: EXISTING TREES WITHIN PROJECT LIMITS (PROJECT PARCELS) SHALL REMAIN IN PLACE UNLESS OTHERWISE NOTED TO BE REMOVED.

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA

APPLICATION # 23214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

THE SUBMITTER OF THIS PLAN HAS REPRESENTED AND WARRANTED TO THE MARION COUNTY DEVELOPMENT REVIEW COMMITTEE THAT THE INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF HIS/HER KNOWLEDGE AND BELIEF. THE SUBMITTER HAS REPRESENTED AND WARRANTED TO THE MARION COUNTY DEVELOPMENT REVIEW COMMITTEE THAT THE INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF HIS/HER KNOWLEDGE AND BELIEF. THE SUBMITTER HAS REPRESENTED AND WARRANTED TO THE MARION COUNTY DEVELOPMENT REVIEW COMMITTEE THAT THE INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF HIS/HER KNOWLEDGE AND BELIEF.

NOTICE
The approval of this plan by the Marion County Development Review Committee is not a guarantee of the accuracy or completeness of the information contained herein. The information contained herein is for informational purposes only and is not to be used for any other purpose without the express written consent of the Marion County Development Review Committee.



RECEIVED
AUG 26 2024
Marion County
Office of the County Engineer

Tullman & Associates
INCORPORATED, LLC
CIVIL ENGINEERING
1000 S. W. 14th Ave., Suite 100
Fort Lauderdale, FL 33315
Office: (352) 387-5400 Fax: (352) 387-5405

DATE	REVISIONS
07/01/21	COUNTY OF MARION (FOR ALL)
08/19/24	REVISION 1: PERMITTED AND PERFORMED IN ACCORDANCE WITH AN APPROVED WELL PLUGGING RULE 40E.03(2), F.A.C. BY A FLORIDA LICENSED WATER WELLS CONTRACTOR.



MARION SITE PLAN
G.O. W.E.C. REITAIL & EVENT CENTER @ S. COMPT'
MARION COUNTY, FLORIDA
DRAINAGE RETENTION
AREA (DRA) DETAILS

DATE: 6/1/21
DRAWN BY: JLD
CHECK BY: GIL
JOB NO.: 22-0008



SHEET: 07.01

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER



DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 20214
APPROVAL DATE: 8/18/24
EXPIRATION DATE: 8/18/26

NOTICE
The approval of this plan by the Marion County Land Development Committee, in accordance with the Marion County Land Development Ordinance, Chapter 15, does not constitute a warranty of any kind, and the County does not assume any liability for any damages, including consequential damages, arising from the use of this plan. The user of this plan is responsible for obtaining all necessary permits and for complying with all applicable laws and regulations. The user of this plan is also responsible for obtaining all necessary insurance coverage. The user of this plan is further responsible for obtaining all necessary approvals from the appropriate authorities. The user of this plan is also responsible for obtaining all necessary permits and for complying with all applicable laws and regulations. The user of this plan is also responsible for obtaining all necessary insurance coverage. The user of this plan is further responsible for obtaining all necessary approvals from the appropriate authorities.

Tilman & Associates
ENGINEERING, LLC
10000 NW 11th Ave, Suite 100
Fort Lauderdale, FL 33311
Phone: (954) 387-5454
Fax: (954) 387-5455

RECEIVED
AUG 26 2024
Marion County
Office of the County Engineer


- GENERAL NOTES:**
1. PROPERTY LINE AND EXISTING LOT LINES SHALL BE SHOWN BY DASHED LINES. IF NOT SHOWN, THE USER SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY INFORMATION FROM THE APPROPRIATE AUTHORITIES.
 2. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE MARION COUNTY LAND DEVELOPMENT ORDINANCE, CHAPTER 15, AND ALL APPLICABLE CITY ORDINANCES, LOCAL LAWS, AND FEDERAL REGULATIONS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 3. ALL UTILITIES SHALL BE SHOWN BY DASHED LINES. IF NOT SHOWN, THE USER SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY INFORMATION FROM THE APPROPRIATE AUTHORITIES.
 4. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 5. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 6. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 7. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 8. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 9. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 10. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
- NOTE TO CONTRACTOR:**
1. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE MARION COUNTY LAND DEVELOPMENT ORDINANCE, CHAPTER 15, AND ALL APPLICABLE CITY ORDINANCES, LOCAL LAWS, AND FEDERAL REGULATIONS.
 2. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 3. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 4. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 5. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 6. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 7. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 8. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 9. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.
 10. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR COMPLYING WITH ALL APPLICABLE LAWS AND REGULATIONS.

DATE	REVISION
07.02	1.0
07.02	2.0
07.02	3.0
07.02	4.0
07.02	5.0
07.02	6.0
07.02	7.0
07.02	8.0
07.02	9.0
07.02	10.0

MAJOR STATION: NW 7th Pl & NW 8th Pl
DRAWN BY: JLD
CHECKED BY: JLD
JOB NO.: 20-0008

DATE: 07.02
DRAWN BY: JLD
CHECKED BY: JLD
JOB NO.: 20-0008

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER



NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION #: 20214
APPROVAL DATE: 8/10/24
EXPIRATION DATE: 8/10/26

All construction shall conform to the standards
herein set forth in the Marion County Land
Development Code, which may be amended from
time to time. The applicant shall be responsible for
obtaining all necessary permits from the
appropriate agencies for additional
projects, as applicable, by state and/or federal
laws.

NOTES:
The approval of these plans is limited to
the project as shown on the plans. Any
changes to the project must be approved by
the Marion County Engineering Department.









Tillman & Associates
ENGINEERING, LLC
ONE THOMPSON PARKWAY, MARION COUNTY, FLORIDA 32003
OFFICE: (352) 387-4540 FAX: (352) 387-4545

DATE	REVISIONS
8/10/24	1.00
8/10/24	2.00
8/10/24	3.00
8/10/24	4.00
8/10/24	5.00
8/10/24	6.00
8/10/24	7.00
8/10/24	8.00
8/10/24	9.00
8/10/24	10.00
8/10/24	11.00
8/10/24	12.00
8/10/24	13.00
8/10/24	14.00
8/10/24	15.00
8/10/24	16.00
8/10/24	17.00
8/10/24	18.00
8/10/24	19.00
8/10/24	20.00
8/10/24	21.00
8/10/24	22.00
8/10/24	23.00
8/10/24	24.00
8/10/24	25.00
8/10/24	26.00
8/10/24	27.00
8/10/24	28.00
8/10/24	29.00
8/10/24	30.00
8/10/24	31.00
8/10/24	32.00
8/10/24	33.00
8/10/24	34.00
8/10/24	35.00
8/10/24	36.00
8/10/24	37.00
8/10/24	38.00
8/10/24	39.00
8/10/24	40.00
8/10/24	41.00
8/10/24	42.00
8/10/24	43.00
8/10/24	44.00
8/10/24	45.00
8/10/24	46.00
8/10/24	47.00
8/10/24	48.00
8/10/24	49.00
8/10/24	50.00
8/10/24	51.00
8/10/24	52.00
8/10/24	53.00
8/10/24	54.00
8/10/24	55.00
8/10/24	56.00
8/10/24	57.00
8/10/24	58.00
8/10/24	59.00
8/10/24	60.00
8/10/24	61.00
8/10/24	62.00
8/10/24	63.00
8/10/24	64.00
8/10/24	65.00
8/10/24	66.00
8/10/24	67.00
8/10/24	68.00
8/10/24	69.00
8/10/24	70.00
8/10/24	71.00
8/10/24	72.00
8/10/24	73.00
8/10/24	74.00
8/10/24	75.00
8/10/24	76.00
8/10/24	77.00
8/10/24	78.00
8/10/24	79.00
8/10/24	80.00
8/10/24	81.00
8/10/24	82.00
8/10/24	83.00
8/10/24	84.00
8/10/24	85.00
8/10/24	86.00
8/10/24	87.00
8/10/24	88.00
8/10/24	89.00
8/10/24	90.00
8/10/24	91.00
8/10/24	92.00
8/10/24	93.00
8/10/24	94.00
8/10/24	95.00
8/10/24	96.00
8/10/24	97.00
8/10/24	98.00
8/10/24	99.00
8/10/24	100.00

MAJOR SITE PLAN
G.O. W.C. RETAIL & EVENT CENTER @ S. COMM'L
MARION COUNTY, FLORIDA
DRAINAGE RETENTION
RECEIVER AREA (DRA) DETAILS
DATE: 8/10/24
DRAWN BY: RD
CHECKED BY: CH
JOB NO: 206688

SCALE: 1" = 40'
SIT: 07.03









DEVELOPMENT REVIEW COMMITTEE
MARION COUNTY, FLORIDA

APPLICATION # 23214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

RECEIVED
AUG 24 2024
Marion County
Office of the County Engineer

Tillman & Associates
ENGINEERING, LLC
1702 S. 17th Avenue, Suite 100
Ocala, FL 34474
Phone: (352) 387-4940 Fax: (352) 387-4945







MAJOR SITE PLAN
G.O. W.E.C. RETAIL & EVENT CENTER @ S. COMSTOCK
MARION COUNTY, FLORIDA

ROADWAY AND PAVEMENT DETAILS

DATE: 8/19/24
DRAWN BY: JLD
CHKD BY: CH
JOB NO: 20-088

Seal of the Professional Engineer
No. 55555
J. L. DAVIS
P.E.
FLORIDA
SHEET 09 OF 02

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER



RECEIVED
AUG 26 2004
Marion County
Office of the County Engineer


10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

MAJOR SITE PLAN
OF W.C.-RETAIL & EVENT CENTER @ S. COMM'L.
MARION COUNTY, FLORIDA

M G M
DATE: 5/3/24
DRAWN BY: KD
CHKD. BY: GH
JOB NO. 22-6688

SHR. 10.01

NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER



DEVELOPMENT REVIEW
COMMITTEE
NATION COUNTY, FLORIDA

All construction shall conform to the construction standards contained in the Marion County Land Development Code, latest revision. Areas of right-of-way disturbed during construction shall be dressed and sodded. Seed and mulch may be used if approved by the County Engineer or design professional.

RECEIVED

Marion County
Office of the County Engineer

Tillman & Associates
— ENGINEERING, LLC —
ENGINEERING • PLANNING • LANDSCAPE ARCHITECTURE • ENVIRONMENTAL
1720 SE 15th Ave. Bldg 100, Ocala, FL 34471
Office: (352) 387-4540 Fax: (352) 387-4545



REVIEWS

DATE _____

COMMFL.

MAJOR SITE PLAN
G.O. W.E.C.-RETAIL & EVENT C

UTILITY DETAILS



DATE 5/3/24
DRAWN BY KD
CHKD. BY GH
JOB NO. 20-6088



GEORGES S. HORTON
LICENSE
No. 62585
STATE OF GEORGIA
AUG 23 2024
SHT. 11.02

SHT. 11.02

[illegible]

PROPERTY LINE AND TOP OF CURB MONUMENTS SHALL NOT BE DISTURBED BY CONSTRUCTION. IF DISTURBED, IT SHALL BE RESET TO THEIR ORIGINAL LOCATIONS AT THE CONTRACTOR'S EXPENSE BY A REGISTERED LAND SURVEYOR. ROAD BUILT AND ALL PAVING AREAS, NOTWITHSTANDING THE EXISTENCE OF ANY UNDESIRABLE PAVING, SHALL BE REPAVED TO ORIGINAL FINISH. ALL EXISTING MONUMENTS SHOWN ON THE CIVIL ENGINEERING PLANS ARE FOR INFORMATION PURPOSES ONLY. CONTRACTOR SHALL USE THE ARCHITECTURAL AND STRUCTURAL PLANS FOR EXACT BUILDING DIMENSIONS. ALL DIMENSIONS ARE REFERENCED TO THE FACE OF CURB UNLESS OTHERWISE NOTED. ALL SIDEWALKS, CURB AND GUTTER, STREET RAVENS, CURB CUTS, DRIVEWAY APPROACHES, HANDICAP RAMPS, ETC. SHALL BE CONSTRUCTED AND THE PROPERTY LINE IN THE RIGHT-OF-WAY SHALL CONFORM TO ALL MUNICIPAL AND/or STATE SPECIFICATIONS AND REQUIREMENTS. ALL DISTURBED AREAS REQUIRED TO ADJOINING PROPERTY DUE TO CONSTRUCTION OR DEMOLITION SHALL BE RESTORED TO THE PREVIOUS CONDITION OR BETTER, AND TO THE SATISFACTION OF THE APPROPRIATE GOVERNMENTAL AGENCIES.

[illegible]

AUG 26 2024
Marion County
Office of the County Engineer

USED DANDY BAG INLET PROTECTION (TYR)

APPLICATION #: 26214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

NOTICE
The approval of these plans is limited to construction under the jurisdiction of Maricopa County and does not substitute nor waive the requirements of other agencies for additional permits, as applicable, by state and/or federal laws.

[illegible]






MAJOR SITE PLAN
G.O. W.E.C.-RETAIL & EVENT CENTER @ S. COMM'L
MARION COUNTY, FLORIDA





A circular professional engineer seal for the State of Florida. The outer ring contains the text "STATE OF FLORIDA" at the top and "PROFESSIONAL ENGINEER" at the bottom. The center of the seal features the date "AUG 23 2024" in a large, bold font, with "EXPIRATION DATE" written in smaller text above it.

12.01

PROFESSIONAL ENGINEER



1. THE FOLLOWING LIST REPRESENTS A BASIC EROSION AND SEDIMENT CONTROL PROGRAM WHICH IS TO BE IMPLEMENTED TO HELP PREVENT OF SITE SEDIMENTATION DURING AND AFTER CONSTRUCTION OF THE PROJECT.
2. TEMPORARY EROSION CONTROL TO BE UTILIZED DURING CONSTRUCTION AT AREAS DESIGNATED BY THE ENGINEER OR AREAS ON SITE WHERE UNSTABILIZED GRADES MAY CAUSE EROSION PROBLEMS. EROSION CONTROL MAY BE REMOVED AFTER UPLAND AREA HAS BEEN STABILIZED BY SOIL OR COMPLETED AS DETERMINED BY THE OWNER.
3. PERMANENT EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED AT THE EARLIEST PRACTICAL TIME CONSISTENT WITH GOOD CONSTRUCTION PRACTICES. ONE OF THE FIRST CONSTRUCTION ACTIVITIES SHOULD BE THE PLACEMENT OF PERMANENT AND TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES AROUND THE PERIMETER OF THE PROJECT OR THE INITIAL WORK AREA TO PROTECT THE PROJECT, ADJACENT PROPERTIES AND WATER RESOURCES.
4. TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES SHALL BE COORDINATED WITH PERMANENT MEASURES TO ASSURE ECONOMIC, EFFECTIVE AND CONTINUOUS CONTROL THROUGHOUT THE CONSTRUCTION PHASE. TEMPORARY MEASURES SHALL NOT BE CONSTRUCTED FOR EXPOSURE IN LIEU OF PERMANENT MEASURES.
5. EROSION AND SEDIMENT CONTROL MEASURES SHALL BE ADEQUATELY MAINTAINED TO PERFORM THEIR INTENDED FUNCTION DURING CONSTRUCTION OF THE PROJECT.
6. NECESSARY REPAIRS TO BARRIERS OR REPLACEMENT OF BARRIERS SHALL BE ACCOMPLISHED PROMPTLY.
7. SLOPES EXPOSED TO EROSION SHOULD BE REVEALED BY 10' EACH MAXIMUM. THEY MUST BE REMOVED WHEN THE LEVEL OF EXPOSURE REACHES APPROXIMATELY ONE HALF THE HEIGHT OF THE BARRIER.
8. MATERIAL FROM SEDIMENT TRAPS SHALL NOT BE STOCKPILED OR DEPOSED OF IN A MANNER WHICH MAKES THEM READILY SUSCEPTIBLE TO BEING WASHED INTO ANY WATERCOURSE BY RUNOFF OR HIGH WATERS.
9. ANY SEDIMENT DEPOSITED REMAINING IN PLACE AFTER THE BARRIERS ARE NO LONGER REQUIRED SHALL BE DRESSED TO CONFORM TO THE EXISTING GRADE, PREPARED AND LEASED.
10. SLOPES TO BE PAID FOR UNDER THE CONTRACT UNIT PRICE FOR STAKED SILT FENCE (S.F.).
11. ALL PLOTS TO BE PROTECTED BY DETAILS AS OUTLINED IN F.D.O.T. 200R INDEX NO. 102.



NOT VALID UNLESS SIGNED AND SEALED BY A PROFESSIONAL ENGINEER

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 20214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

RECEIVED
AUG 26 2024
Marion County
Office of the County Engineer

NO ASSURANCE IS GIVEN BY THE ENGINEER THAT THE INFORMATION CONTAINED HEREIN IS COMPLETELY ACCURATE OR THAT THE INFORMATION CONTAINED HEREIN IS NOT SUBJECT TO CHANGE. THE ENGINEER'S RESPONSIBILITY IS LIMITED TO THE DESIGN AND CONSTRUCTION OF THE PROJECT. THE ENGINEER'S RESPONSIBILITY IS NOT TO BE HELD RESPONSIBLE FOR THE PERFORMANCE OF THE PROJECT. THE ENGINEER'S RESPONSIBILITY IS NOT TO BE HELD RESPONSIBLE FOR THE PERFORMANCE OF THE PROJECT. THE ENGINEER'S RESPONSIBILITY IS NOT TO BE HELD RESPONSIBLE FOR THE PERFORMANCE OF THE PROJECT.

Tillman & Associates
ENGINEERING, LLC
ONE BERNARD LANE, SUITE 100, SEASIDE, FLORIDA 32081
OFFICE: (386) 387-5400 Fax: (386) 387-5445

DATE	REVISION
8/19/24	1. COUNTY FILE NO. 20214 FOR S.F.

MAJOR SITE PLAN
GEO. W.E.C. RETAIL & EVENT CENTER S.S. COMBAT
MARION COUNTY, FLORIDA
EROSION CONTROL DETAILS

DATE: 8/19/24
DRAWN BY: RD
CHECKED BY: GH
JOB NO: 20214
SHEET: 12.02



Log of Borehole B-6

Project: COMMERCIAL BUILDING AND RESTAURANT, 2400 S. 10TH AVE., SUITE 100, MIAMI, FL 33136

Geotechnical Engineering, Inc.

Engineer: J. L. GARCIA

Stamp: PROFESSIONAL ENGINEER, STATE OF FLORIDA, No. 12457

Depth (ft)	Soil Description	Moisture (%)	Specific Gravity	Unit Weight (pcf)	Penetration (blows/ft)	Standard Penetration Test (blows/ft)
0.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
1.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
2.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
3.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
4.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
5.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
6.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
7.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
8.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
9.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
10.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
11.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
12.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
13.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
14.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
15.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
16.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
17.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
18.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
19.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
20.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
21.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
22.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
23.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
24.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
25.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
26.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
27.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
28.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
29.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
30.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
31.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
32.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
33.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
34.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
35.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
36.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
37.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
38.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
39.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
40.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
41.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
42.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
43.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
44.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
45.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
46.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
47.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
48.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
49.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
50.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
51.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
52.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
53.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
54.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
55.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
56.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
57.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
58.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
59.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
60.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
61.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
62.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
63.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
64.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
65.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
66.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
67.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
68.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
69.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
70.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
71.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
72.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
73.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
74.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
75.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
76.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
77.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
78.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
79.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
80.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
81.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
82.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
83.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
84.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
85.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
86.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
87.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
88.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
89.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
90.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
91.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
92.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
93.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
94.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
95.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
96.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
97.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
98.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
99.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15
100.0	GRAVELLY SAND (G-1)	25	2.65	120	15	15

Ground Water Depth: 10.0 ft (10.0 ft)

Notes: 1. SOIL SAMPLES WERE TAKEN AT 1.0 FT INTERVALS FROM 0.0 TO 10.0 FT. 2. SOIL SAMPLES WERE TAKEN AT 2.0 FT INTERVALS FROM 10.0 TO 20.0 FT. 3. SOIL SAMPLES WERE TAKEN AT 4.0 FT INTERVALS FROM 20.0 TO 40.0 FT. 4. SOIL SAMPLES WERE TAKEN AT 8.0 FT INTERVALS FROM 40.0 TO 60.0 FT. 5. SOIL SAMPLES WERE TAKEN AT 16.0 FT INTERVALS FROM 60.0 TO 80.0 FT. 6. SOIL SAMPLES WERE TAKEN AT 32.0 FT INTERVALS FROM 80.0 TO 100.0 FT. 7. SOIL SAMPLES WERE TAKEN AT 64.0 FT INTERVALS FROM 100.0 TO 120.0 FT. 8. SOIL SAMPLES WERE TAKEN AT 128.0 FT INTERVALS FROM 120.0 TO 140.0 FT. 9. SOIL SAMPLES WERE TAKEN AT 256.0 FT INTERVALS FROM 140.0 TO 160.0 FT. 10. SOIL SAMPLES WERE TAKEN AT 512.0 FT INTERVALS FROM 160.0 TO 180.0 FT. 11. SOIL SAMPLES WERE TAKEN AT 1024.0 FT INTERVALS FROM 180.0 TO 200.0 FT. 12. SOIL SAMPLES WERE TAKEN AT 2048.0 FT INTERVALS FROM 200.0 TO 220.0 FT. 13. SOIL SAMPLES WERE TAKEN AT 4096.0 FT INTERVALS FROM 220.0 TO 240.0 FT. 14. SOIL SAMPLES WERE TAKEN AT 8192.0 FT INTERVALS FROM 240.0 TO 260.0 FT. 15. SOIL SAMPLES WERE TAKEN AT 16384.0 FT INTERVALS FROM 260.0 TO 280.0 FT. 16. SOIL SAMPLES WERE TAKEN AT 32768.0 FT INTERVALS FROM 280.0 TO 300.0 FT. 17. SOIL SAMPLES WERE TAKEN AT 65536.0 FT INTERVALS FROM 300.0 TO 320.0 FT. 18. SOIL SAMPLES WERE TAKEN AT 131072.0 FT INTERVALS FROM 320.0 TO 340.0 FT. 19. SOIL SAMPLES WERE TAKEN AT 262144.0 FT INTERVALS FROM 340.0 TO 360.0 FT. 20. SOIL SAMPLES WERE TAKEN AT 524288.0 FT INTERVALS FROM 360.0 TO 380.0 FT. 21. SOIL SAMPLES WERE TAKEN AT 1048576.0 FT INTERVALS FROM 380.0 TO 400.0 FT. 22. SOIL SAMPLES WERE TAKEN AT 2097152.0 FT INTERVALS FROM 400.0 TO 420.0 FT. 23. SOIL SAMPLES WERE TAKEN AT 4194304.0 FT INTERVALS FROM 420.0 TO 440.0 FT. 24. SOIL SAMPLES WERE TAKEN AT 8388608.0 FT INTERVALS FROM 440.0 TO 460.0 FT. 25. SOIL SAMPLES WERE TAKEN AT 16777216.0 FT INTERVALS FROM 460.0 TO 480.0 FT. 26. SOIL SAMPLES WERE TAKEN AT 33554432.0 FT INTERVALS FROM 480.0 TO 500.0 FT. 27. SOIL SAMPLES WERE TAKEN AT 67108864.0 FT INTERVALS FROM 500.0 TO 520.0 FT. 28. SOIL SAMPLES WERE TAKEN AT 134217728.0 FT INTERVALS FROM 520.0 TO 540.0 FT. 29. SOIL SAMPLES WERE TAKEN AT 268435456.0 FT INTERVALS FROM 540.0 TO 560.0 FT. 30. SOIL SAMPLES WERE TAKEN AT 536870912.0 FT INTERVALS FROM 560.0 TO 580.0 FT. 31. SOIL SAMPLES WERE TAKEN AT 1073741824.0 FT INTERVALS FROM 580.0 TO 600.0 FT. 32. SOIL SAMPLES WERE TAKEN AT 2147483648.0 FT INTERVALS FROM 600.0 TO 620.0 FT. 33. SOIL SAMPLES WERE TAKEN AT 4294967296.0 FT INTERVALS FROM 620.0 TO 640.0 FT. 34. SOIL SAMPLES WERE TAKEN AT 8589934592.0 FT INTERVALS FROM 640.0 TO 660.0 FT. 35. SOIL SAMPLES WERE TAKEN AT 17179869184.0 FT INTERVALS FROM 660.0 TO 680.0 FT. 36. SOIL SAMPLES WERE TAKEN AT 34359738368.0 FT INTERVALS FROM 680.0 TO 700.0 FT. 37. SOIL SAMPLES WERE TAKEN AT 68719476736.0 FT INTERVALS FROM 700.0 TO 720.0 FT. 38. SOIL SAMPLES WERE TAKEN AT 137438953472.0 FT INTERVALS FROM 720.0 TO 740.0 FT. 39. SOIL SAMPLES WERE TAKEN AT 274877906944.0 FT INTERVALS FROM 740.0 TO 760.0 FT. 40. SOIL SAMPLES WERE TAKEN AT 549755813888.0 FT INTERVALS FROM 760.0 TO 780.0 FT. 41. SOIL SAMPLES WERE TAKEN AT 1099511627776.0 FT INTERVALS FROM 780.0 TO 800.0 FT. 42. SOIL SAMPLES WERE TAKEN AT 2199023255552.0 FT INTERVALS FROM 800.0 TO 820.0 FT. 43. SOIL SAMPLES WERE TAKEN AT 4398046511104.0 FT INTERVALS FROM 820.0 TO 840.0 FT. 44. SOIL SAMPLES WERE TAKEN AT 8796093022208.0 FT INTERVALS FROM 840.0 TO 860.0 FT. 45. SOIL SAMPLES WERE TAKEN AT 17592186044416.0 FT INTERVALS FROM 860.0 TO 880.0 FT. 46. SOIL SAMPLES WERE TAKEN AT 35184372088832.0 FT INTERVALS FROM 880.0 TO 900.0 FT. 47. SOIL SAMPLES WERE TAKEN AT 70368744177664.0 FT INTERVALS FROM 900.0 TO 920.0 FT. 48. SOIL SAMPLES WERE TAKEN AT 140737488355328.0 FT INTERVALS FROM 920.0 TO 940.0 FT. 49. SOIL SAMPLES WERE TAKEN AT 281474976710656.0 FT INTERVALS FROM 940.0 TO 960.0 FT. 50. SOIL SAMPLES WERE TAKEN AT 562949953421312.0 FT INTERVALS FROM 960.0 TO 980.0 FT. 51. SOIL SAMPLES WERE TAKEN AT 1125899906842624.0 FT INTERVALS FROM 980.0 TO 1000.0 FT. 52. SOIL SAMPLES WERE TAKEN AT 2251799813685248.0 FT INTERVALS FROM 1000.0 TO 1020.0 FT. 53. SOIL SAMPLES WERE TAKEN AT 4503599627370496.0 FT INTERVALS FROM 1020.0 TO 1040.0 FT. 54. SOIL SAMPLES WERE TAKEN AT 9007199254740992.0 FT INTERVALS FROM 1040.0 TO 1060.0 FT. 55. SOIL SAMPLES WERE TAKEN AT 18014398509481984.0 FT INTERVALS FROM 1060.0 TO 1080.0 FT. 56. SOIL SAMPLES WERE TAKEN AT 36028797018963968.0 FT INTERVALS FROM 1080.0 TO 1100.0 FT. 57. SOIL SAMPLES WERE TAKEN AT 72057594037927936.0 FT INTERVALS FROM 1100.0 TO 1120.0 FT. 58. SOIL SAMPLES WERE TAKEN AT 144115188075855872.0 FT INTERVALS FROM 1120.0 TO 1140.0 FT. 59. SOIL SAMPLES WERE TAKEN AT 288230376151711744.0 FT INTERVALS FROM 1140.0 TO 1160.0 FT. 60. SOIL SAMPLES WERE TAKEN AT 576460752303423488.0 FT INTERVALS FROM 1160.0 TO 1180.0 FT. 61. SOIL SAMPLES WERE TAKEN AT 1152921504606846976.0 FT INTERVALS FROM 1180.0 TO 1200.0 FT. 62. SOIL SAMPLES WERE TAKEN AT 2305843009213693952.0 FT INTERVALS FROM 1200.0 TO 1220.0 FT. 63. SOIL SAMPLES WERE TAKEN AT 4611686018427387904.0 FT INTERVALS FROM 1220.0 TO 1240.0 FT. 64. SOIL SAMPLES WERE TAKEN AT 9223372036854775808.0 FT INTERVALS FROM 1240.0 TO 1260.0 FT. 65. SOIL SAMPLES WERE TAKEN AT 18446744073709551616.0 FT INTERVALS FROM 1260.0 TO 1280.0 FT. 66. SOIL SAMPLES WERE TAKEN AT 36893488147419103232.0 FT INTERVALS FROM 1280.0 TO 1300.0 FT. 67. SOIL SAMPLES WERE TAKEN AT 73786976294838206464.0 FT INTERVALS FROM 1300.0 TO 1320.0 FT. 68. SOIL SAMPLES WERE TAKEN AT 147573952589676412928.0 FT INTERVALS FROM 1320.0 TO 1340.0 FT. 69. SOIL SAMPLES WERE TAKEN AT 295147905179352825856.0 FT INTERVALS FROM 1340.0 TO 1360.0 FT. 70. SOIL SAMPLES WERE TAKEN AT 590295810358705651712.0 FT INTERVALS FROM 1360.0 TO 1380.0 FT. 71. SOIL SAMPLES WERE TAKEN AT 1180591620717411303424.0 FT INTERVALS FROM 1380.0 TO 1400.0 FT. 72. SOIL SAMPLES WERE TAKEN AT 2361183241434822606848.0 FT INTERVALS FROM 1400.0 TO 1420.0 FT. 73. SOIL SAMPLES WERE TAKEN AT 4722366482869645213696.0 FT INTERVALS FROM 1420.0 TO 1440.0 FT. 74. SOIL SAMPLES WERE TAKEN AT 9444732965739290427392.0 FT INTERVALS FROM 1440.0 TO 1460.0 FT. 75. SOIL SAMPLES WERE TAKEN AT 18889465931478580854784.0 FT INTERVALS FROM 1460.0 TO 1480.0 FT. 76. SOIL SAMPLES WERE TAKEN AT 37778931862957161709568.0 FT INTERVALS FROM 1480.0 TO 1500.0 FT. 77. SOIL SAMPLES WERE TAKEN AT 75557863725914323419136.0 FT INTERVALS FROM 1500.0 TO 1520.0 FT. 78. SOIL SAMPLES WERE TAKEN AT 151115727451828646838272.0 FT INTERVALS FROM 1520.0 TO 1540.0 FT. 79. SOIL SAMPLES WERE TAKEN AT 302231454903657293676544.0 FT INTERVALS FROM 1540.0 TO 1560.0 FT. 80. SOIL SAMPLES WERE TAKEN AT 604462909807314587353088.0 FT INTERVALS FROM 1560.0 TO 1580.0 FT. 81. SOIL SAMPLES WERE TAKEN AT 1208925819614629174706176.0 FT INTERVALS FROM 1580.0 TO 1600.0 FT. 82. SOIL SAMPLES WERE TAKEN AT 2417851639229258349412352.0 FT INTERVALS FROM 1600.0 TO 1620.0 FT. 83. SOIL SAMPLES WERE TAKEN AT 4835703278458516698824704.0 FT INTERVALS FROM 1620.0 TO 1640.0 FT. 84. SOIL SAMPLES WERE TAKEN AT 9671406556917033397649408.0 FT INTERVALS FROM 1640.0 TO 1660.0 FT. 85. SOIL SAMPLES WERE TAKEN AT 19342813113834066795298816.0 FT INTERVALS FROM 1660.0 TO 1680.0 FT. 86. SOIL SAMPLES WERE TAKEN AT 38685626227668133590597632.0 FT INTERVALS FROM 1680.0 TO 1700.0 FT. 87. SOIL SAMPLES WERE TAKEN AT 77371252455336267181195264.0 FT INTERVALS FROM 1700.0 TO 1720.0 FT. 88. SOIL SAMPLES WERE TAKEN AT 154742504910672534362390528.0 FT INTERVALS FROM 1720.0 TO 1740.0 FT. 89. SOIL SAMPLES WERE TAKEN AT 309485009821345068724781056.0 FT INTERVALS FROM 1740.0 TO 1760.0 FT. 90. SOIL SAMPLES WERE TAKEN AT 618970019642690137449562112.0 FT INTERVALS FROM 1760.0 TO 1780.0 FT. 91. SOIL SAMPLES WERE TAKEN AT 1237940039285380274899124224.0 FT INTERVALS FROM 1780.0 TO 1800.0 FT. 92. SOIL SAMPLES WERE TAKEN AT 2475880078570760549798248448.0 FT INTERVALS FROM 1800.0 TO 1820.0 FT. 93. SOIL SAMPLES WERE TAKEN AT 4951760157141521099596496896.0 FT INTERVALS FROM 1820.0 TO 1840.0 FT. 94. SOIL SAMPLES WERE TAKEN AT 9903520314283042199192993792.0 FT INTERVALS FROM 1840.0 TO 1860.0 FT. 95. SOIL SAMPLES WERE TAKEN AT 19807040628566084398385987584.0 FT INTERVALS FROM 1860.0 TO 1880.0 FT. 96. SOIL SAMPLES WERE TAKEN AT 39614081257132168796771975168.0 FT INTERVALS FROM 1880.0 TO 1900.0 FT. 97. SOIL SAMPLES WERE TAKEN AT 79228162514264337593543950336.0 FT INTERVALS FROM 1900.0 TO 1920.0 FT. 98. SOIL SAMPLES WERE TAKEN AT 158456325028528675187087900672.0 FT INTERVALS FROM 1920.0 TO 1940.0 FT. 99. SOIL SAMPLES WERE TAKEN AT 316912650057057350374175801344.0 FT INTERVALS FROM 1940.0 TO 1960.0 FT. 100. SOIL SAMPLES WERE TAKEN AT 633825300114114700748351602688.0 FT INTERVALS FROM 1960.0 TO 1980.0 FT. 101. SOIL SAMPLES WERE TAKEN AT 1267650600228229401496703205376.0 FT INTERVALS FROM 1980.0 TO 2000.0 FT. 102. SOIL SAMPLES WERE TAKEN AT 2535301200456458802993406410752.0 FT INTERVALS FROM 2000.0 TO 2020.0 FT. 103. SOIL SAMPLES WERE TAKEN AT 5070602400912917605986812821504.0 FT INTERVALS FROM 2020.0 TO 2040.0 FT. 104. SOIL SAMPLES WERE TAKEN AT 10141204801825835211973625643008.0 FT INTERVALS FROM 2040.0 TO 2060.0 FT. 105. SOIL SAMPLES WERE TAKEN AT 20282409603651670423947251286016.0 FT INTERVALS FROM 2060.0 TO 2080.0 FT. 106. SOIL SAMPLES WERE TAKEN AT 40564819207303340847894502572032.0 FT INTERVALS FROM 2080.0 TO 2100.0 FT. 107. SOIL SAMPLES WERE TAKEN AT 81129638414606681695789005144064.0 FT INTERVALS FROM 2100.0 TO 2120.0 FT. 108. SOIL SAMPLES WERE TAKEN AT 162259276829213363391578010288128.0 FT INTERVALS FROM 212

Log of Borehole B-1

Project: PROPOSED GOLF AND RESORT DEVELOPMENT, MARION COUNTY, FLORIDA

Sheet: PROPOSED CONSTRUCTION

Project No: 15-000001

Engineer: GEORGE J. WILSON, P.E.

Scale: 1/4" = 1'-0"

Depth (ft)	Description	Remarks
0.0	Ground Surface	
1.0	1.0' - 1.5' (1.25')	1.0' - 1.5' (1.25')
2.0	2.0' - 2.5' (2.25')	2.0' - 2.5' (2.25')
3.0	3.0' - 3.5' (3.25')	3.0' - 3.5' (3.25')
4.0	4.0' - 4.5' (4.25')	4.0' - 4.5' (4.25')
5.0	5.0' - 5.5' (5.25')	5.0' - 5.5' (5.25')
6.0	6.0' - 6.5' (6.25')	6.0' - 6.5' (6.25')
7.0	7.0' - 7.5' (7.25')	7.0' - 7.5' (7.25')
8.0	8.0' - 8.5' (8.25')	8.0' - 8.5' (8.25')
9.0	9.0' - 9.5' (9.25')	9.0' - 9.5' (9.25')
10.0	10.0' - 10.5' (10.25')	10.0' - 10.5' (10.25')
11.0	11.0' - 11.5' (11.25')	11.0' - 11.5' (11.25')
12.0	12.0' - 12.5' (12.25')	12.0' - 12.5' (12.25')
13.0	13.0' - 13.5' (13.25')	13.0' - 13.5' (13.25')
14.0	14.0' - 14.5' (14.25')	14.0' - 14.5' (14.25')
15.0	15.0' - 15.5' (15.25')	15.0' - 15.5' (15.25')
16.0	16.0' - 16.5' (16.25')	16.0' - 16.5' (16.25')
17.0	17.0' - 17.5' (17.25')	17.0' - 17.5' (17.25')
18.0	18.0' - 18.5' (18.25')	18.0' - 18.5' (18.25')
19.0	19.0' - 19.5' (19.25')	19.0' - 19.5' (19.25')
20.0	20.0' - 20.5' (20.25')	20.0' - 20.5' (20.25')
21.0	21.0' - 21.5' (21.25')	21.0' - 21.5' (21.25')
22.0	22.0' - 22.5' (22.25')	22.0' - 22.5' (22.25')
23.0	23.0' - 23.5' (23.25')	23.0' - 23.5' (23.25')
24.0	24.0' - 24.5' (24.25')	24.0' - 24.5' (24.25')
25.0	25.0' - 25.5' (25.25')	25.0' - 25.5' (25.25')
26.0	26.0' - 26.5' (26.25')	26.0' - 26.5' (26.25')
27.0	27.0' - 27.5' (27.25')	27.0' - 27.5' (27.25')
28.0	28.0' - 28.5' (28.25')	28.0' - 28.5' (28.25')
29.0	29.0' - 29.5' (29.25')	29.0' - 29.5' (29.25')
30.0	30.0' - 30.5' (30.25')	30.0' - 30.5' (30.25')
31.0	31.0' - 31.5' (31.25')	31.0' - 31.5' (31.25')
32.0	32.0' - 32.5' (32.25')	32.0' - 32.5' (32.25')
33.0	33.0' - 33.5' (33.25')	33.0' - 33.5' (33.25')
34.0	34.0' - 34.5' (34.25')	34.0' - 34.5' (34.25')
35.0	35.0' - 35.5' (35.25')	35.0' - 35.5' (35.25')
36.0	36.0' - 36.5' (36.25')	36.0' - 36.5' (36.25')
37.0	37.0' - 37.5' (37.25')	37.0' - 37.5' (37.25')
38.0	38.0' - 38.5' (38.25')	38.0' - 38.5' (38.25')
39.0	39.0' - 39.5' (39.25')	39.0' - 39.5' (39.25')
40.0	40.0' - 40.5' (40.25')	40.0' - 40.5' (40.25')
41.0	41.0' - 41.5' (41.25')	41.0' - 41.5' (41.25')
42.0	42.0' - 42.5' (42.25')	42.0' - 42.5' (42.25')
43.0	43.0' - 43.5' (43.25')	43.0' - 43.5' (43.25')
44.0	44.0' - 44.5' (44.25')	44.0' - 44.5' (44.25')
45.0	45.0' - 45.5' (45.25')	45.0' - 45.5' (45.25')
46.0	46.0' - 46.5' (46.25')	46.0' - 46.5' (46.25')
47.0	47.0' - 47.5' (47.25')	47.0' - 47.5' (47.25')
48.0	48.0' - 48.5' (48.25')	48.0' - 48.5' (48.25')
49.0	49.0' - 49.5' (49.25')	49.0' - 49.5' (49.25')
50.0	50.0' - 50.5' (50.25')	50.0' - 50.5' (50.25')
51.0	51.0' - 51.5' (51.25')	51.0' - 51.5' (51.25')
52.0	52.0' - 52.5' (52.25')	52.0' - 52.5' (52.25')
53.0	53.0' - 53.5' (53.25')	53.0' - 53.5' (53.25')
54.0	54.0' - 54.5' (54.25')	54.0' - 54.5' (54.25')
55.0	55.0' - 55.5' (55.25')	55.0' - 55.5' (55.25')
56.0	56.0' - 56.5' (56.25')	56.0' - 56.5' (56.25')
57.0	57.0' - 57.5' (57.25')	57.0' - 57.5' (57.25')
58.0	58.0' - 58.5' (58.25')	58.0' - 58.5' (58.25')
59.0	59.0' - 59.5' (59.25')	59.0' - 59.5' (59.25')
60.0	60.0' - 60.5' (60.25')	60.0' - 60.5' (60.25')
61.0	61.0' - 61.5' (61.25')	61.0' - 61.5' (61.25')
62.0	62.0' - 62.5' (62.25')	62.0' - 62.5' (62.25')
63.0	63.0' - 63.5' (63.25')	63.0' - 63.5' (63.25')
64.0	64.0' - 64.5' (64.25')	64.0' - 64.5' (64.25')
65.0	65.0' - 65.5' (65.25')	65.0' - 65.5' (65.25')
66.0	66.0' - 66.5' (66.25')	66.0' - 66.5' (66.25')
67.0	67.0' - 67.5' (67.25')	67.0' - 67.5' (67.25')
68.0	68.0' - 68.5' (68.25')	68.0' - 68.5' (68.25')
69.0	69.0' - 69.5' (69.25')	69.0' - 69.5' (69.25')
70.0	70.0' - 70.5' (70.25')	70.0' - 70.5' (70.25')
71.0	71.0' - 71.5' (71.25')	71.0' - 71.5' (71.25')
72.0	72.0' - 72.5' (72.25')	72.0' - 72.5' (72.25')
73.0	73.0' - 73.5' (73.25')	73.0' - 73.5' (73.25')
74.0	74.0' - 74.5' (74.25')	74.0' - 74.5' (74.25')
75.0	75.0' - 75.5' (75.25')	75.0' - 75.5' (75.25')
76.0	76.0' - 76.5' (76.25')	76.0' - 76.5' (76.25')
77.0	77.0' - 77.5' (77.25')	77.0' - 77.5' (77.25')
78.0	78.0' - 78.5' (78.25')	78.0' - 78.5' (78.25')
79.0	79.0' - 79.5' (79.25')	79.0' - 79.5' (79.25')
80.0	80.0' - 80.5' (80.25')	80.0' - 80.5' (80.25')
81.0	81.0' - 81.5' (81.25')	81.0' - 81.5' (81.25')
82.0	82.0' - 82.5' (82.25')	82.0' - 82.5' (82.25')
83.0	83.0' - 83.5' (83.25')	83.0' - 83.5' (83.25')
84.0	84.0' - 84.5' (84.25')	84.0' - 84.5' (84.25')
85.0	85.0' - 85.5' (85.25')	85.0' - 85.5' (85.25')
86.0	86.0' - 86.5' (86.25')	86.0' - 86.5' (86.25')
87.0	87.0' - 87.5' (87.25')	87.0' - 87.5' (87.25')
88.0	88.0' - 88.5' (88.25')	88.0' - 88.5' (88.25')
89.0	89.0' - 89.5' (89.25')	89.0' - 89.5' (89.25')
90.0	90.0' - 90.5' (90.25')	90.0' - 90.5' (90.25')
91.0	91.0' - 91.5' (91.25')	91.0' - 91.5' (91.25')
92.0	92.0' - 92.5' (92.25')	92.0' - 92.5' (92.25')
93.0	93.0' - 93.5' (93.25')	93.0' - 93.5' (93.25')
94.0	94.0' - 94.5' (94.25')	94.0' - 94.5' (94.25')
95.0	95.0' - 95.5' (95.25')	95.0' - 95.5' (95.25')
96.0	96.0' - 96.5' (96.25')	96.0' - 96.5' (96.25')
97.0	97.0' - 97.5' (97.25')	97.0' - 97.5' (97.25')
98.0	98.0' - 98.5' (98.25')	98.0' - 98.5' (98.25')
99.0	99.0' - 99.5' (99.25')	99.0' - 99.5' (99.25')
100.0	100.0' - 100.5' (100.25')	100.0' - 100.5' (100.25')
101.0	101.0' - 101.5' (101.25')	101.0' - 101.5' (101.25')
102.0	102.0' - 102.5' (102.25')	102.0' - 102.5' (102.25')
103.0	103.0' - 103.5' (103.25')	103.0' - 103.5' (103.25')
104.0	104.0' - 104.5' (104.25')	104.0' - 104.5' (104.25')
105.0	105.0' - 105.5' (105.25')	105.0' - 105.5' (105.25')
106.0	106.0' - 106.5' (106.25')	106.0' - 106.5' (106.25')
107.0	107.0' - 107.5' (107.25')	107.0' - 107.5' (107.25')
108.0	108.0' - 108.5' (108.25')	108.0' - 108.5' (108.25')
109.0	109.0' - 109.5' (109.25')	109.0' - 109.5' (109.25')
110.0	110.0' - 110.5' (110.25')	110.0' - 110.5' (110.25')
111.0	111.0' - 111.5' (111.25')	111.0' - 111.5' (111.25')
112.0	112.0' - 112.5' (112.25')	112.0' - 112.5' (112.25')
113.0	113.0' - 113.5' (113.25')	113.0' - 113.5' (113.25')
114.0	114.0' - 114.5' (114.25')	114.0' - 114.5' (114.25')
115.0	115.0' - 115.5' (115.25')	115.0' - 115.5' (115.25')
116.0	116.0' - 116.5' (116.25')	116.0' - 116.5' (116.25')
117.0	117.0' - 117.5' (117.25')	117.0' - 117.5' (117.25')
118.0	118.0' - 118.5' (118.25')	118.0' - 118.5' (118.25')
119.0	119.0' - 119.5' (119.25')	119.0' - 119.5' (119.25')
120.0	120.0' - 120.5' (120.25')	120.0' - 120.5' (120.25')
121.0	121.0' - 121.5' (121.25')	121.0' - 121.5' (121.25')
122.0	122.0' - 122.5' (122.25')	122.0' - 122.5' (122.25')
123.0	123.0' - 123.5' (123.25')	123.0' - 123.5' (123.25')
124.0	124.0' - 124.5' (124.25')	124.0' - 124.5' (124.25')
125.0	125.0' - 125.5' (125.25')	125.0' - 125.5' (125.25')
126.0	126.0' - 126.5' (126.25')	126.0' - 126.5' (126.25')
127.0	127.0' - 127.5' (127.25')	127.0' - 127.5' (127.25')
128.0	128.0' - 128.5' (128.25')	128.0' - 128.5' (128.25')
129.0	129.0' - 129.5' (129.25')	129.0' - 129.5' (129.25')
130.0	130.0' - 130.5' (130.25')	130.0' - 130.5' (130.25')
131.0	131.0' - 131.5' (131.25')	131.0' - 131.5' (131.25')
132.0	132.0' - 132.5' (132.25')	132.0' - 132.5' (132.25')
133.0	133.0' - 133.5' (133.25')	133.0' - 133.5' (133.25')
134.0	134.0' - 134.5' (134.25')	134.0' - 134.5' (134.25')
135.0	135.0' - 135.5' (135.25')	135.0' - 135.5' (135.25')
136.0	136.0' - 136.5' (136.25')	136.0' - 136.5' (136.25')
137.0	137.0' - 137.5' (137.25')	137.0' - 137.5' (137.25')
138.0	138.0' - 138.5' (138.25')	138.0' - 138.5' (138.25')
139.0	139.0' - 139.5' (139.25')	139.0' - 139.5' (139.25')
140.0	140.0' - 140.5' (140.25')	140.0' - 140.5' (140.25')
141.0	141.0' - 141.5' (141.25')	141.0' - 141.5' (141.25')
142.0	142.0' - 142.5' (142.25')	142.0' - 142.5' (142.25')
143.0	143.0' - 143.5' (143.25')	143.0' - 143.5' (143.25')
144.0	144.0' - 144.5' (144.25')	144.0' - 144.5' (144.25')
145.0	145.0' - 145.5' (145.25')	145.0' - 145.5' (145.25')
146.0	146.0' - 146.5' (146.25')	146.0' - 146.5' (146.25')
147.0	147.0' - 147.5' (147.25')	147.0' - 147.5' (147.25')
148.0	148.0' - 148.5' (148.25')	148.0' - 148.5' (148.25')
149.0	149.0' - 149.5' (149.25')	149.0' - 149.5' (149.25')
150.0	150.0' - 150.5' (150.25')	150.0' - 150.5' (150.25')
151.0	151.0' - 151.5' (151.25')	151.0' - 151.5' (151.25')
152.0	152.0' - 152.5' (152.25')	152.0' - 152.5' (152.25')
153.0	153.0' - 153.5' (153.25')	153.0' - 153.5' (153.25')
154.0	154.0' - 154.5' (154.25')	154.0' - 154.5' (154.25')
155.0	155.0' - 155.5' (155.25')	155.0' - 155.5' (155.25')
156.0	156.0' - 156.5' (156.25')	156.0' - 156.5' (156.25')
157.0	157.0' - 157.5' (157.25')	157.0' - 157.5' (157.25')
158.0	158.0' - 158.5' (158.25')	158.0' - 158.5' (158.25')
159.0	159.0' - 159.5' (159.25')	159.0' - 159.5' (159.25')
160.0	160.0' - 160.5' (160.25')	160.0' - 160.5' (160.25')
161.0	161.0' - 161.5' (161.25')	161.0' - 161.5' (161.25')
162.0	162.0' - 162.5' (162.25')	162.0' - 162.5' (162.25')
163.0	163.0' - 163.5' (163.25')	163.0' - 163.5' (163.25')
164.0	164.0' - 164.5' (164.25')	164.0' - 164.5' (164.25')
165.0	165.0' - 165.5' (165.25')	165.0' - 165.5' (165.25')
166.0	166.0' - 166.5' (166.25')	166.0' - 166.5' (166.25')
167.0	167.0' - 167.5' (167.25')	167.0' - 167.5' (167.25')
168.0	168.0' - 168.5' (168.25')	168.0' - 168.5' (168.25')
169.0	169.0' - 169.5' (169.25')	169.0' - 169.5' (169.25')
170.0	170.0' - 170.5' (170.25')	170.0' - 170.5' (170.25')
171.0	171.0' - 171.5' (171.25')	171.0' - 171.5' (171.25')
172.0	172.0' - 172.5' (172.25')	172.0' - 172.5' (172.25')
173.0	173.0' - 173.5' (173.25')	173.0' - 173.5' (173.25')
174.0	174.0' - 174.5' (174.25')	174.0' - 174.5' (174.25')
175.0	175.0' - 175.5' (175.25')	175.0' - 175.5' (175.25')
176.0	176.0' - 176.5' (176.25')	176.0' - 176.5' (176.25')
177.0	177.0' - 177.5' (177.25')	177.0' - 177.5' (177.25')
178.0	178.0' - 178.5' (178.25')	178.0' - 178.5' (178.25')
179.0	179.0' - 179.5' (179.25')	179.0' - 179.5' (179.25')
180.0	180.0' - 180.5' (180.25')	180.0' - 180.5' (180.25')
181.0	181.0' - 181.5' (181.25')	181.0' - 181.5' (181.25')
182.0	182.0' - 182.5' (182.25')	182.0' - 182.5' (182.25')
183.0	183.0' - 183.5' (183.25')	183.0' - 183.5' (183.25')
184.0	184.0' - 184.5' (184.25')	184.0' - 184.5' (184.25')
185.0	185.0' - 185.5' (185.25')	185.0' - 185.5' (185.25')
186.0	186.0' - 186.5' (186.25')	186.0' - 186.5' (186.25')
187.0	187.0' - 187.5' (187.25')	187.0' - 187.5' (187.25')
188.0	188.0' - 188.5' (188.25')	188.0' - 188.5' (188.25')
189.0	189.0' - 189.5' (189.25')	189.0' - 189.5' (189.25')
190.0	190.0' - 190.5' (190.25')	190.0' - 190.5' (190.25')
191.0	191.0' - 191.5' (191.25')	191.0' - 191.5' (191.25')
192.0	192.0' - 192.5' (192.25')	192.0' - 192.5' (192.25')
193.0	193.0' - 193.5' (193.25')	193.0' - 193.5' (193.25')
194.0	194.0' - 194.5' (194.25')	194.0' - 194.5' (194.25')
195.0	195.0' - 195.5' (195.25')	195.0' - 195.5' (195.25')
196.0	196.0' - 196.5' (196.25')	196.0' - 196.5' (196.25')
197.0		



DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA

APPLICATION # 28214
APPROVAL DATE: 8/10/24
EXPIRATION DATE: 8/10/26

All construction shall conform to the comprehensive development code of Marion County, Florida, and the comprehensive development code of Marion County, Florida, and the comprehensive development code of Marion County, Florida.

NOTES:
The approval of these plans is based on the information provided by the applicant. The applicant is responsible for obtaining all necessary permits and approvals from the appropriate agencies. The applicant is also responsible for obtaining all necessary permits and approvals from the appropriate agencies.

DATE	BY	REVISION
11/16/20	M.A.	1. INITIAL DESIGN
11/16/20	M.A.	2. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	3. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	4. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	5. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	6. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	7. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	8. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	9. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	10. ADDITIONAL DEVELOPMENT

JCH
JCH CONSULTING, INC.
10000 N. W. 10th Ave., Suite 200
Miami, FL 33150
Phone: 305.555.1234
Fax: 305.555.1235
Email: info@jchconsulting.com
Website: www.jchconsulting.com

PLAY OF TOPOGRAPHIC SURVEY
-FOR-
PARAMOUNT CONSTRUCTION LLC

DATE	BY	REVISION
11/16/20	M.A.	1. INITIAL DESIGN
11/16/20	M.A.	2. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	3. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	4. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	5. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	6. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	7. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	8. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	9. ADDITIONAL DEVELOPMENT
11/16/20	M.A.	10. ADDITIONAL DEVELOPMENT

TOPOGRAPHIC SURVEY FOR:
GOLDEN OCALA - WORLD EQUESTRIAN CENTER
A PORTION SECTION 1 AND 12, TOWNSHIP 15 SOUTH, RANGE 20 EAST
MARION COUNTY, FLORIDA

RECEIVED

AUG 24 2024

Marion County
Office of the County Engineer



SHEET 3 OF 10
ONE IS NOT COMPLETE WITHOUT THE OTHERS
SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION #: 20214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

NOTICE
The approval of this plan is limited to the information provided on the application and the information contained on the Marion County Land Development Code. Other relevant areas of the site or any adjacent property may be subject to review and approval by the County Engineer or other agencies for additional permits, as applicable. To date and/or future plans.


NO.	DATE	BY
1.	MA 1/17/25	
2.	ADDITIONAL TOPOGRAPHY	
3.	ADDITIONAL TOPOGRAPHY	
4.	ADDITIONAL TOPOGRAPHY	
5.	ADDITIONAL TOPOGRAPHY	
6.	ADDITIONAL TOPOGRAPHY	
7.	ADDITIONAL TOPOGRAPHY	
8.	ADDITIONAL TOPOGRAPHY	
9.	ADDITIONAL TOPOGRAPHY	
10.	ADDITIONAL TOPOGRAPHY	

NO.	DATE	BY
1.	MA 1/17/25	
2.	ADDITIONAL TOPOGRAPHY	
3.	ADDITIONAL TOPOGRAPHY	
4.	ADDITIONAL TOPOGRAPHY	
5.	ADDITIONAL TOPOGRAPHY	
6.	ADDITIONAL TOPOGRAPHY	
7.	ADDITIONAL TOPOGRAPHY	
8.	ADDITIONAL TOPOGRAPHY	
9.	ADDITIONAL TOPOGRAPHY	
10.	ADDITIONAL TOPOGRAPHY	



PLAT OF TOPOGRAPHIC SURVEY
-FOR-
PARAMOUNT CONSTRUCTION LLC

FILE BOOK/IMAGE:
FILE MET CONVENTION CENTER
LIDAR: 180407TOP04002
DWS #: 180407
SHT 3 OF 10




TOPOGRAPHIC SURVEY FOR:
GOLDEN OCALA - WORLD EQUESTRIAN CENTER
A PORTION SECTION 1 AND 12, TOWNSHIP 15 SOUTH, RANGE 20 EAST
MARION COUNTY, FLORIDA

SHEET 4 OF 10
ONE IS NOT COMPLETE WITHOUT THE OTHERS
SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL

RECEIVED

AUG 26 2024
Marion County
Office of the County Engineer



DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION #: 20214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/26

NO construction shall commence until the construction documents are approved by the Marion County and Development Code, when revision, copies of the right-of-way dedication along construction easements, easements and water, gas and mail may be used to approved by the County Engineer or engineer.

NOTICE
The approval of these plans is limited to the construction under the jurisdiction of Marion County and does not constitute any warranty or representation of other agencies for additional permits, as applicable, by other related agencies.


NO.	DATE	BY
1.	8/19/24	M.A.
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		

NO.	DATE	BY
1.	8/19/24	M.A.
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



PLAT OF TOPOGRAPHIC SURVEY
-FOR-
PARAMOUNT CONSTRUCTION LLC


FILE BOOK PAGE
FILE SET CONVENTION CENTER
FILE # 180407
SHT 4 OF 8



TOPOGRAPHIC SURVEY FOR:
GOLDEN Ocala - WORLD EQUESTRIAN CENTER
 A PORTION SECTION 1 AND 12, TOWNSHIP 15 SOUTH, RANGE 20 EAST
 MARION COUNTY, FLORIDA

RECEIVED

AUG 26 2024
 Marion County
 Office of the County Engineer



DEVELOPMENT REVIEW
 COMMITTEE
 MARION COUNTY, FLORIDA

APPROVAL DATE: 8/15/24
 EXPIRATION DATE: 8/15/26

All construction shall conform to the construction standards contained in the Marion County Official Comprehensive Code, which is hereby adopted by reference. Any deviation from these standards shall be approved by the County Engineer in writing.

NOTICE
 The approval of these plans is limited to the construction shown on these plans and does not constitute a warranty of any kind. The County and its employees are not responsible for any errors or omissions on these plans or for any consequences or other agencies for additional costs, as applicable, for development beyond these plans.


DATE	BY	REVISIONS
11/10/20	MA	1. INITIAL TOPOGRAPHY
11/10/20	MA	2. ADDITIONAL TOPOGRAPHY
11/10/20	MA	3. ADDITIONAL TOPOGRAPHY
11/10/20	MA	4. ADDITIONAL TOPOGRAPHY
11/10/20	MA	5. ADDITIONAL TOPOGRAPHY
11/10/20	MA	6. ADDITIONAL TOPOGRAPHY
11/10/20	MA	7. ADDITIONAL TOPOGRAPHY
11/10/20	MA	8. ADDITIONAL TOPOGRAPHY
11/10/20	MA	9. ADDITIONAL TOPOGRAPHY
11/10/20	MA	10. ADDITIONAL TOPOGRAPHY

DATE	BY	REVISIONS
11/10/20	MA	1. INITIAL TOPOGRAPHY
11/10/20	MA	2. ADDITIONAL TOPOGRAPHY
11/10/20	MA	3. ADDITIONAL TOPOGRAPHY
11/10/20	MA	4. ADDITIONAL TOPOGRAPHY
11/10/20	MA	5. ADDITIONAL TOPOGRAPHY
11/10/20	MA	6. ADDITIONAL TOPOGRAPHY
11/10/20	MA	7. ADDITIONAL TOPOGRAPHY
11/10/20	MA	8. ADDITIONAL TOPOGRAPHY
11/10/20	MA	9. ADDITIONAL TOPOGRAPHY
11/10/20	MA	10. ADDITIONAL TOPOGRAPHY



PLAT OF TOPOGRAPHIC SURVEY
 FOR
 PARAMOUNT CONSTRUCTION LLC

DATE	BY	REVISIONS
11/10/20	MA	1. INITIAL TOPOGRAPHY
11/10/20	MA	2. ADDITIONAL TOPOGRAPHY
11/10/20	MA	3. ADDITIONAL TOPOGRAPHY
11/10/20	MA	4. ADDITIONAL TOPOGRAPHY
11/10/20	MA	5. ADDITIONAL TOPOGRAPHY
11/10/20	MA	6. ADDITIONAL TOPOGRAPHY
11/10/20	MA	7. ADDITIONAL TOPOGRAPHY
11/10/20	MA	8. ADDITIONAL TOPOGRAPHY
11/10/20	MA	9. ADDITIONAL TOPOGRAPHY
11/10/20	MA	10. ADDITIONAL TOPOGRAPHY



SHEET 5 OF 10
 ONE IS NOT COMPLETE WITHOUT THE OTHERS
 SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
 SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
 SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL

TOPOGRAPHIC SURVEY FOR
GOLDEN OCALA - WORLD EQUESTRIAN CENTER
 A PORTION SECTION 1 AND 12, TOWNSHIP 15 SOUTH, RANGE 20 EAST
 MARION COUNTY, FLORIDA

RECEIVED

AUG 26 2024

Marion County
 Office of the County Engineer



1" = 50 FEET

DEVELOPMENT REVIEW
 COMMITTEE
 MARION COUNTY, FLORIDA

APPLICATION #: 2024-1

APPROVAL DATE: 01/15/24

COMPLETION DATE: 01/15/24

NOTICE
 The information shown on this map is the responsibility of the person or persons who prepared it. It is not to be used for any purpose other than that for which it was prepared. The user assumes all liability for any use of this information. The user agrees to hold the County Engineer and the County Board harmless from any and all claims, damages, losses, or expenses, including reasonable attorneys' fees, that may be incurred by the County Engineer or the County Board as a result of the use of this information.

DATE	BY	REVISIONS
11/10/20	MA	1. INITIAL TOPOGRAPHY
04/16/20	MA	2. ADDITIONAL TOPOGRAPHY
		3. REVISIONS


DATE	BY	REVISIONS
	MA	1. INITIAL TOPOGRAPHY
	MA	2. ADDITIONAL TOPOGRAPHY
		3. REVISIONS




PLAT OF TOPOGRAPHIC SURVEY
 -FOR-
 PARAMOUNT CONSTRUCTION LLC

FILED BOOK PAGE:	FILED REC. CONVENTION CENTER
10-1-10047700000000	
DWG. # 100407	
SHT. 6 OF 8	

SHEET 6 OF 10
 ONE IS NOT COMPLETE WITHOUT THE OTHERS
 SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
 SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
 SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL



TOPOGRAPHIC SURVEY FOR:
GOLDEN Ocala - WORLD EQUESTRIAN CENTER
A PORTION SECTION 1 AND 12, TOWNSHIP 15 SOUTH, RANGE 20 EAST
MARION COUNTY, FLORIDA



SHEET 7 OF 10
ONE IS NOT COMPLETE WITHOUT THE OTHERS
SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL

RECEIVED
AUG 16 2024
Marion County
Office of the County Engineer

DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 28214
APPROVAL DATE: 8/15/24
EXPIRATION DATE: 8/15/26

All construction shall conform to the applicable
development regulations in the Marion County Local
Development Code, which includes: Areas of the
right-of-way situated during construction shall be
present and visible. Areas and roads may be
modified as approved by the County Engineer or
other.

The approval of this plan is based on
information provided by the applicant. The County
Engineer does not warrant the accuracy of the
information, or other agencies for additional
information, as applicable. By using and/or
relying on this plan.


NO.	REVISIONS	BY	DATE
1.	ADDITIONAL TOPOGRAPHY	M.A.	04/16/20
2.	ADDITIONAL TOPOGRAPHY	M.A.	11/16/20

DRAWN:	M.A.
REVISED:	
REVISED:	
CHECKED:	C.J.H.
APPROVED:	C.J.H.
SCALE: 1" = 50'	




PLAT OF TOPOGRAPHIC SURVEY
-FOR-
PARAMOUNT CONSTRUCTION LLC

FIELD BOOK: 2401
DATE: 11/16/24
DRAWN BY: JCH
CHECKED BY: JCH
DATE: 11/16/24
SHEET 7 OF 8



TOPOGRAPHIC SURVEY FOR:
GOLDEN OCALA - WORLD EQUESTRIAN CENTER
A PORTION SECTION 1 AND 12, TOWNSHIP 15 SOUTH, RANGE 20 EAST
MARION COUNTY, FLORIDA



SHEET 8 OF 10
ONE IS NOT COMPLETE WITHOUT THE OTHERS
SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL



DEVELOPMENT REVIEW
COMMITTEE
MARION COUNTY, FLORIDA
APPLICATION # 28214
APPROVAL DATE: 8/19/24
EXPIRATION DATE: 8/19/25

REVISIONS
1. ADDITIONAL TOPOGRAPHY
2. ADDITIONAL TOPOGRAPHY
3. ADDITIONAL TOPOGRAPHY

NOTES:
The approval of these plans is limited to the information provided on the plans and does not constitute a warranty of the accuracy of the information provided or the results of the survey.

RECEIVED
AUG 28 2024
Marion County
Office of the County Engineer

DATE	BY	REVISIONS
11/17/24	MA	1. ADDITIONAL TOPOGRAPHY
08/19/24	MA	2. ADDITIONAL TOPOGRAPHY
08/19/24	MA	3. ADDITIONAL TOPOGRAPHY

DATE	BY	REVISIONS
11/17/24	MA	1. ADDITIONAL TOPOGRAPHY
08/19/24	MA	2. ADDITIONAL TOPOGRAPHY
08/19/24	MA	3. ADDITIONAL TOPOGRAPHY



PLAT OF TOPOGRAPHIC SURVEY
-FOR-
PARAMOUNT CONSTRUCTION LLC

FILE: 18040770PCH001
DWG: 180407
SHT 8 OF 8

SHEET 9 OF 10
ONE IS NOT COMPLETE WITHOUT THE OTHERS
SEE SHEET 1 OF 10 FOR NOTES, LEGENDS, SURVEYOR'S CERTIFICATION, ETC.
SEE SHEET 2 OF 10 FOR OVER ALL TOPOGRAPHIC AREA
SEE SHEET 2, 4, 5, 6, 7, 8, 9 AND 10 FOR DRAWING DETAIL

AUG 26 2024

Mason County
Office of the County Engineer

All construction shall conform to the construction standards contained in the Marion County Land Development Code, latest revision. Areas of the right-of-way disturbed during construction shall be dressed and sodded. Seed and mulch may be used if approved by the County Engineer or designee.

NOTICE
The approval of these plans is limited to construction under the jurisdiction of Marion County and does not substitute nor waive the requirements of other agencies for additional permits, as applicable, by state and/or Federal laws.

NO	REVISIONS	BY	DATE
2.	ADDITIONAL TOPOGRAPHY	M.A.	11/10/20
1.	ADDITIONAL TOPOGRAPHY	M.A.	04/18/20

DATE:	
REVISED:	
REVISED:	
CHECKED:	C.J.H.
APPROVED:	C.J.H.
SCALE: 1" = 50'	



JCH
CONSULTING GROUP, INC.
LAND DEVELOPMENT & SURVEYING & MAPPING
PLANNING, ENVIRONMENTAL & C.E.S.
10000 W. 10TH AVENUE, SUITE 1000
DENVER, COLORADO 80202
TEL: 303.733.4400 FAX: 303.733.4401

PLAT OF TOPOGRAPHIC SURVEY
-FOR-
PARAMOUNT CONSTRUCTION LLC

FILE REC CONVENTION CENTER

