

---

### Sec. 2.21.1. Applicability.

- A. A Major Site Plan shall be submitted for review and approval prior to the issuance of a Building Permit or prior to the construction of site improvements when proposed improvements exceed any of the following thresholds:
- (1) ~~Collectively, all e~~Existing impervious and semi-impervious surface area related to activity performed after October 1, 2013 and proposed impervious or semi-impervious ground coverage in combination equals or exceeds 35 percent of the gross site area or 9,000 square feet.
  - (2) The combined driveway trip generation meets or exceeds 50 peak hour vehicle trips.
  - (3) A 24-inch diameter pipe, its equivalent, or larger is utilized to discharge stormwater runoff from the project area.
- B. Off-site improvements related to a Major Site Plan shall be submitted as a separate Improvement Plan application.
- C. Improvements which do not require a Major Site Plan but do result in an increase in flooding of adversely affect drainage or flooding on adjacent property or increase the concentration of stormwater discharge onto adjacent property shall only be subject to stormwater compliance as follows:
- (1) Demonstrate to the Office of the County Engineer that proposed and existing development will not adversely affect public property and will not generate stormwater runoff in excess of pre-development runoff. Demonstration can be provided through sketches, pictures, site maps, etc. and can be confirmed through a scheduled and coordinated site visit. Stormwater controls can be provided through a combination of natural retention areas with excess capacity and/or constructed stormwater systems provided on the owner's property or within an easement.
  - (2) Provide erosion control. Temporary erosion control shall be provided as needed throughout construction and permanent erosion control shall be established prior to the project being considered successfully closed and completed by the County, including but not limited to the issuance of any Certificate of Occupancy associated with the property.
  - (3) Submit two copies of a finalized sketch which shows the existing improvements in the immediate vicinity, proposed improvements, stormwater controls and a statement that the owner understands and complies with required stormwater controls. Both copies shall bear the owner's original signature and date. Upon review and approval, one approved sketch shall be returned to the applicant.
- D. ~~Large Individual~~ parcels of property ~~such as subject to, but not limited to, single-family residential, farms, woodlands, commercial nurseries nursery, forestry, or sod farms use~~ where existing and proposed impervious ground coverage equals or exceeds 35 percent of the gross site area or 9,000 square feet shall not be subject to submittal of a complete Major Site Plan but instead shall be subject to stormwater compliance as follows:
- (1) Demonstrate to the Office of the County Engineer that proposed and existing development will not adversely affect adjacent property and will not generate stormwater runoff in excess of pre-development runoff. Demonstration can be provided through sketches, pictures, site maps, etc. and can be confirmed through a scheduled and coordinated site visit. Stormwater controls can be provided through a combination of natural retention areas with excess capacity and/or constructed stormwater systems provided on the owner's property or within an easement.
  - (2) Provide erosion control. Temporary erosion control shall be provided as needed throughout construction and permanent erosion control shall be established prior to the project being considered successfully closed and completed by the County, including but not limited to the issuance of any Certificate of Occupancy associated with the property.

- 
- (3) Submit two copies of a finalized sketch which shows the existing improvements in the immediate vicinity, proposed improvements, stormwater controls and a statement that the owner understands and complies with required stormwater controls. Both copies shall bear the owner's original signature and date. Upon review and approval, one approved sketch shall be returned to the applicant.
- E. Improvements related to bona fide agricultural uses that meet all of the following conditions are exempt from the requirements of a Major Site Plan:
- (1) Are on a parcel greater than or equal to ten acres.
  - (2) Are a minimum of 200 feet from all property lines.
  - (3) If collectively all existing and proposed surfaces are less than three percent of the gross site area and do not exceed 30,000 square feet of impervious ground coverage.
  - (4) Do not increase any offsite drainage.
  - (5) Do not contribute offsite drainage to a County documented drainage problem.
- F. Exemptions or partial exemptions from a Major Site Plan do not make the applicant exempt from any other sections of this Code.
- (Ord. No. 13-20, § 2, 7-11-2013)