


Meadow Glenn UNIT 5

Located In Section 21, Township 16 South, Range 21 East,
Marion County, Florida

- NOTES:
- BEARINGS ARE BASED ON AN ASSUMED DATUM: MORE PARTICULARLY THE WEST RIGHT-OF-WAY LINE OF SW 48TH AVENUE AS BEING S.00°05'42"W.
 - THERE ARE 5' UTILITY EASEMENTS ADJACENT AND PARALLEL TO BOTH SIDES OF EACH COMMON LOT LINE AND THERE IS A 10' WIDE UTILITY EASEMENT ADJACENT AND PARALLEL TO ALL ROAD RIGHT-OF-WAY. ALL PUBLIC UTILITY COMPANIES AND GOVERNMENTAL AGENCIES ARE GRANTED THE RIGHT TO INSTALL AND MAINTAIN UTILITIES IN THE EASEMENTS AND SUCH EASEMENTS SHALL ALSO ALLOW FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE AND OPERATION OF CABLE TELEVISION SERVICES, WITH UNDERGROUND INSTALLATIONS ONLY.
 - STATE PLANE COORDINATES BASED ON NAD 83, 1990 ADJUSTMENT, FLORIDA WEST ZONE OF CONTROL STATION 175 73 424 AND 175 73 429 WITH PUBLISHED COORDINATES OF: NORTH 528,701.022 METERS, EAST 101,944.309 METERS, SCALE FACTOR 0.99984520, AND NORTH 530,455.993 METERS, EAST 180,092.940 METERS, SCALE FACTOR 0.99984005, RESPECTIVELY.
 - THIS PROJECT IS AS A PRIVATE ROAD SUBDIVISION WITH GATED ENTRANCES, ALL ROADWAYS AND WATER RETENTION BASINS WITHIN THE DEVELOPMENT WILL BE OWNED AND MAINTAINED BY THE PROPERTY OWNERS ASSOCIATION SET UP FOR THIS PURPOSE. NO LOT OR TRACT AS SHOWN ON THIS PLAT SHALL BE DIVIDED OR RESUBDIVIDED EXCEPT FOR THE SOLE PURPOSE OF PROVIDING ADDITIONAL AREA TO ADJACENT LOTS OR TRACTS OR UNTIL A REPLAT IS FILED WITH THE MARION COUNTY AND SAID REPLAT COMPLETES WITH THE PROVISIONS OF THE LAND DEVELOPMENT CODE.
 - THIS 41.92 ACRE DEVELOPMENT CONTAINS 102 RESIDENTIAL LOTS, AND 1.06 MILES OF ROADWAY.
 - NO LOTS SHALL HAVE DRIVEWAY ACCESS TO S.W. 62ND AVENUE ROAD, AND S.W. 90TH STREET ROAD SURROUNDING THE DEVELOPMENT.
 - ALL LOTS SHALL BE SERVED WATER AND SEWER BY THE EXTENSION OF MARION COUNTY UTILITIES FACILITIES.
 - ALL LOTS ADJACENT TO S.W. 90TH STREET ROAD WILL BE REQUIRED TO CONSTRUCT A 6 FOOT HIGH CHAIN LINK FENCE ALONG THE REAR PROPERTY LINE AND LANDSCAPE THE FRONT 10 FEET OF THE LOT IN COMPLIANCE WITH SECTION 8.2.10(4) OF THE MARION COUNTY LAND DEVELOPMENT CODE. (WAIVER GRANTED)
 - BASED ON GRAPHIC INTERPRETATION OF THE FEDERAL INSURANCE ADMINISTRATION FLOOD HAZARD BOUNDARY MAP, PANEL NO. 12010 D 675 B MARION COUNTY, THE SUBJECT PROPERTY IS NOT CONTAINED WITHIN A FLOOD PRONE AREA.
 - ALL LOT CORNERS AND POPI'S HAVE BEEN SET.
 - HOMEOWNER'S ASSOCIATION SHALL BE RESPONSIBLE FOR NEW AND REPLACEMENT QUADRANT STREET SIGN MAINTENANCE.
 - AS OF THE DATE OF THIS PLAT THE ROADS DEPICTED HEREON HAVE BEEN CONSTRUCTED AND ARE PASSABLE.
 - ACCESS TO LOT 217 IS PROVIDED BY AN EASEMENT AGREEMENT RECORDED AT O.R. BOOK 66616, PAGE 818-819.



LOCATION MAP
SCALE: 1" = 2000'
MARION COUNTY, FLORIDA
SECTION 21, TOWNSHIP 16 SOUTH, RANGE 21 EAST

DEVELOPER'S ACKNOWLEDGMENT AND DEDICATION:

KNOW ALL MEN BY THESE PRESENTS: THAT OCALA RESIDENTIAL, INC., A FLORIDA CORPORATION, HAS CAUSED TO BE MADE THE ATTACHED PLAT OF "MEADOW GLENN UNIT NO. 5", THE SAME BEING A SUBDIVISION OF THE LAND HEREON DESCRIBED, AND THAT THE 10 FEET WIDE PUBLIC RIGHT OF WAY, AND ADJACENT 10 FEET WIDE PUBLIC UTILITY EASEMENT ALONG SW 62 AVENUE ROAD, AS SHOWN HEREON, IS HEREBY DEDICATED TO THE PERPETUAL USE OF THE PUBLIC FOR PROPER PURPOSES RESERVING UNTO THEMSELVES, THEIR HEIRS OR ASSIGNS, THE REVERSION OR REVERSIONS THEREOF WHENEVER DISCONTINUED BY LAW AND THAT THE ROAD RIGHTS-OF-WAY AS SHOWN ON THE ATTACHED PLAT TOGETHER WITH ALL IMPROVEMENTS THEREON, AND THE DRAINAGE RETENTION AREAS AND DRAINAGE EASEMENTS DESIGNATED HEREON SHALL BE PRIVATE AND ARE HEREBY DEDICATED TO MEADOW GLENN OF MARION COUNTY HOMEOWNERS' ASSOCIATION, INC., PROVIDED, HOWEVER THAT THE SAME SHALL BE USED FOR THE COLLECTION AND DISPOSAL OF STORM WATER DRAINAGE AND FOR NO USE INCONSISTENT THEREWITH; AND THAT THE UTILITY EASEMENTS DESIGNATED HEREON ARE RESERVED EXCLUSIVELY FOR SUCH USES BY THE UTILITIES (MUNICIPAL AND PRIVATE) INCLUDING ELECTRIC, TELEPHONE, GAS AND CABLE TELEVISION TO WHOM RIGHTS IN SUCH EASEMENTS ARE HEREBY DEDICATED BY THE DEDICATOR OR ITS SUCCESSORS IN INTEREST. NEITHER THE EASEMENTS HEREIN GRANTED NOR THE LIMITATIONS HEREIN MADE SHALL CONSTITUTE A DEDICATION TO THE GENERAL PUBLIC AND THAT NO OBLIGATION IS IMPOSED UPON THE COUNTY OR ANY OTHER PUBLIC BODY FOR IMPROVEMENT OR MAINTENANCE OF SAID EASEMENTS. A GENERAL EASEMENT IS HEREBY GRANTED OVER THE PRIVATE RIGHTS-OF-WAY FOR GAS, TELEPHONE, ELECTRIC, CABLE, WATER AND SEWER. ALL PUBLIC UTILITY COMPANIES AND MARION COUNTY ARE GRANTED THE RIGHT TO INSTALL AND MAINTAIN UTILITIES IN THE EASEMENTS AS SHOWN ON THIS PLAT. A GENERAL EASEMENT IS HEREBY GRANTED TO MARION COUNTY FOR ACCESS TO STORMWATER FACILITIES IN TIMES OF EMERGENCY.

IN WITNESS WHEREOF THE SAID OCALA RESIDENTIAL, INC. HAS CAUSED THESE PRESENTS TO BE SIGNED ON THIS 14th DAY OF November, 2006 BY STEVEN P. DEL GALLO, AS VICE PRESIDENT OF OCALA RESIDENTIAL, INC., A FLORIDA CORPORATION

ATTEST: *Steven P. Del Gallo*
STEVEN P. DEL GALLO,
VICE PRESIDENT

NOTARY ACKNOWLEDGMENT:

STATE OF FLORIDA
COUNTY OF Marion

BEFORE ME THIS DAY PERSONALLY APPEARED, OFFICERS DULY AUTHORIZED BY LAW TO ADMINISTER OATHS AND TAKE ACKNOWLEDGMENTS, STEVEN P. DEL GALLO, VICE PRESIDENT, AND Michael W. Radcliffe, SECRETARY, TO ME PERSONALLY KNOWN TO BE THE PERSONS DESCRIBED IN AND WHO EXECUTED THE FOREGOING, AND SEVERALLY ACKNOWLEDGED THE EXECUTION THEREOF TO BE THEIR FREE ACT AND DEED AS SUCH OFFICERS, FOR THE USES AND PURPOSES THEREIN MENTIONED, AND THAT THEY AFFIXED THERETO THE OFFICIAL SEAL OF SAID CORPORATION AND THE SAID INSTRUMENT IS THE ACT AND DEED OF SAID CORPORATION.

IN WITNESS MY HAND AND OFFICIAL SEAL IN THE COUNTY OF Marion, STATE OF FLORIDA, THIS 14th DAY OF November, 2006.

MY COMMISSION EXPIRES: 12/22/2009

Michael W. Radcliffe
Michael W. Radcliffe
NOTARY PUBLIC
STATE OF FLORIDA

NOTARY SEAL/STAMP
Commission to Doobse

ACKNOWLEDGMENT OF OTHERS HOLDING VESTED INTEREST:

KNOWN ALL MEN BY THESE PRESENTS: THAT JOHN S. RUONANEN, TRUSTEE, HOLDING VESTED INTEREST IN THE LANDS INCLUDED IN THE ATTACHED PLAT DOES HEREBY CONSENT TO THIS PLAT AND JOINS IN THE ABOVE ACKNOWLEDGMENT AND DEDICATION.

IN WITNESS WHEREOF SAID JOHN S. RUONANEN, TRUSTEE, HAS CAUSED THESE PRESENTS TO BE SIGNED THIS 14th DAY OF November, 2006 BY JOHN S. RUONANEN, TRUSTEE.

ATTEST: *John S. Ruonanen*
JOHN S. RUONANEN, TRUSTEE

WITNESS: *Ann K. Kinner*
ANN K. KINNER
PRINTED NAME


NOTARY ACKNOWLEDGMENT:

STATE OF FLORIDA
COUNTY OF Marion

BEFORE ME THIS DAY PERSONALLY APPEARED JOHN S. RUONANEN, TRUSTEE, TO ME WELL KNOWN TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND WHO ACKNOWLEDGES THAT THEY DID SO FREELY AND VOLUNTARILY FOR THE PURPOSES HEREIN EXPRESSED.

DATE: 11/14/06
MY COMMISSION EXPIRES: 6-18-2010

SIGNED: *Patricia A. Kinner*
PRINT NAME: PATRICIA A. KINNER
NOTARY PUBLIC
STATE OF FLORIDA AT LARGE



WAIVERS APPROVED BY D.R.C.:

8.2.5A(1)(A) PRIVATE ROAD STATUS
8.2.5A(1)(D) SIDEWALKS EXCEPT ALONG SW 62ND STREET FRONTAGE A WEST SIDE OF SW 57TH AVENUE FOR SIDEWALKS TO BE COMPLETED WITH HOME CONSTRUCTION AND ALONG SW 62ND AVENUE ROAD FRONTAGE SUBJECT TO DEFERRED SIDEWALK CONSTRUCTION UPON COUNTY DIRECTION TO HOA FOR PROVISION.

8.2.5A(4) BLOCK LENGTHS
8.2.5A(13) CENTERLINE RADI

8.2.5A(1)(D) PRELIMINARY PLAT GENERAL REQUIREMENTS-WAIVER TO ALLOW PENETRATION TEST SOIL BORINGS TO BE SUBMITTED WITH IMPROVEMENT PLANS AND TO SHOW SOME TYPE OF DRAINAGE FOR ENGINEERING DEPARTMENT.

THE ABOVE WAIVERS WERE GRANTED BY BOC JANUARY 4, 2006
8.2.5A(1)(D) SIDEWALKS-APPROVED A 10 FT. RIGHT-OF-WAY EASEMENT ALONG SW 62ND STREET AND SW 48TH AVENUE WITH THE FRONTAGE BUFFER CONSTITUTING OF A WALL ON THE SOUTH SIDE OF THE EASEMENT ALONG SW 62ND STREET AND THE WEST SIDE OF THE EASEMENT ALONG SW 48TH.

THE ABOVE WAIVER WAS GRANTED BY BOC ON JUNE 23, 2003

NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY.

ASSESSMENT NOTIFICATION:

THE BOARD OF COUNTY COMMISSIONERS OF MARION COUNTY, FLORIDA, AS A CONDITION PRECEDENT TO THE ACCEPTANCE OF THIS PLAT FOR RECORDING IN THE PUBLIC RECORDS, DOES HEREBY NOTIFY ALL PRESENT AND FUTURE OWNERS OF PROPERTY SHOWN ON THIS PLAT THAT THE LANDS INCLUDED IN THIS PLAT ARE SUBJECT TO SPECIAL ASSESSMENTS AS MAY BE PERMITTED BY LAW TO FINANCE COSTS INCURRED IN CONNECTION WITH THE MAINTENANCE, OPERATION AND CONSTRUCTION OF A CENTRAL WATER SYSTEM AND SEWER SYSTEM AND/OR TRAFFIC SAFETY IMPROVEMENTS, INCLUDING, BUT NOT LIMITED TO TURN LANES, BY-PASS LANES AND TRAFFIC SIGNALS WHEN, IN THE OPINION OF SAID BOARD OR OTHER GOVERNING BODY HAVING JURISDICTION, SUCH FACILITIES BECOME NECESSARY IN ORDER TO PROTECT THE ENVIRONMENT AND THE HEALTH, SAFETY AND WELFARE OF THE GENERAL PUBLIC.

ATTEST: *Stan McClain*
DAVID R. ELLSPERMAN
CLERK OF THE CIRCUIT COURT

BY: *Stan McClain*
STAN MCCLAIN
CHAIRMAN
BOARD OF COUNTY COMMISSIONERS

THE BOARD OF COUNTY COMMISSIONERS OF MARION COUNTY, FLORIDA DOES HEREBY APPROVE THIS PLAT FOR RECORDING IN THE PUBLIC RECORDS AND ACCEPTS THE FOREGOING DEDICATION.

ATTEST: *Stan McClain*
DAVID R. ELLSPERMAN
CLERK OF THE CIRCUIT COURT

BY: *Stan McClain*
STAN MCCLAIN
CHAIRMAN
BOARD OF COUNTY COMMISSIONERS

I HEREBY CERTIFY THAT THIS PLAT CONFORMS WITH THE PROVISIONS OF CHAPTER 177, FLORIDA STATUTES, AND THAT THIS PLAT WAS FILED FOR RECORD IN PLAT BOOK 10, AT PAGE 74-75, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, AT 10:00 A.M. ON THE 14th DAY OF November, 2006.

BY: *David R. Ellspermann*
DAVID R. ELLSPERMAN
CLERK OF THE CIRCUIT COURT

LEGAL DESCRIPTION: UNIT 5

A PORTION OF THE S 1/2 OF SECTION 21, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SAID SECTION 21, SAID POINT BEING THE CENTERLINE INTERSECTION OF S.W. 48TH AVENUE (80 FEET WIDE) WITH S.W. 100TH STREET (80 FEET WIDE), PROCEED THENCE S89°49'16"W ALONG THE SOUTH BOUNDARY OF SAID SECTION 21 A DISTANCE OF 40.00 FEET; THENCE N00°05'42"E, 40.00 FEET TO THE INTERSECTION WITH THE NORTHERLY RIGHT-OF-WAY LINE OF S.W. 100TH STREET (80 FEET WIDE); THENCE S89°49'16"W ALONG SAID RIGHT-OF-WAY LINE, 2002.80 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEAST, HAVING AS ITS ELEMENTS A CENTRAL ANGLE OF 21°35'51" AND A RADIUS OF 2360.00 FEET; CONTINUE THENCE ALONG SAID RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE IN A NORTHWESTERLY DIRECTION, 888.60 FEET (CHORD BEARING AND DISTANCE OF N72°22'48", 884.34 FEET) TO THE POINT OF REVERSE CURVATURE WITH A CURVE CONCAVE SOUTHERLY, HAVING AS ITS ELEMENTS A CENTRAL ANGLE OF 84°44'58" AND A RADIUS OF 915.00 FEET; THENCE CONTINUE ALONG SAID RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE IN A SOUTHWESTERLY DIRECTION, 800.31 FEET (CHORD BEARING AND DISTANCE OF S83°32'35"W, 855.60 FEET) TO THE POINT OF TANGENCY THEREOF; THENCE CONTINUE ALONG SAID RIGHT-OF-WAY LINE, 555.60 FEET TO A DISTANCE OF 100.80 FEET TO THE INTERSECTION WITH THE AFOREMENTIONED SOUTH BOUNDARY OF SECTION 21; THENCE, DEPARTING SAID RIGHT-OF-WAY LINE, PROCEED N89°51'26"W ALONG SAID SOUTH BOUNDARY, 815.68 FEET TO THE INTERSECTION WITH THE EASTERLY RIGHT-OF-WAY LINE OF S.E. 62ND AVENUE ROAD (80 FEET WIDE); THENCE, DEPARTING SAID SOUTH BOUNDARY, PROCEED N00°05'42"E ALONG SAID RIGHT-OF-WAY LINE, 1000.00 FEET TO THE POINT OF BEGINNING; THENCE, DEPARTING SAID RIGHT-OF-WAY LINE, S89°01'08"E, 700.00 FEET; THENCE N00°05'42"E, 657.48 FEET; THENCE S89°41'17"E, 1040.00 FEET; THENCE S00°05'42"W, 120.65 FEET; THENCE N89°34'18", 120.00 FEET; THENCE S00°05'42"W, 320.28 FEET; THENCE S72°35'42"W, 106.18 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY, HAVING AS ITS ELEMENTS A CENTRAL ANGLE OF 123°31'41" AND A RADIUS OF 660.00 FEET; PROCEED THENCE ALONG THE ARC OF SAID CURVE IN A SOUTHWESTERLY DIRECTION, 150.27 FEET (CHORD BEARING AND DISTANCE OF S82°55'33"W, 149.86 FEET); THENCE, DEPARTING SAID CURVE, N83°35'16", 181.10 FEET; THENCE N89°34'18", 415.00 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY, HAVING AS ITS ELEMENTS A CENTRAL ANGLE OF 80°00'00" AND A RADIUS OF 25.00 FEET; PROCEED THENCE ALONG THE ARC OF SAID CURVE IN A NORTHWESTERLY DIRECTION, 39.27 FEET (CHORD BEARING AND DISTANCE OF N44°34'18", 35.36 FEET) TO A POINT ON THE AFOREMENTIONED EASTERLY RIGHT-OF-WAY LINE OF S.W. 62ND AVENUE ROAD; THENCE N00°05'42"E ALONG SAID RIGHT-OF-WAY LINE, 375.00 FEET TO THE POINT OF BEGINNING.

CONTAINING 41.92 ACRES, MORE OR LESS.

APPROVAL OF OFFICIALS:

APPROVED:

BY: *Stan McClain* COUNTY ADMINISTRATION OFFICE
BY: *David R. Ellspermann* COUNTY ENGINEERING DEPARTMENT
BY: *Michael W. Radcliffe* COUNTY PLANNING DEPARTMENT
BY: *Michael W. Radcliffe* COUNTY UTILITY DEPARTMENT
BY: *Michael W. Radcliffe* COUNTY ZONING DEPARTMENT
BY: *Michael W. Radcliffe* COUNTY SURVEYOR

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY THAT THIS PLAT OF MEADOW GLENN UNIT NO. 5, IS A TRUE AND CORRECT REPRESENTATION OF THE LAND AS RECENTLY SURVEYED AND RELATED UNDER MY DIRECTION AND SUPERVISION, THAT THE PERMANENT REFERENCE MONUMENTS AS SHOWN HEREON WERE IN PLACE ON THE 27 DAY OF JULY, 2004 AND THAT THIS PLAT COMPLETES WITH THE REQUIREMENTS OF CHAPTER 177, FLORIDA STATUTES AND CHAPTER 6167-6, FLORIDA ADMINISTRATIVE CODE.

BY: *Michael W. Radcliffe*
MICHAEL W. RADCLIFFE, P.E.
A.M. GAUDET & ASSOCIATES INC. L.B. #7158
PROJECT SURVEYOR

PREPARED BY:
MICHAEL W. RADCLIFFE ENGINEERING, INC.
CIVIL ENGINEERS
2611 S.E. LAKE VIEW AVENUE, OCALA, FL 31471
(352) 628-5500 FAX (352) 627-1019

AND
A.M. GAUDET & ASSOCIATES INC.
LAND SURVEYING - LAND PLANNING
4709 SE 102ND PLACE, SUITE 3, BELLEVUE, FLORIDA 34120
PHONE: (352) 245-2708 FAX: (352) 245-2853


ATTACHMENT E

#10-74

Meadow Glenn

Located In Section 21, Township 16 South, Range 21 East,
Marion County, Florida

UNIT 5



ATTACHMENT E

E-2

#10-75

Meadow Glenn

Located In Section 21, Township 16 South, Range 21 East,
Marion County, Florida

UNIT 5

CURVE TABLE					
CURVE	LENGTH	RADIUS	DELTA	CHORD LEN.	CHORD BEARING
C3	77.50'	111.73'	39°44'42"	75.96'	N87°43'55"E
C4	99.35'	55.00'	103°30'00"	86.36'	N51°38'18"W
C5	73.43'	55.00'	76°30'00"	68.10'	N58°20'42"E
C16	39.27'	25.00'	90°00'00"	35.36'	N58°54'18"W
C25	21.68'	25.00'	49°40'47"	21.00'	N65°03'54"W
C26	20.61'	60.00'	19°40'47"	20.51'	N50°03'54"W
C27	125.68'	60.00'	120°00'00"	124.82'	N00°00'00"E
C28	90.24'	60.00'	86°10'39"	81.80'	N42°38'37"W
C29	56.03'	60.00'	53°30'08"	54.01'	N67°08'59"E
C30	21.68'	25.00'	49°40'47"	21.00'	N65°03'54"E
C31	39.27'	25.00'	90°00'00"	35.36'	N44°54'18"W
C32	39.27'	25.00'	90°00'00"	35.36'	N45°05'42"E
C33	39.27'	25.00'	90°00'00"	35.36'	N45°05'42"E
C34	21.68'	25.00'	49°40'47"	21.00'	N65°03'54"E
C35	20.61'	60.00'	19°40'47"	20.51'	N50°03'54"W
C36	66.09'	60.00'	63°04'16"	62.78'	N88°34'34"E
C37	59.62'	60.00'	90°00'00"	57.19'	N23°03'54"E
C38	59.60'	60.00'	56°54'46"	57.18'	N28°21'41"W
C39	66.06'	60.00'	63°05'14"	62.78'	N88°21'41"W
C40	20.61'	60.00'	19°40'47"	20.51'	N50°03'54"E
C41	21.68'	25.00'	49°40'47"	21.00'	N65°03'54"E
C42	39.27'	25.00'	90°00'00"	35.36'	N44°54'18"W
C43	39.27'	25.00'	90°00'00"	35.36'	N45°05'42"E
C44	43.23'	120.00'	20°32'38"	43.48'	N78°39'23"E
C45	12.21'	25.00'	27°58'42"	12.09'	N83°12'28"E
C46	4.67'	25.00'	10°42'40"	4.67'	N77°26'54"W
C47	44.32'	60.00'	42°41'17"	43.24'	N86°41'17"E
C48	54.06'	60.00'	51°37'33"	52.25'	N39°51'22"E
C49	60.88'	60.00'	58°13'43"	58.39'	N15°04'18"W
C50	83.54'	60.00'	79°48'28"	78.85'	N84°54'21"W
C51	44.66'	60.00'	42°38'43"	43.63'	N44°10'05"E
C52	33.47'	25.00'	78°41'59"	31.02'	N51°44'42"E
C53	39.27'	25.00'	90°00'00"	35.36'	N44°54'18"W
C54	58.60'	60.00'	40°10'40"	58.39'	N19°29'28"E
C55	54.54'	60.00'	36°45'49"	53.61'	N58°27'53"W
C56	39.40'	60.00'	28°33'31"	39.05'	N69°52'27"E
C57	45.16'	25.00'	103°30'00"	38.27'	N51°38'18"W
C58	33.38'	25.00'	76°30'00"	30.85'	N58°20'42"E
C59	61.62'	60.00'	41°40'19"	60.47'	N05°45'32"E
C60	51.67'	60.00'	34°49'41"	50.88'	N17°30'34"E
C61	39.27'	25.00'	90°00'00"	35.36'	N44°54'18"W
C62	39.27'	25.00'	90°00'00"	35.36'	N45°05'42"E
C63	39.27'	25.00'	90°00'00"	35.36'	N44°54'18"W
C64	39.27'	25.00'	90°00'00"	35.36'	N45°05'42"E
C65	33.38'	25.00'	76°30'00"	30.85'	N58°20'42"E

LINE TABLE		
LINE	LENGTH	BEARING
L1	6.90'	N48°42'37"E
L4	25.19'	N89°54'18"W
L5	18.55'	N55°04'17"W
L6	35.42'	N13°09'13"E
L7	30.00'	N89°54'18"W
L8	6.52'	N00°05'42"E
L9	41.91'	N89°54'18"W


STATE PLANE COORDINATES

#	NORTHING	EASTING	SCALE FACTOR
21	1725293.51	587618.67	0.99994656
22	1725128.67	587527.42	0.99994656
23	1725370.63	586986.67	0.99994640
24	1725377.69	586716.71	0.99994639
25	1725706.93	588718.26	0.99994639
26	1725706.36	588638.26	0.99994637
27	1725166.33	588940.53	0.99994637
28	1726216.33	588840.67	0.99994637
29	1726216.78	588960.68	0.99994635
30	1726336.40	588961.23	0.99994635
31	1726187.04	588890.54	0.99994638
32	1726186.46	588360.55	0.99994644
33	1726186.87	588090.57	0.99994649
34	1726191.01	587850.58	0.99994653
35	1725864.90	588089.04	0.99994649
36	1725865.75	587909.05	0.99994652
37	1725460.37	587906.06	0.99994652
38	1725486.88	587913.52	0.99994652
39	1725515.45	587933.89	0.99994650
40	1725514.96	588087.38	0.99994649
41	1725454.43	588087.09	0.99994649
42	1725399.65	588154.67	0.99994648
43	1725444.36	588344.88	0.99994645
44	1725487.64	588381.29	0.99994644

LEGEND

UNLESS OTHERWISE NOTED


- ⊙ = CENTERLINE OF RIGHT OF WAY
- ⊙ = SET 1/2" IRON ROD & CAP "A.M. GAUDET LS 5316"
- ⊙ = SET 4"x4" CONCRETE MONUMENT "PRM L55316"
- ⊙ = FOUND 4"x4" CONCRETE MONUMENT
- ⊙ = SET NAIL & DISC "TOP LS 5316"
- PRM = PERMANENT REFERENCE MONUMENT
- PCP = PERMANENT CONTROL POINT
- U.E. = UTILITY EASEMENT
- D.E. = DRAINAGE EASEMENT
- D/W = DRIVEWAY
- ⊙ = STATE PLANE COORDINATE
- SB = SETBACK
- R/W = RIGHT OF WAY
- (D) = DESCRIPTION CALL OR SPELL OUT
- (R) = RADIAL DIMENSION
- L = LENGTH
- T = TANGENT
- Δ = DELTA
- CH = CHORD LENGTH
- CB = CHORD BEARING
- CL = CURVE ABBREVIATIONS



PREPARED BY:
MICHAEL W. RADCLIFFE ENGINEERING, INC.
CIVIL ENGINEERS
2611 SE LAKE NERR AVENUE, OCALA, FL 34471
(352) 628-5500 FAX (352) 628-1010
AND
A.M. GAUDET & ASSOCIATES INC.
LAND SURVEYING - LAND PLANNING
4709 SE 102ND PLACE, SUITE 3, BELLEVUE, FLORIDA 34420
PHONE: (352) 245-2708 FAX: (352) 245-2853

ATTACHMENT E

#10-76



Meadow Glenn

Located In Section 21, Township 16 South, Range 21 East,
Marion County, Florida

UNIT 5

CURVE	LENGTH	RADIUS	DELTA	CHORD LEN.	CHORD BEARING
C1	42.41'	180.00'	13°30'00"	42.31'	N06°29'18"W
C2	109.95'	28.00'	80°30'00"	98.99'	N45°54'18"W
C3	31.70'	25.00'	49°44'35"	21.03'	N65°51'58"W
C4	30.35'	60.00'	28°52'04"	30.03'	N54°38'12"W
C5	58.91'	60.00'	56°15'28"	56.57'	N82°53'33"E
C6	41.02'	60.00'	39°14'05"	40.29'	N145°56'47"E
C7	41.85'	60.00'	39°58'05"	41.01'	N04°37'18"W
C8	48.77'	60.00'	46°34'02"	47.44'	N47°52'23"E
C9	71.54'	60.00'	68°20'11"	67.39'	N75°39'28"E
C10	13.00'	25.00'	28°42'25"	12.88'	N55°23'03"E
C11	8.64'	25.00'	19°44'30"	8.60'	N80°08'31"E
C12	39.27'	25.00'	80°30'00"	35.38'	N31°25'44"E
C13	39.27'	25.00'	80°30'00"	35.38'	N58°24'18"W
C14	33.39'	25.00'	78°30'00"	30.90'	N51°38'18"W
C15	41.14'	25.00'	84°17'42"	36.69'	N42°56'31"E
C16	15.14'	210.00'	4°17'42"	15.74'	N00°33'09"W
C17	35.34'	150.00'	13°30'00"	35.28'	N08°39'18"W
C18	27.13'	25.00'	62°10'08"	25.81'	N30°59'21"W
C19	28.98'	50.00'	34°21'01"	28.53'	N45°33'54"W
C20	22.13'	25.00'	62°10'55"	25.82'	N58°48'51"W
C21	79.79'	50.00'	91°25'40"	71.59'	N44°11'28"W
C22	39.27'	25.00'	80°30'00"	35.38'	N45°24'18"W
C23	150.27'	680.00'	12°38'41"	149.88'	S82°53'33"W
C24	90.36'	680.00'	7°35'49"	90.29'	N85°28'58"E
C25	59.91'	679.63'	5°03'02"	59.89'	N79°07'09"E

LINE	LENGTH	BEARING
1	24.65	N00°05'42"E
2	24.65	N00°05'42"E
3	23.91	N00°05'42"E


STATE PLANE COORDINATES

#	NORTHING	EASTING	SCALE FACTOR
21	1725293.51	587818.67	0.99994656
22	1725126.67	587857.42	0.99994656
46	1725000.71	587155.42	0.99994663
47	1725069.93	587335.31	0.99994661
48	1725067.85	587484.18	0.99994658
49	1725296.82	586920.13	0.99994687
50	1725324.12	587811.47	0.99994656
51	1725366.17	587806.70	0.99994656
52	1725748.07	587608.51	0.99994656
53	1725818.39	587538.84	0.99994657
54	1725818.96	587418.85	0.99994659
55	1726348.40	587421.34	0.99994659
56	1725468.98	587471.29	0.99994659
57	1725492.77	586717.34	0.99994670
58	1725117.79	586715.56	0.99994670

DRIVEWAY LOCATION NOTE:
BOLD LINE LOCATED ALONG CORNER LOT FRONTAGE INDICATES DRIVEWAY RESTRICTION. DRIVEWAY MUST BE LOCATED 50 FEET OR 1/2 LOT WIDTH (WHICHEVER IS LESS) AWAY FROM PAVEMENT POINT OF TANGENCY. THIS RESTRICTION IS IN ADDITION TO OTHER RESTRICTIONS SHOWN OR NOTED ON THIS PLAT.

LEGEND

- UNLESS OTHERWISE NOTED
- ℄ = CENTERLINE OF RIGHT OF WAY
 - ℄ = SET 1/2" IRON ROD & CAP "A.M. GAUDET LS 5316"
 - ℄ = SET 4"x4" CONCRETE MONUMENT "PRM LS5316"
 - ℄ = FOUND 4"x4" CONCRETE MONUMENT
 - ℄ = SET NAIL & DISC "PCP LS 5316"
 - PRM = PERMANENT REFERENCE MONUMENT
 - PCP = PERMANENT CONTROL POINT
 - U.E. = UTILITY EASEMENT
 - D.E. = DRAINAGE EASEMENT
 - U.& D.E. = UTILITY AND DRAINAGE EASEMENT
 - D/W = DRIVEWAY
 - ℄ = STATE PLANE COORDINATE
 - SB = SETBACK
 - R/W = RIGHT OF WAY
 - (O) = DESCRIPTION CALL OR SPELL OUT
 - (R) = RADIAL DIMENSION
 - R = RADIUS
 - L = LENGTH
 - T = TANGENT
 - D = DELTA
 - CH = CHORD LENGTH
 - CB = CHORD BEARING
 - C = CURVE ABBREVIATIONS



PREPARED BY:
MICHAEL W. RADCLIFFE ENGINEERING, INC.
2811 S.E. LAKE WEIR AVENUE, OCALA, FL 34471
(352) 629-5500 FAX (352) 629-1010
AND
A.M. GAUDET & ASSOCIATES, INC.
LAND SURVEYING - LAND PLANNING
4708 SE 102ND PLACE, SUITE 3, BELLEVUE, FLORIDA 34420
PHONE: (352) 245-2708 FAX: (352) 245-2853

ATTACHMENT E

#10-77